

Recreation CQB + SONE+

Product Definition

Tufted Patterned Structured Loop Pile

Pile Material

100% Recycled Solution Dyed Nylon

Pile Yarn Weight

583 g/m² ± 5%

Total Weight

4,265 g/m² ± 5%

Effective pile yarn weight

XX g/m² ± 10%

Pile Height

2.8 mm ± 0.5 mm

Total Thickness

10.3 mm +15% / - 10%

Gauge/Ends 10 cm

1/12 - 47.2

Tufts per m²

162,840 ± 5%

Backing Type

CQuestBio SONE+

Wear Classification

EN 1307 33 Heavy Contract

LC2

Radiant Panel

(EN ISO 9239/1 Euroclass Bfl s1 (EN ISO 13501))

Dimensional Stability

≤ 0.2% (EN 986)

Impact Sound Insulation (ΔL_w)

33 dB (EN ISO 10140-3)

Rating of Sound Absorption





0.35 (EN ISO 11654)

Sound Absorption

125Hz	250Hz	500Hz	1000Hz	2000Hz	4000Hz	(EN ISO 354) α _s
0.03	0.08	0.43	0.27	0.35	0.54	

Style 4313

3m² - 12Tiles per Box (50 cm x 50 cm ± 0.2%)



Carbon Footprint / m² (Cradle to Gate)*

Total Recycled Content & Biobased Contents

Total Virgin Content

Yarn Recycled Content

LRVs (link to sharepoint location):

Other Comments

Interface European Manufacturing BV reserves the right to change or modify specifications. Please see website for latest specifications:

Date 25/09/24

www.interface.com