As part of Interface's Mission Zero promise to eliminate any negative impact on the environment by 2020, we always consider the environment impact of every creative, manufacturing and building decision. This sample book is printed on recycled paper and with soy based ink. Twenty four virgin trees were saved from our use of 1725kg of recycled paper in the production of 5000 sample books. Energy intensity also decreased and greenhouse gases were reduced. The other reductions came from waste water and solid waste. Through our sample reclamation program, we help keep sample materials out of landfill by re-using them until it is time to recycle these sample materials.

www.interface.com

South East Asia

Interface Asia tel: 65-6478 1510 www.interface.com

South Korea

tel. 82-2-555 1734 www.interface.com

Japan

Interface Japan tel: 81-3-5733 5211 www.interface.com

India

Interface India tel: 91 80 30589350 www.interface.com

Beijing Studio

Interface China tel: 86-10-6590 7810 www.interface.com.cn

Hongkong Studio

Interface China tel: 852-2802 0838 www.interface.com.cn

Shanghai Studio

Interface China tel: 86-21-6340 3868 www.interface.com.cn

Australia


Interface Australia local toll free: 1800 008 101 www.interface.com

05/2017 SF0092T0



Mission Zero:

our promise to eliminate any negative impact our company may have on the environment by the year 2020.




The variation of nature within the modular framework

Nature offers constantly changing surroundings and stimulates us in different ways. Built spaces can offer the same kind of variety, providing environments matched to the activities taking place.

Global Change extends our library with new colors, patterns and textures—disparate elements that combine to create a cohesive whole. A classic Interface offering, pairing nature-inspired design with the structure of a modular system.

This collection is a new expression of biophilic design, offering a varied sensory experience with wide-ranging colors, patterns, textures, formats and materials. This global collection comprises seven carpet tile ranges in both squares and Skinny Planks™, ranging from organic to crisp designs. Four draw inspiration from familiar organic patterns: Glazing™ and Shading™ recreate the shadows of a forest canopy on the floor, Ground™ and Raku™ reference different terrains. Progression™ I, II and III provide the connective tissue that binds one idea to another, seamlessly.

Global Change is available around the world and manufactured in Asia, North America, Australia and Europe.



Ground Colourline



9083-001-000 Daylight




9083-002-000 Desert Shadow




9083-003-000 Evening Dusk



9083-004-000 Morning Mist




9083-005-000 Fawn



9083-006-000 Eclipse










Raku Colourline








8334-002-000 Desert Shadow




8334-003-000 Evening Dusk




8334-004-000 Morning Mist



8334-005-000 Fawn




8334-006-000 Eclipse










CARPET TILE RAKU COLOUR EVENING DUSK CARPET TILE GROUND COLOUR DESERT SHADOW INSTALLED PATTERN BY TILE







CARPET TILE GROUND COLOURS MORNING MIST, DAYLIGHT INSTALLED BRICK














CARPET TILE RAKU COLOUR DAYLIGHT CARPET TILE GROUND COLOUR DAYLIGHT INSTALLED PATTERN BY TILE



Specifications

Ground™

Style Code 9083 Pattern 000 Product Definition Tufted textured Loop

Yarn/Fibre BCF Nylon Type 6.6 - Recycled Nylon

100% Solution Dyed Colour System

Machine Gauge 1/12

Pile Thickness 3.0mm +/- 0.5mm Total Thickness 6.5mm +/- 0.5mm Tile Size 50cm x 50cm

Area of Use Commercial - Heavy Use

Lifetime Antimicrobial Intersept®

Soil/Stain Protection Protekt^{2®}

Total Recycled Content GlasBac® 42% to 57% Total Recycled Content

Glasbac®RE 62% to 74% Total Recycled Content

Installation Methods Brick, Quater-turn





Style Code 8334 Pattern 000

Product Definition Tufted textured Tip Sheared Loop BCF Nylon Type 6.6 - Recycled Nylon Yarn/Fibre 100% Solution Dyed

Colour System 1/10

Machine Gauge

Pile Thickness 4.0mm +/- 0.5mm 8.5mm +/- 0.5mm Total Thickness Tile Size 50cm x 50cm

Area of Use Commercial - Heavy Use

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Total Recycled Content GlasBac® 42% to 57% Total Recycled Content Glasbac®RE 62% to 74% Total Recycled Content Ashlar, Brick, Monolithic, Non Directional, Quater-turn

Installation Methods





















CoolCarpet™ Intersept®

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content calculation excludes backing. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology.

*Cool Carpet is not a standard option in Australia and New Zealand.