
Aerial Squares AE310, AE312

Interface®

A view from above gives us the unique opportunity to witness connectivity. The web of connections fascinates and assures us. In Aerial, a simple neutral palette travels new paths when several hues are tangled together for each colourway. The way the shades shift in seemingly endless movements from one tile to the next is provocative and stirs attention.

The construction of AE310[™] recalls the warp and weft of a handwoven textile while AE312[™] adds strands of colour to light up that texture. The Aerial squares fit together effortlessly with the rest of the collection, creating a network of design possibilities to trace and discover.







AE310 Colour Range



7921001 Mist



7921005 Greige



7921002 Fog

7921006 Iron



7921003 Taupe



7921004 Chestnut



7921007 Smoke



7921008 lnk



AE312 Colour Range



8148001 Mist/Accent



8148002 Fog/Accent



8148003 Taupe/Accent



8148004 Chestnut/Accent




8148005 Greige/Accent



8148006 Iron/Accent



8148007 Smoke/Accent




8148008 Ink/Accent





Design Ideas Below are floor layouts showing how to create the design ideas shared in some of the images featured in this brochure.






PRODUCT AE310 COLOURS MIST, GREIGE, INK INSTALLED NON DIRECTIONAL PRODUCT AE312 COLOUR INK/ACCENT INSTALLED QUARTER TURN







Specifications

AE310[™] **12**

Style Code 7921

Product Construction Tufted Textured Loop
Yarn System 100% Recycled Solution Dyed Nylon

Machine Gauge 1/12

 Pile Thickness
 2.5mm +/- 0.5mm

 Total Thickness
 6.0mm +/- 0.5mm

 Tile Size
 50cm x 50cm

Area of Use Commercial – Heavy Use ACCS (Australia Only) Commercial Heavy Duty & Stairs

Lifetime Antimicrobial Soil/Stain Protection Protekt^{2®} Protekt^{2®} Non Directional





AE312[™] **12**

Style Code 8148

Product Construction Tufted Textured Loop

Yarn System 100% Recycled Solution Dyed Nylon

Machine Gauge 1/12

 Pile Thickness
 2.5mm +/- 0.5mm

 Total Thickness
 6.0mm +/- 0.5mm

 Tile Size
 50cm x 50cm

Area of Use Commercial – Heavy Use ACCS (Australia Only) Commercial Heavy Duty & Stairs

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Installation Methods Brick, Quater-turn





Carbon Neutral Floors™













All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.



www.interface.com

Australia

Interface Australia local toll free: 1800 804 361

India

Interface India tel: +91 80 4613 1313

South East Asia

Interface Asia tel: +65 6478 1510

South Korea

Interface South Korea tel: +82 2 555 1734

Japan

Interface Japan tel: +81 3 5733 5211

Beijing

Interface China tel: +86 10 6590 7810

Hong Kong

Interface China tel: +852 2802 0838

Shanghai

Interface China tel: +86 21 6340 3868

02/2020 SF0097T0



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.