www.interface.com

United States Headquarters 1503 Orchard Hill Road LaGrange, GA 30240 1.800.336.0225 ext. 56511

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext. 52128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos 73/74 7o Andar 04571-050 - São Paulo - SP + 55 11 2196 0900


Latin American Headquarters

Montes Urales # 415 Piso 6 Col. Lomas de Chapultepec México City, D.F. 11000 Mexico + 52 55 6395 5100

CIM # IFS00654 10/2017



Mission Zero: our promise to eliminate any negative impact our company may have on the environment by the year 2020.



Architectural Plans[™] Collection

It all begins with a blank space, measurements of length, width and thickness. From there, your grid begins to take shape. Your blank space becomes dimensional. A concept is born. Your space begins to take on a personality, a function. Your space has hard walls, open air, windows, light details. More details than any layman can ever imagine. The idea is set to paper; your plans are complete. Fill them with the Architectural Plans Collection, two patterns, 12 neutral colorways in warm and cool tones. Architectural Plans can be installed alone; however, they work well together with a natural, progressive build in texture and pattern. Suitable for all market segments.



CARPET PRODUCT TO SCALE COLOR 7773 PERSPECTIVE INSTALLED NON DIRECTIONAL LVT PRODUCT LEVEL SET" I TEXTURED STONES COLOR A00302 COOL POLISHED CEMENT INSTALLED NON DIRECTIONAL

www.interface.com

COVER: PRODUCT TO SCALE COLOR 7776 DETAILS INSTALLED NON DIRECTIONAL

CARPET PRODUCT LAYOUT COLOR 7797 ELEVATIONS INSTALLED NON DIRECTIONAL LVT PRODUCT LEVEL SET | TEXTURED STORES COLOR A00306 JERSEY MARBLE INSTALLED NON DIRECTIONAL

10



To Scale[™] Colorline









1405000500
1465202500
GlasBac® Tile
Universal
Post-Consumer Content Type 6,6 Nylon
100% Solution Dyed
Tufted Textured Loop
Intersept®
Protekt ^{2®}
0.100 in., 2.5 mm
6,120
61-66%
CRI Green Label Plus# GLP0820





Layout[™] Colorline





Specifications 12

Modular, 50cm x 50cm	1465402500
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.100 in, 2.5 mm
Pile Density	6,120
Total Recycled Content	61-66%
Indoor Air Quality	CRI Green Label Plus# GLP0820



Why Our Modular Carpet?



i2® Modular Carpet

Minimize Waste & Save Money. Interface's i2 styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.

S

Cool Floor™

The Low Carbon Option. Help stop climate change. ALL Interface modular flooring sold in North America is third party verified climate neutral Cool Floor. We start by using low-carbon materials and manufacturing processes, then Cool Floor zeros out all remaining greenhouse gas (GHG) emissions associated with the entire life cycle of your flooring, from raw material extraction through use and recycling.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Intersept[®]

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry®

Recyclable is Now a Reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon while separated GlasBac®RE and similar competitor backings are recycled into new GlasBac® non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



Sustainable Choice

Environmental Responsibility. More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients vin HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States Canada 1.877.605.1500 1.866.398.3192

Brazil Latin America + 55 11 2196 0900 + 52 55 6395 5100

www.interface.com

Environmental Product Declaration

(EPD) - A statement of product ingredients

and environmental impacts over the entire

life cycle of a product. A comprehensive

life cycle assessment (LCA) is performed

to ISO standards to develop an EPD, after

which both the EPD and LCA must be

third party verified.

Register at www.interface.com to: • Browse products and order samples • View carpet in a variety of room scenes • Use the Floors design tool to create layouts you can save or share • Use our LEED Calculator • Check order status and inventory availability • Sign up to get the latest information on Interface products and news

InterCircle[™]Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification



Cool Floor – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire life cycle of your flooring.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.

CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with r very low emissions of VOCs to help improve indoor air quality. All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.





Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.