



Printed on 100% post consumer waste (PCW) fiber manufactured using wind power.

[interface.com](https://www.interface.com)

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext. 52128

Latin American Headquarters
Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM # IFS00852 09/2022



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

Brushed Lines | LVT

Interface®

Earth is the ultimate influencer. Even in the most industrial of spaces, we find traces of the natural world. Worn edges. Organic forms. Dusty colors. They ground us, connect us to the here and now.

Could we achieve that same effect with different materials?

The diffused linear texture of Brushed Lines evokes the familiar qualities of hard surfaces with a light-capturing quality that sparkles on the floor. Its subtle design features 16 solid colors ranging from warm and cool neutrals to pops of earthy, mineral-like tones. Given space, Brushed Lines delivers modern refinement inspired by raw and natural motifs.

Brushed Lines is recyclable through our ReEntry™ program and contains 39% recycled content. And, like all flooring you specify from Interface, it is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program.





interface.com

PRODUCT BRUSHED LINES COLORS A01608 SANDALWOOD, A01611 MOUSSE INSTALLED ASHLAR



LVT PRODUCT BRUSHED LINES COLOR A01612 SOFT SHADOW INSTALLED ASHLAR
CARPET PRODUCT READE STREET™ COLOR 105756 IRON PLATE INSTALLED MONOLITHIC

Specifications

Product Number	A016
Product Construction	High Performance Luxury Vinyl Tile
Class / ASTM F1700	Class III Printed Vinyl Tile
Wear Layer Thickness	22 mil
Total Thickness	4.5mm
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	25cm x 1m (9.845 in x 39.38 in)
Total Recycled Content (Pre Consumer)	39%
Indoor Air Quality	GREENGUARD Gold FloorScore® Certified CDPH 01350 Compliant Carbon Neutral Floors™
Full Life Cycle Carbon Emissions	
Environmental Certifications	NSF/ANSI 332 Silver
LEED v4	Contributes to multiple IEQ and MR credits

View the full product specification on interface.com.

Installation Methods



ASHLAR



HERRINGBONE



BROWSE IMAGES
ORDER SAMPLES

Brushed Lines™ Colorline



A01602 ALABASTER



A01613 BLUSH



A01604 GALENA



A01614 HONEY



A01605 GRAPHITE



A01615 HENNA



A01606 KOHL



A01616 ROUGE



A01608 SANDALWOOD



A01618 CELADON



A01609 PARAFFIN



A01619 EUCALYPTUS



A01611 MOUSSE



A01620 TEAL OXIDE



A01612 SOFT SHADOW



A01622 DEEP COBALT



Why Our Modular Resilient Sound Choice™ 4.5 mm LVT?



Integrated System
Save time and look good doing it. Our Sound Choice LVT integrates with our full product portfolio, allowing you to streamline specification and installation of your floorplate. Add our modular carpet for an inset rug or an adjacent field – no transition strip required.



Easy Maintenance
Create a unique look that lasts. Interface Sound Choice LVT extends the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.




Circular System
Keep flooring out of the landfill. Interface LVT on Sound Choice™ is produced with a controlled material stream, so it is recyclable through our ReEntry™ program. And, like all of Interface modular resilient flooring, our LVT contains 39% recycled content.




Noise Reduction
Silence distractions. Sound Choice is a specially formulated backing for superior noise reduction, offering you best-in-class impact sound reduction and floor to floor sound transmission.

High Performance from Top to Bottom



- 1. Ceramor™ Coating.** Minimizes everyday scratching and scuffing.
- 2. Wear Layer.** High quality 22 mil layer enabling 15 years of resilience and performance.
- 3. Print Film.** Provides outstanding visuals of natural materials and Interface innovative designs.
- 4. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 5. Fiberglass.** Adds dimensional stability and controlled flexibility.
- 6. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 7. Sound Choice Backing.** Provides comfort and superior acoustic performance.

Interface Sound Choice LVT and carpet tile allow you to seamlessly move from hard to soft surfaces. No transition strip needed.



Help Lower Your Carbon Footprint
Like all the flooring products we sell, Interface LVT is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



Health Product Declaration (HPD)
A transparency tool for evaluating if a product includes materials of concern and whether it supports Green Chemistry.



NSF/ANSI 332 Silver
This standard evaluates the environmental impact of resilient floor covering for its entire life cycle.



Environmental Product Declaration (EPD)
A third-party verified statement of product ingredients and environmental impacts over the entire life cycle of a product.



GREENGUARD Gold & FloorScore®
Meeting the highest standards for indoor air quality and assuring very low emissions of VOCs, Interface LVT is GREENGUARD Gold and FloorScore® Certified and CDPH 01350 compliant.

Samples
Order samples at interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil +5511.2196.0900	Latin America +52.55.2791.6812

interface.com
Register at interface.com to:

- Browse products and order samples
- View flooring in a variety of room scenes
- Change colors, view as a grid or in a room, download and share
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.