

Chenille Warp & Patterns



Interface®

Chenille Warp™ & Patterns

Remember your grandmother's old chenille bedspread? That striping effect was created by tufting rows of yarn into a thick fabric. With just enough nostalgia to be retro cool, Chenille Warp celebrates the stripes that are found everywhere – from fashion to furniture to accessories. Available in bright rainbow colors and subtle neutral tones, the real beauty of Chenille Warp is that it can be installed in one direction (brick) or quarter-turned. Each installation results in a completely different aesthetic.

Our two Chenille Warp Patterns are created by blending the striated texture of Chenille Warp with bold geometric patterns from the 1960s and 1970s. Psychedelic™ has a circular pattern layered over the existing linear texture, and Happening™ features a midsize geometric overlay.

(COVER) **PRODUCT** CHENILLE WARP **COLOR** 3681 REFLECTIONS **INSTALLED** BRICK
PRODUCT VIVA COLORES™ **COLORS** 101125 VERDE BOTELLA, 101126 VERDE PRIMAVERA,
101134 VERDE, 101135 ESMERALDA **INSTALLED** PATTERN BY TILE



PRODUCT CHENILLE WARP **COLORS** 3682 REPETITIONS, 3684 REMINISCENT
PRODUCT SYNCOPATION™ **COLORS** 6494 MARGARITA, 6484 OCEAN **INSTALLED** PATTERN BY TILE



Chenille Warp™ Colorline



3677 RETROSPECTIVE



3678 NOSTALGIA




3679 RECURRENCE



3680 FLASH BACK



3681 REFLECTIONS




3682 REPETITIONS



3683 RECOLLECTIONS




3684 REMINISCENT




3685 TOTAL RECALL



3686 YESTERDAY



3687 HINDSIGHT



3688 REMEMBRANCE

Specifications **i2**

Modular, 50cm x 50cm	1462902500
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Tip-Sheared
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.094 in., 2.4 mm
Pile Density	6,511
Total Recycled Content	64-67%
Indoor Air Quality	CRI Green Label Plus #GLP0820





PRODUCT PSYCHEDELIC COLOR 1436 FLASH BACK INSTALLED QUARTER-TURN

Psychedelic™ Colorline



1433 RETROSPECTIVE



1434 NOSTALGIA



1435 RECURRENCE



1436 FLASH BACK



1437 REFLECTIONS



1438 REPETITIONS



1439 RECOLLECTIONS



1440 REMINISCENT



1457 TOTAL RECALL



1458 YESTERDAY



1459 HINDSIGHT



1460 REMEMBRANCE

Specifications **i2**

Modular, 50cm x 50cm
 Backing System
 Yarn Manufacturer
 Yarn System
 Color System
 Construction
 Preservative Protection
 Soil/Stain Protection
 Pile Thickness
 Pile Density
 Total Recycled Content
 Indoor Air Quality

1463102500
 GlasBac® Tile
 Universal
 Post-Consumer Content Type 6,6 Nylon
 100% Solution Dyed
 Tufted Tip-Sheared
 Intersept®
 Protekt2®
 0.110 in., 2.8 mm
 5,564
 64-67%
 CR1 Green Label Plus #GLP0820





PRODUCT HAPPENING COLOR 2979 HINDSIGHT INSTALLED BRICK

Happening™ Colorline



2957 RETROSPECTIVE




2958 NOSTALGIA



2959 RECURRENCE




2960 FLASH BACK



2973 REFLECTIONS




2974 REPETITIONS



2975 RECOLLECTIONS



2976 REMINISCENT



2977 TOTAL RECALL



2978 YESTERDAY



2979 HINDSIGHT



2980 REMEMBRANCE

Specifications **i2**

Modular, 50cm x 50cm	1463202500
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Tip-Sheared
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.110 in., 2.8 mm
Pile Density	5,564
Total Recycled Content	64-67%
Indoor Air Quality	CRI Green Label Plus #GLP0820



BRICK

QUARTERTURN

Why Our Modular Flooring?



i2® Modular Flooring

Minimize waste & save money. Interface's i2 styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



Carbon Neutral Floors™

Create a climate fit for life. All Interface flooring sold globally is third party verified carbon neutral. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder, including the emissions from raw materials, our manufacturing processes and product use to end of life.



TacTiles®

No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil + 55 11 2196 0900	Latin America + 52 55 6395 5100

www.interface.com

Register at www.interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification



Bureau Veritas – All Interface flooring sold globally is third party verified carbon neutral.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept®

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry®

Recyclable is now a reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon while separated GlasBac®, GlasBacRE and similar competitor backings are recycled into new GlasBacRE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



Sustainable Choice

Environmental responsibility. More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients in HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.

www.interface.com

United States Headquarters

1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.56511

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
México City, D.F. 11000
Mexico
+ 52 55 6395 5100

09/2018



Climate change is undeniable. And reversible. Our mission is to prove it.
Join the #ClimateTakeBack and help create a climate fit for life.