



Criterion Classic™
Woodgrains | LVT

Interface®

Criterion Classic™ Collection

A balance of design and performance

Interface's Criterion Classic collection features a group of LVT designs that you'll come back to again and again. Featuring 6 woodgrain colourways that look beautiful and effortless without compromising performance.

Criterion Classic Woodgrains is the first range that introduces a slimmer dimension of 12.5cm x 1m planks in a 3.0mm construction. With a 0.55mm wear layer of Ceramor™ UV stabilised ceramic bead coating, it delivers style that won't fade. A contemporary and durable finish that resists scratching and scuffing whilst backed by a 10-year warranty.

Criterion Classic LVT is fully recyclable through our ReEntry® program and contains 39% recycled content. As part of our global product portfolio, Criterion Classic is carbon neutral across its full lifecycle. Impactful on the floor. Impactful on the planet. Carbon Neutral Floors™.







LVT Criterion Classic™ Woodgrains Colour Chestnut Installed Ashlar



LVT Criterion Classic™ Woodgrains Colour Cedar Installed Ashlar



Criterion Classic™ Woodgrains - Colourline



C00102 Chestnut



C00102 Sand Dune



C00104 Washed Maple



C00105 Cedar




C00107 Antique Gray Oak



C00108 Mushroom

Technical Specification - Criterion Classic™ Woodgrains

Product Number	C001
Product Construction	Luxury Vinyl Tile
Wear Layer Thickness	0.55 mm
Total Thickness	3 mm
Classification	ASTM F1700 / Class III Printed Vinyl Tile
Finish	CERAMOR® UV Stabilised Ceramic Bead Coating
Nominal Dimensions	12.5 x 100 cm
Indoor Air Quality	GREENGUARD® Gold, FloorScore® / CDPH 01350 Certified for low VOC emissions
Environmental Certifications	GreenTag Green Rate Level A, NSF/ANSI 332 Silver
Carbon Offsets	Carbon Neutral Floors™
Reclamation	Recyclable through ReEntry™
Warranty	10 Year Standard LVT Product Warranty
Installation Methods	Ashlar & Herringbone



LVT Criterion Classic™ Woodgrains Colour Antique Gray Oak Installed Ashlar



Carbon Neutral Floors™
 Create a climate fit for life.
 All Interface flooring sold globally is third party verified carbon neutral across the entire product lifecycle. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder, including the emissions from raw materials, our manufacturing processes and product use to end of life.



Global GreenTag GreenRate
 Level A – Global GreenTag's GreenRate certification is a product rating system recognised by the Green Building Council of Australia, New Zealand and South Africa. It has been set up to meet the criteria of the Green Star® "Sustainable Products" credits. All Interface products are certified "Level A".



Indoor Air Quality.
 All Interface modular flooring products meet the highest standards for indoor air quality. Interface LVT is FloorScore® Certified, assuring very low emissions of VOCs.



Environmental Product Declaration (EPD) –
 The Environmental Product Declaration (EPD) is a third party verified environmental certification classified as Type III that quantifies and verifies the lifecycle impacts of products and goods according to the International Standards Organization (ISO) 14025, 14040, 14044 and EN 15804. EPDs help customers that are environmentally driven to evaluate the performance of a product and to make the best decision when choosing a product. All Interface products have EPDs.

Australia
Interface Australia
Local toll free: 1800 804 361

www.interface.com



Climate change is undeniable. And reversible. Our mission is to prove it.
Join the #ClimateTakeBack and help create a climate fit for life.