



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1280 West Peachtree Street NW Atlanta, GA 30309 1.800.634.6032

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos 73/74 7° Andar 04571-050 - São Paulo - SP + 55 11 2196 0900

Latin American Headquarters


Montes Urales # 415 Piso 6 Col. Lomas de Chapultepec Mexico City, CDMX, C.P. 11000 Mexico

+ 52 55 2791 6812

CIM # IFS00863 10/2020



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.




Less carbon in the atmosphere. More beauty on your floor.

The Embodied Beauty collection is designed to help restore the health of the planet and lower the carbon footprint of your space with style. The collection features a range of beautiful carpet tile designs, including our first-ever carbon negative products in three unique styles: Shishu Stitch™, Tokyo Texture™, and Zen Stitch™. These pioneering products are created with a combination of our new CQuest™BioX backing, specialty yarns and tufting processes and are designed to create a carpet tile that stores more carbon than any before — helping you reduce the carbon footprint of your space by reducing the amount of carbon in the atmosphere.

The collection is inspired by the Japanese aesthetics of minimalism, restoration, and the organic beauty of the natural world. In addition to our three carbon negative products, you'll find calm, muted grays in warm and cool tones alongside natural colors for added dimension in Geisha Gather™, Sashiko Stitch™, Simple Sash™ and Vintage Kimono™. From narrow monochromatic patterns to large scale graphic tufted textures, all of the styles in this collection combine and contrast tastefully.

The Embodied Beauty collection lives up to its name and shows that beautiful design and sustainability are inseparable. In addition to the three cradle-to-gate carbon negative styles, as part of Interface's commitment to Climate Take Back™, all of the styles that are featured within the collection are carbon neutral across their full product life cycle.





Shishu Stitch™ Colorline $[-\mathbf{C0}_2]$







106641 JET

106642 SHADE

106643 INDIGO







106644 ASH 106645 TAUPE 106646 LIMESTONE

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer

137480AK0Q CQuest™BioX Universal

Post-Consumer Content Nylon 100% Solution Dye Tufted Textured Loop Yarn System Color System Construction Soil/Stain Protection Protekt^{2™}

Pile Thickness

0.053 in., 1.3 m 8,162 Pile Density


View the full product specification on interface.com



[-CO2] Less is more like never before.

Shishu Stitch is carbon negative. The materials in our CQuestBioX backing, in combination with specialty yarns and tufting processes, create this carbon negative carpet style. Visit interface.com/carbonnegative to learn more.





Zen Stitch™ Colorline $[-\mathbf{C0}_2]$







106629 FLINT

106630 ALBA

106631 LIMESTONE







106632 TAUPE

106633 ASH

106634 INDIGO







106635 COAL

106636 SHADE

106637 JET







106638 POPPY

106639 SUGILITE

106640 JADEITE

Specifications


Modular, 25cm x 1m Backing System Yarn Manufacturer 137470AK0Q CQuest™BioX Universal Post-Consumer Content Nylon

Yarn System Post-Consumer Content Nylor
Color System 100% Solution Dye
Construction Tufted Textured Loop
Soil/Stain Protection Protekt²™
Pile Thickness 0.044 in., 1.1 mm

Pile Thickness 0.044 in.,
Pile Density 9,920



Tokyo Texture™ Colorline [-[0]₂]








106620 FLINT

106621 TAUPE

106622 ASH








106623 INDIGO

106624 COAL

106625 SHADE







106626 JET

106627 POPPY

106628 JADEITE

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer

137460AK0Q CQuest™BioX Universal

Post-Consumer Content Nylon 100% Solution Dye Tufted Textured Loop Yarn System Color System Construction Soil/Stain Protection Protekt^{2™} 0.051 in., 1.3 m

Pile Thickness 8,470 Pile Density

View the full product specification on interface.com



[-CO2] Less is more like never before.

Tokyo Texture is carbon negative. The materials in our CQuestBioX backing, in combination with specialty yarns and tufting processes, create this carbon negative carpet style.

Visit interface.com/carbonnegative to learn more.









Simple Sash™ Colorline







106599 FLINT

106600 ALBA

106601 LIMESTONE







106602 TAUPE

106603 ASH

106604 INDIGO







106605 COAL

106606 SHADE

106607 JET

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer 147390AK0G CQuest™ GB Universal

Yarn System Post-Consumer Content Nylon
Color System 100% Solution Dye
Construction Tufted Textured Loop
Preservation Protection Intercept™

Preservation Protection Soil/Stain Protection Protekt 2TM Protekt 2TM Pile Thickness 0.088 in., 2.2 mm Pile Density 7,773







Sashiko Stitch™ Colorline







106608 FLINT

106609 ALBA

106610 LIMESTONE







106611 TAUPE

106612 ASH

106613 INDIGO







106614 COAL

106615 SHADE

106616 JET







106617 POPPY

106618 SUGILITE

106619 JADEITE

Specifications

Modular, 25cm x 1m 147400AK0G Backing System COuest™ GB Yarn Manufacturer Universal

 Yarn System
 Post-Consumer Content Nylon

 Color System
 100% Solution Dye

 Construction
 Tuffed Textured Loop

 Preservation Protection
 Intersept™

 Soil/Stain Protection
 Protekt²™

 Pile Thickness
 0.103 in., 2.6 mm

Pile Density 7,340



Vintage Kimono™ Colorline









106591 ALBA

106592 LIMESTONE







106593 TAUPE

106594 ASH

106595 INDIGO







106596 COAL

106597 SHADE

106598 JET

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer

141780AK0G CQuest™ GB Universal

Post-Consumer Content Nylon 100% Solution Dye Tufted Sheared Yarn System Color System Construction Preservation Protection Intersept™

Protekt^{2™} Soil/Stain Protection 0.098 in., 2.5 mm 9,551 Pile Thickness

Pile Density







Geisha Gather™ Colorline







106582 ALBA

106583 LIMESTONE







106584 TAUPE

106585 ASH

106586 INDIGO







106587 COAL

106588 SHADE

106589 JET

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer 141770AK0G CQuest™ GB Universal

Post-Consumer Content Nylon

Yarn System Color System Construction 100% Solution Dye Tufted Sheared Preservation Protection Intersept™ Protekt^{2™} Soil/Stain Protection Pile Thickness 0.116 in., 2.9 mm Pile Density 8,069









Modular Flooring

Performance and flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 3-4% waste compared to roll carpet's average of 14%. And it installs seamlessly with our LVT, no transition strips needed.



TacTiles[™]

No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives. TacTiles are approved for use on GlasBac®, GlasBacRE, CQuest™GB, Graphlar™ and Graphlex™.



Intersept™

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteriaguaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde. Intersept is standard in Interface carpet tile products backed with GlasBac, GlasBacRE, CQuestGB, ReadyBac, and CushionBac Renew.



ReEntry™

Recyclable is now a reality. Through our ReEntry program, we reclaim all Interface carpet tile and LVT. The result? Products with up to 85% total recycled content, including as much as 25% postconsumer content.



Sustainable Choice

Sustainability. Standard. Transparency and certified sustainability leadership come standard on Interface products, including published ingredients in HPDs (Health Product Declarations) and published EPDs (Environmental Product Declarations), which are based on full life cycle assessment (LCA). And, all Interface carpet products are certified to the NSF 140 Sustainable Carpet Assessment Standard. Additionally, all Interface flooring and adhesives are 3rd party certified for low VOC emissions through Green Label Plus for carpet tile and both FloorScore and GREENGUARD Gold for LVT. Carpet products made in our US facilities are made with 99% renewable energy.



Carbon Negative

Our goal is to make products with the lowest carbon footprint possible. We're innovating on ways to work with recycled content and bio-based materials. The result? Carpet tiles that store carbon, keeping it out of the atmosphere and help to restore the health of the world. Learn more about our carbon negative flooring products at interface.com/carbonnegative.

Note: We use the [-CO2] product tag to denote that the product shown is carbon negative. When multiple products are shown together, we use an asterisk (*) to specify which of those product(s) the [-CO2] tag applies to.



Carbon Neutral Floors™ Learn more about our third-party verified Carbon Neutral Floors.

www.interface.com/

carbonneutral



Environmental Product Declaration (EPD) - A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for

Carpet - The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus - An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

Samples

Order samples at www.interface.com. You'll receive email order confirmations. 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500 Canada 1.866.398.3192

Brazil

Latin America + 55 11 2196 0900 + 52 55 6395 5100

www.interface.com

Register at www.interface.com to:

- Browse products and order samples View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download
- · Use our LEED Calculator

and share

- · Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.





Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.