

# First Option™ Planks

**[www.interface.com](http://www.interface.com)**

**United States Headquarters**

1503 Orchard Hill Road  
LaGrange, GA 30240  
1.800.336.0225 ext.6511

**Canadian Headquarters**

233 Lahr Drive  
Belleville, ON K8N 5S2  
1.800.267.2149 ext.2128

**Brazilian Headquarters**

Rua Surubim, 577 - Conjuntos  
73/74 7º Andar  
04571-050 - São Paulo - SP  
+ 55 11 2196 0900

**Latin American Headquarters**

Montes Urales # 415 Piso 6  
Col. Lomas de Chapultepec  
México City, D.F. 11000  
Mexico  
+ 52 55 6395 5100

CIM # IFS00728 04/2016



**Mission Zero®**

our promise to eliminate any  
negative impact our company  
may have on the environment  
by the year 2020.

**Interface®**



First Option™ Planks

Now you have more options! Your First Option library has been expanded to include a lively new pattern. Bike Path™ brings a spirited style, coasting on well chosen neutrals and marked with strong pops of color like stop sign red and go-go green.

Bike Path comes in two Skinny Planks™, and the collection delivers a range of colors across both styles. BP410 is the solid base upon which BP411 adds its accent colors. The simplicity of design—with straight lines and a clean-cut appearance—are perfect for creating directional cues on the floor. Bike Path draws your attention and directs the eye with its linear forms and color accents.

An ashlar installation of Bike Path unlocks the linear pattern of the tile, creating a sense of direction and connecting one interior space with another while at the same time adding balance. In herringbone, the stitch lines within each tile will appear accentuated, enabling you to intensify the pace and energy of your interior spaces.

Just as a ride in the park can invigorate your day, Bike Path's informal and approachable styling will pep up all sorts of public spaces in corporate offices, schools, retail and multifamily housing. Let's ride!











BP410 Colorline




104649 OREGANO



104650 TOFFEE




104651 COIN



104652 LEAD




104653 LICORICE



104654 DOVE



104655 EMBER



104656 QUARTZ

Specifications


Modular, 25cm x 1m	146850AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.068 in., 1.7 mm
Pile Density	7,412
Total Recycled Content	52%
Indoor Air Quality	CRI Green Label Plus #GLP0820









BP411 Colorline




104657 OREGANO/LIME




104658 TOFFEE/ORANGE




104659 COIN/YELLOW




104660 LEAD/BLUE




104661 LICORICE/TEAL



104662 DOVE/LIME



104663 EMBER/RED



104664 QUARTZ/ORANGE

Specifications


Modular, 25cm x 1m	146860AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.068 in., 1.7 mm
Pile Density	7,412
Total Recycled Content	52%
Indoor Air Quality	CRI Green Label Plus #GLP0820







Design Ideas    Below are floor layouts showing how to create the design ideas shared in selected images within this brochure.


---



**PRODUCT** BP410   **COLOR** 104653 LICORICE  
**PRODUCT** BP411   **COLOR** 104661 LICORICE/TEAL   **INSTALLED** ASHLAR



**PRODUCT** BP410   **COLOR** 104652 LEAD   **PRODUCT** BP411  
**COLOR** 104663 EMBER/RED   **INSTALLED** ASHLAR



Get It Fast

---

**Get It Fast**  
*When You Need It.* BP410 and BP411 are available to ship up to 2,000 square yards within 10 business days. Backed by over 40 years of proven experience from the world's largest carpet tile manufacturer, our First Option program makes it easy to get the right carpet right when you need it.






Say goodbye to glue and hello to a faster, cleaner, easier installation with TacTiles.

Get out of a sticky situation with TacTiles®, Interface's revolutionary installation system. These handy little squares eliminate the need for glue by adhering carpet tiles to each other, not the floor below, making installation a breeze.

Here are a few other ways TacTiles create less mess, less waste and more savings:

- They have virtually no volatile organic compounds (VOCs) or harsh odors, so employees and customers won't be disrupted during installation or maintenance;
- They create a "floating floor" that means greater flexibility and easier replacement;
- They provide an environmental footprint more than 90% lower than traditional glues;
- They're much easier to work with – one roll of TacTiles installs the same amount of carpet as a 42-lb bucket of the sticky stuff.

And they work. TacTiles connectors have been used to successfully install Interface carpet tiles in offices, shopping malls, university campuses, K-12 classrooms, churches, libraries and more.





Why Our Modular Carpet?



Modular Carpet Tile

*Performance and Flexibility.* Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor withno upcurl, no tapping and no ripplingeffect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.



Cool Carpet™

*The Low Carbon Option*  
Help stop climate change. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. We start by using low-carbon materials and manufacturing processes, then Cool Carpet zeros out all remaining greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet, from raw material extraction through use and recycling. And climate neutral Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



TacTiles®

*No Glue Installation.* Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Intersept®

*Mold Protection.* Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry®

*Recyclable is Now a Reality.* Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

*Environmental Responsibility.* Interface was the industry's first to publish an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We now have published EPDs for more than 99% of our products gobally.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.

Samples

Order samples at [www.interface.com](http://www.interface.com). You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil + 55 11 2196 0900	Latin America + 52 55 6395 5100

[www.interface.com](http://www.interface.com)

- Register at [www.interface.com](http://www.interface.com) to:
- Browse products and order samples
  - View carpet in a variety of room scenes
  - Browse floor designs, change colors, view as a grid or in a room, download and share
  - Use our LEED Calculator
  - Check order status and inventory availability
  - Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification



**Cool Carpet** – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



**Environmental Product Declaration (EPD)** – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



**Sustainable Assessment for Carpet** – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



**CRI Green Label Plus** – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see [www.interface.com/disclaimer](http://www.interface.com/disclaimer).



**RECYCLED**  
Paper made from recycled material  
**FSC® C009723**



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.