


Dynamic linear motion, one flowing movement of travel from start to end point. You see it naturally in the powerful arc path of a gymnast or the play of light created by fireflies on a forest trail. This natural sense of a journey forwards formed the inspiration for Flow™.

Flow™ never remains static. It is moving ahead in exciting, unusual ways. Even the best can become better, forging new paths and directions. Following a natural route, the design patterns of Flow™ Brights and Stripes are the FIRST to easily adapt to BOTH square or plank formats. This mix of ultimate flexibility via subtle tone and linear shape, adds a spark of inspiration to Flow™ which simply lights-up customer creativity.









Flow[™] Colour Range





2052007 Sail

2052003 Ice





2052001 Flux

2052002 Wave





2052008 Landslide

2052004 Surf







2052007 Sail

2052003 Ice

2052001 Flux







2052002 Wave


2052008 Landslide

2052004 Surf



Flow Stripes[™] Colour Range





2364007 Sail


2364003 Ice





2364001 Flux

2364002 Wave





2364008 Landslide

2364004 Surf








2364007 Sail

2364003 Ice

2364001 Flux











2364002 Wave


2364008 Landslide

2364004 Surf




Flow Brights[™] Colour Range











PRODUCT FLOW (SQUARE; PLANK) COLOUR ICE PRODUCT FLOW STRIPES (SQUARE; PLANK) COLOUR ICE PRODUCT FLOW BRIGHTS (SQUARE; PLANK) COLOURS SUNSET, SUNSHINE INSTALLED PATTERN BY TILE




 $\begin{array}{l} \textbf{PRODUCT} \ \textbf{FLOW} \ \textbf{STRIPES} \ (\textbf{PLANK}) \ \textbf{COLOUR} \ \textbf{WAVE} \ \textbf{PRODUCT} \ \textbf{FLOW} \ \textbf{BRIGHTS} \ (\textbf{PLANK}) \\ \textbf{COLOUR} \ \textbf{MIDNIGHT} \ \textbf{INSTALLED} \ \textbf{ASHLAR} \\ \end{array}$






PRODUCT FLOW (PLANK) COLOUR ICE PRODUCT FLOW STRIPES (PLANK) COLOUR ICE INSTALLED PATTERN BY TILE







PRODUCT FLOW STRIPES (SQUARE) COLOURS WAVE, SURF INSTALLED BRICK

Design Ideas Below are floor layouts showing how to create the design ideas shared in some of the images featured in this brochure.



PRODUCT FLOW BRIGHTS (PLANK) COLOURS MIDNIGHT, OCEAN **INSTALLED** HERRINGBONE





PRODUCT FLOW (SQUARE) COLOUR FLUX PRODUCT FLOW STRIPES (SQUARE; PLANK)

COLOUR FLUX PRODUCT FLOW BRIGHTS (SQUARE) COLOUR SUNSET INSTALLED PATTERN BY TILE

Specifications

Flow™

Style Code 2052

Product Construction Tufted Textured Loop 100% Solution Dyed Nylon Yarn System

1/12 Machine Gauge

Pile Thickness 3.0mm +/- 0.5mm Total Thickness 5.5mm +/- 0.5mm Tile Size 50x50cm, 25x100cm Area of Use Commercial - General Use

ACCS (Australia Only) Commercial Heavy Duty & Stairs

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Installation Methods 50x50cm Ashlar, Monolithic, Quarter-turn

Installation Methods 25x100cm Ashlar, Herringbone









Flow Stripes[™]

Style Code 2364

Product Construction Tufted Textured Loop 100% Solution Dyed Nylon Yarn System

Machine Gauge 1/12

Pile Thickness 3.0mm +/- 0.5mm 5.5mm +/- 0.5mm Total Thickness 50x50cm, 25x100cm Tile Size Area of Use Commercial - General Use Commercial Medium Duty & Stairs ACCS (Australia Only)

Lifetime Antimicrobial Intersept®

Soil/Stain Protection Protekt^{2®}

Installation Methods 50x50cm Brick, Monolithic, Quarter-turn Installation Methods 25x100cm Ashlar, Herringbone







Flow Brights™

Style Code 2363

Product Construction Tufted Textured Loop Yarn System 100% Solution Dyed Nylon

Machine Gauge 1/12 3.0mm +/- 0.5mm Pile Thickness Total Thickness 6.0mm +/- 0.5mm Tile Size 50x50cm, 25x100cm Area of Use Commercial - General Use ACCS (Australia Only) Commercial Medium Duty & Stairs

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®} Installation Methods 50x50cm Non Directional

Installation Methods 25x100cm Ashlar, Herringbone, Non Directional









Carbon Neutral Floors™















All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.



www.interface.com

Australia

Interface Australia local toll free: 1800 804 361

India

Interface India tel: +91 80 4613 1313

South East Asia

Interface Asia tel: +65 6478 1510

South Korea

Interface South Korea tel: +82 2 555 1734

Japan

Interface Japan tel: +81 3 5733 5211

Beijing

Interface China tel: +86 10 6590 7810

Hong Kong

Interface China tel: +852 2802 0838

Shanghai

Interface China tel: +86 21 6340 3868

11/2022 SF0104T0



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.