

The variation of nature within the modular framework

Nature offers constantly changing surroundings and stimulates us in different ways. Built spaces can offer the same kind of variety, providing environments matched to the activities taking place.

Global Change extends our library with new colors, patterns and textures—disparate elements that combine to create a cohesive whole. A classic Interface offering, pairing nature-inspired design with the structure of a modular system.


This collection is a new expression of biophilic design, offering a varied sensory experience with wide-ranging colors, patterns, textures, formats and materials. This global collection comprises seven carpet tile ranges in both squares and Skinny Planks™, ranging from organic to crisp designs. Four draw inspiration from familiar organic patterns: Glazing™ and Shading™ recreate the shadows of a forest canopy on the floor, Ground™ and Raku™ reference different terrains. Progression™ I, II and III provide the connective tissue that binds one idea to another, seamlessly.

Global Change is available around the world and manufactured in Asia, North America, Australia and Europe.













Progression I Colorline



105498 DAYLIGHT



105499 DESERT SHADOW



105500 EVENING DUSK



105501 MORNING MIST



105502 FAWN



105503 ECLIPSE

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer Yarn System Color System Construction

Indoor Air Quality

CRI Green Label Plus #GLP0820

Post-Consumer Content Type 6,6 Nylon

142660AK00

GlasBac® Tile

Universal





Progression II Colorline



105504 DAYLIGHT



105505 DESERT SHADOW



105506 EVENING DUSK



105507 MORNING MIST



105508 FAWN



105509 ECLIPSE

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer Yarn System Color System Construction

Total Recycled Content 68
Indoor Air Quality CF

CRI Green Label Plus #GLP0820

Post-Consumer Content Type 6,6 Nylon

142670AK00

GlasBac® Tile

Universal









Progression III Colorline



105534 DAYLIGHT



105535 DESERT SHADOW



105536 EVENING DUSK



105537 MORNING MIST



105538 FAWN



105539 ECLIPSE

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer Yarn System Color System Construction Lifetime Antimicrobial Soil/Stain Protection Pile Thickness Pile Density Total Recycled Content

Indoor Air Quality

147240AK00 GlasBac® Tile Universal Post-Consumer Content Type 6,6 Nylon 100% Solution Dyed Tufted Textured Loop Intersept® Protekt2® 0.104 in 2.6 mm 6,577


CRI Green Label Plus #GLP0820



















Shading Colorline



105516 DAYLIGHT



105517 DESERT SHADOW



105518 EVENING DUSK



105519 MORNING MIST



105520 FAWN



105521 ECLIPSE

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer Yarn System Color System Construction

100% Solution Dyed Tufted Sheared Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®} 0.151 in, 3.8 mm Pile Thickness Pile Density Total Recycled Content Indoor Air Quality 6,914

CRI Green Label Plus #GLP0820

Post-Consumer Content Type 6,6 Nylon

142690AK00 GlasBac® Tile Universal





Glazing Colorline



105546 DAYLIGHT



105547 DESERT SHADOW



105548 EVENING DUSK



105549 MORNING MIST



105550 FAWN



105551 ECLIPSE

Specifications

Modular, 25cm x 1m Backing System Yarn Manufacturer Yarn System Color System Construction Lifetime Antimicrobial Soil/Stain Protection Pile Thickness Pile Density
Total Recycled Content

Indoor Air Quality

147260AK00 GlasBac® Tile Universal Post-Consumer Content Type 6,6 Nylon 100% Solution Dyed Tufted Textured Loop

Intersept® Protekt^{2®} 0.104 in, 2.6 mm 6,577

CRI Green Label Plus #GLP0820

















Ground Colorline








105541 DESERT SHADOW



105542 EVENING DUSK



105543 MORNING MIST



105544 FAWN



105545 ECLIPSE

Specifications

Modular, 50cm x 50cm Backing System Yarn Manufacturer Yarn System Color System Construction Lifetime Antimicrobial Soil/Stain Protection Pile Thickness Pile Density Total Recycled Content

Total Recycled Content Indoor Air Quality 1472502500 GlasBac® Tile Universal

Post-Consumer Content Type 6,6 Nylon

100% Solution Dyed Tufted Textured Loop Intersept® Protekt2® 0.079 in 2.0 mm 6,577

CRI Green Label Plus #GLP0820











Raku Colorline




105510 DAYLIGHT



105511 DESERT SHADOW



105512 EVENING DUSK



105513 MORNING MIST



105514 FAWN



105515 ECLIPSE

Specifications

Modular, 50cm x 50cm 1426802500
Backing System GlasBac® Tile
Yarn Manufacturer Universal

Yarn Manufacturer Universal Yarn System Post-Consumer Content Type 6,6 Nylon

Pile Density 8,437 Total Recycled Content 68%

Indoor Air Quality CRI Green Label Plus #GLP0820







































PRODUCT GLAZING COLOR 105550 FAWN
PRODUCT PROGRESSION II COLOR 105508 FAWN INSTALLED ASHLAR






PRODUCT GLAZING COLOR 105547 DESERT SHADOW PRODUCT PROGRESSION III COLOR 105535 DESERT SHADOW PRODUCT PROGRESSION II COLOR 105505 DESERT SHADOW INSTALLED ASHLAR






CARPET PRODUCT GLAZING COLOR 105549 MORNING MIST CARPET PRODUCT SHADING COLOR 105519 MORNING MIST INSTALLED ASHLAR LVT PRODUCT LEVEL SET | TEXTURED STONES COLOR A00302 COOL POLISHED CEMENT INSTALLED NON DIRECTIONAL





PRODUCT GLAZING COLOR 105551 ECLIPSE PRODUCT GROUND COLOR 105545 ECLIPSE PRODUCT PROGRESSION | COLOR 105503 ECLIPSE INSTALLED PATTERN BY TILE







PRODUCT RAKU COLOR 105512 EVENING DUSK


PRODUCT GROUND COLOR 105541 DESERT SHADOW INSTALLED PATTERN BY TILE






PRODUCT GROUND COLORS 105543 MORNING MIST, 105540 DAYLIGHT INSTALLED BRICK





PRODUCT GROUND COLOR 105544 FAWN
PRODUCT PROGRESSION II COLOR 105508 FAWN INSTALLED PATTERN BY TILE







PRODUCT RAKU COLOR 105510 DAYLIGHT PRODUCT GROUND COLOR 105540 DAYLIGHT INSTALLED PATTERN BY TILE






PRODUCT PROGRESSION I COLOR 105503 ECLIPSE PRODUCT PROGRESSION II COLOR 105509 ECLIPSE PRODUCT PROGRESSION III COLOR 105539 ECLIPSE INSTALLED HERRINGBONE






PRODUCT PROGRESSION III COLORS 105534 DAYLIGHT, 105537 MORNING MIST INSTALLED PATTERN BY TILE





PRODUCT PROGRESSION I COLOR 105502 FAWN PRODUCT PROGRESSION II
COLOR 105508 FAWN PRODUCT PROGRESSION III COLOR 105538 FAWN INSTALLED ASHLAR





CARPET PRODUCT PROGRESSION I COLOR 105500 EVENING DUSK INSTALLED PATTERN BY TILE LVT PRODUCT LEVEL SET | NATURAL STONES COLOR A00305 EMPERADOR TAUPE INSTALLED NON DIRECTIONAL



Modular Carpet Tile

Performance and Flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no ripplingeffect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money-3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.



Cool Carpet™

The Low Carbon Option. Help stop climate change. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. We start by using low-carbon materials and manufacturing processes, then Cool Carpet zeros out all remaining greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet, from raw material extraction through use and recycling.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500 Canada 1.866.398.3192

Brazil

Latin America + 55 11 2196 0900 + 52 55 6395 5100

www.interface.com

Register at www.interface.com to:

- · Browse products and order samples
- · Browse floor designs, change colors, view as a grid or in a room, download and share
- · Use our LEED Calculator
- · Check order status and inventory availability
- · Sign up to get the latest information on Interface products and news

InterCircle™Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification

cool carpet[™]

Cool Carpet - Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



third party verified.

Environmental Product Declaration (EPD) - A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be



Sustainable Assessment for Carpet - The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus - An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept®

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry®

Recyclable is Now a Reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac[®] and similar competitor backings are recycled into GlasBacRE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

Environmental Responsibility. Many Interface products carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products offer a minimum of 66% and 80% total recycled content when backed with GlasBac® and GlasBacRE backing respectively, using 99% renewable energy.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients in HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.





All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1503 Orchard Hill Road LaGrange, GA 30240 1.800.336.0225 ext.56511

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos 73/74 7° Andar 04571-050 - São Paulo - SP + 55 11 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6 Col. Lomas de Chapultepec México City, D.F. 11000 Mexico + 52 55 6395 5100



Mission Zero®

our promise to eliminate any negative impact our company may have on the environment by the year 2020.