

interface.com

United States Headquarters

1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Brazilian Headquarters

Av. Das Nações Unidas 14261
25 andar, sala 25 -122, Brooklin Paulista
São Paulo 04578 - 000
Brasil
+ 5511.2196.0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM # IFS00778 11/2021



Climate change is undeniable. And reversible. Our mission is to prove it.
Join the #ClimateTakeBack and help create a climate fit for life.

Human Connections Collection

Flagstone
Kerbstone
Moss
Moss in Stone
Paver
Sett in Stone

FLOR
Rue
Stone Course

Interface®

Human Connections™ Collection

Today, we are both more connected as a society and, ironically, increasingly less connected, shielded from each other and the natural world by our screens, our cars, our homes and the buildings in which we work. But when we walk outside, our pathways reveal the importance of reconnection: the choices we make in our destinations, how we get there and the unexpected gathering places that we happen upon. Invariably we are also drawn to areas of respite where nature is present, nurtured to grow in the environment or simply there by its own persistence.

Human Connections is literally the intersection of the sensory cues that we seek to include in our fast paced lives, supporting the idea that the most positive spaces offer variability and choice. Eight different styles fit together in unique ways to create paths, intersections, collision zones and destinations. Sett in Stone™, Kerbstone™, Paver™ and Flagstone™ are four textures that recall the well-worn streets of the city, while Moss™ and Moss in Stone™ attach seamlessly to Sett in Stone to introduce the greenery we crave in a very organic way.

To complete the collection we have included two styles from FLOR, Rue™ and Stone Course™. These highly patterned and colorful styles add a lively graffiti-like impact.

Create your path to +Positive spaces with Human Connections.







Moss Color Range




105560 GRANITE/MOSS



105561 SLATE/MOSS



105562 FLINT/MOSS



105563 ONYX/MOSS

Specifications **i2**

Modular, 50 cm x 50 cm	12861
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Conten Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.117 in, 3 mm
Pile Density	8,308
Total Recycled Content	Up to 84%
Indoor Air Quality	CR1 Green Label Plus #GLP0820

View the full product specification on [interface.com](#)

Installation Method



BROWSE IMAGES
ORDER SAMPLES



PRODUCT MOSS. COLOR 105562 FLINT/MOSS. INSTALLED NON DIRECTIONAL



interface.com

PRODUCT SETT IN STONE COLOR 105570 FLINT PRODUCT MOSS IN STONE COLOR 105566
FLINT EDGE PRODUCT MOSS COLOR 105562 FLINT/MOSS INSTALLED PATTERN BY TILE

Sett in Stone Specifications **i2**

Modular, 50 cm x 50 cm	12863
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.078 in, 2 mm
Pile Density	10,154
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](#)

Installation Method



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

Sett in Stone Color Range



105568 GRANITE



105569 SLATE



105570 FLINT




105571 ONYX


Moss in Stone Color Range




105564 GRANITE EDGE



105565 SLATE EDGE



105566 FLINT EDGE



105567 ONYX EDGE

Moss in Stone Specifications **i2**

Modular, 50 cm x 50 cm	12862
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.094 in, 2.4 mm
Pile Density	9,574
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](#)

Installation Method



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

Kerbstone Color Range



105572 GRANITE



105573 SLATE



105574 FLINT



105575 ONYX

Specifications **i2**

Modular, 50 cm x 50 cm	12864
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.080 in, 2 mm
Pile Density	9,900
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](#)

Installation Method



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT KERBSTONE **COLOR** 105574 FLINT
LVT PRODUCT LEVEL SET | TEXTURED STONES **COLOR** A00302 COOL POLISHED CEMENT **INSTALLED** NON DIRECTIONAL



Paver Color Range



105556 GRANITE



105557 SLATE



105558 FLINT



105559 ONYX

Specifications **i2**

Modular, 50 cm x 50 cm	16324
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.075 in, 1.9 mm
Pile Density	9,120
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](https://www.interface.com)

Installation Method



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

Flagstone Color Range



105576 GRANITE



105577 SLATE



105578 FLINT



105579 ONYX

Specifications **i2**

Modular, 50 cm x 50 cm	12865
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.085 in, 2.2 mm
Pile Density	9,741
Total Recycled Content	Up to 84%
Indoor Air Quality	CR1 Green Label Plus #GLP0820

View the full product specification on [interface.com](#)

Installation Method



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

PRODUCT FLAGSTONE **COLORS** 105578 FLINT, 105579 ONYX
PRODUCT SETT IN STONE **COLOR** 105571 ONYX **INSTALLED** NON DIRECTIONAL





interface.com

CARPET PRODUCT FLOR RUE COLORS RED, ORANGE CARPET PRODUCT FLOR STONE COURSE
COLORS ORANGE/STONE, GREY/STONE INSTALLED PATTERN BY TILE

Rue Specifications **i2**

Modular, 50cm x 50cm	12867
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Engaged Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.132 in, 3.4 mm
Pile Density	7,364
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Method



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

*Custom color with 100 yd2 minimum.


FLOR Rue™ Color Range



105588 GREY



105589 TEAL



105590 GREEN




105591 YELLOW



105592 ORANGE



105593 RED



105595 PURPLE


FLOR Stone Course™ Color Range




105580 GREY/STONE



105581 TEAL/STONE



105582 GREEN/STONE



105583 YELLOW/STONE



105584 ORANGE/STONE



105585 RED/STONE



105587 PURPLE/STONE

Stone Course Specifications **i2**

Modular, 50 cm x 50 cm	12866
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Engaged Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.094 in, 2.4 mm
Pile Density	10,340
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Method




NON DIRECTIONAL




BROWSE IMAGES
ORDER SAMPLES

*Custom color with 100 yd2 minimum.


Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




PRODUCT MOSS IN STONE **COLORS** 105564 GRANITE EDGE, 105565 SLATE EDGE, 105566 FLINT EDGE, 105567 ONYX EDGE **PRODUCT** MOSS **COLORS** 105560 GRANITE/MOSS, 105561 SLATE/MOSS, 105562 FLINT/MOSS, 105563 ONYX/MOSS **INSTALLED** PATTERN BY TILE



PRODUCT SETT IN STONE **COLOR** 105570 FLINT **PRODUCT** MOSS IN STONE **COLOR** 105566 FLINT EDGE **PRODUCT** MOSS **COLOR** 105562 FLINT/MOSS **INSTALLED** PATTERN BY TILE




CARPET PRODUCT FLAGSTONE **COLOR** 105577 SLATE **CARPET PRODUCT** FLOR STONE COURSE **COLORS** TEAL/STONE, ORANGE/STONE, PURPLE/STONE **LVT PRODUCT** LEVEL SET | TEXTURED STONES **COLOR** A00302 COOL POLISHED CEMENT **INSTALLED** NON DIRECTIONAL




PRODUCT HUMAN NATURE | HN840 **COLOR** 104223 SLATE **PRODUCT** MOSS **COLORS** 105561 SLATE/MOSS, 105563 ONYX/MOSS **PRODUCT** MOSS **COLOR** 105567 ONYX EDGE **INSTALLED** PATTERN BY TILE


Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




PRODUCT PAVER **COLOR** 105559 ONYX **PRODUCT** SETT IN STONE **COLOR** 105568 GRANITE
PRODUCT URBAN RETREAT | UR501 **COLOR** 103611 GRASS **INSTALLED** PATTERN BY TILE



PRODUCT MOSS **COLOR** 105561 SLATE/MOSS **PRODUCT** PAVER **COLOR** 105557 SLATE **PRODUCT** SETT IN STONE **COLOR** 105569 SLATE
PRODUCT KERBSTONE **COLOR** 105573 SLATE **INSTALLATION** PATTERN BY TILE



PRODUCT SETT IN STONE **COLOR** 105571 ONYX **CARPET** **PRODUCT** FLOR STONE COURSE **COLOR** TEAL/STONE
CARPET **PRODUCT** FLOR RUE **COLOR** TEAL **INSTALLED** PATTERN BY TILE




PRODUCT KERBSTONE **COLOR** 105573 SLATE **PRODUCT** MOSS IN STONE **COLOR** 105565 SLATE EDGE **PRODUCT** MOSS **COLOR** 105561 SLATE/
MOSS **PRODUCT** HUMAN NATURE | HN830 **COLOR** 104242 KIWI **PRODUCT** HUMAN NATURE | HN840 **COLOR** 104224 LIMESTONE
INSTALLATION PATTERN BY TILE


Why Our Modular Flooring?




i2® Modular Carpet
Minimize waste & save money.
Interface's i2® styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



TacTiles™
No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives. TacTiles are approved for use on GlasBac™, CQuest™GB, CQuest™Bio and CQuest™BioX.



Intersept®
Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde. Intersept is standard in Interface carpet tile products backed with GlasBac, CQuestGB, ReadyBac™ and CushionBac Renew™.



ReEntry™
Recyclable. Through our ReEntry program we reclaim and recycle our carpet tile and Sound Choice™ LVT. ReEntry is the only third party certified recycling system among North American flooring manufacturers.



Sustainability Transparency
Transparency and certified sustainability leadership come standard on Interface products. We enlist outside partners to help us evaluate the entire product life cycle and reduce the environmental and human health impact of our flooring. And, carpet products made in our US facilities are made with 99% renewable energy.



Help Lower Your Carbon Footprint
Like all the flooring products we sell, Interface carpet tile is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



FLOR by Interface offers lush textures and bold patterns that are anything but business as usual. FLOR carpet tiles are the perfect design accent for offices, conference rooms and high-profile collaborative spaces – as area rugs or wall-to-wall installations. With all the performance benefits of Interface products, including the 15-year commercial warranty, they'll get the job done for years to come.

📍 Samples

Register and order samples at interface.com. Not near a computer? You can also request samples by calling one of the numbers below.

United States
1.877.605.1500

Canada
1.866.398.3192

interface.com

- Do more on interface.com
- Browse products and order samples
 - Save and share favorites
 - See images of products in a variety of room scenes
 - Browse floor designs, change colors, upload your own image, download and share
 - Get full specifications, sustainability certifications and more
 - Check order status and inventory availability
 - Sign up to get the latest information on Interface products and news

InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.



Environmental Product Declaration (EPD) –
A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Health Product Declaration (HPD) –
A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



NSF 140 Sustainable Carpet Assessment –
The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire life cycle.