Look Both Ways Collection | LVT

Interface®

Look Both Ways™ Collection | LVT

每一片的质地结构，皆厚重沉稳，明快的色彩与五彩碎花营造轻松氛围。新奇的材料组合带来无限创意。用混搭打造更加赏心悦目的空间！

Look Both Ways系列融合模块地毯和LVT地板，将禅意般的纯粹与趣味性有机结合，让您可以按照自己的意愿，打造出富有生命力的缤纷样式，同时又不失功能性。

Walk of Life™，LVT系列基础产品，未经过抛光处理，砂砾质感，纯朴自然。采用同样的都市风灰色系，Walk the Aisle™ 系列的冷色调斑点耀眼夺目，赋予地面更多活力。Walk About™ 融合了二十世纪20年代、二十世纪80年代以及当下的流行样式。而 Walk on By™ 的亮色和中性色则透出由衷的欢乐气息。模块地毯与弹性地板的完美搭配，让脚下的地面处处都渗透着设计的巧思。

碳中和地材项目™ 与我们的其他所有产品一样，Look Both Ways 系列满足碳中和要求。加入我们，一起创造一个万物共荣的气候。
#气候回归计划

Monolithic textures denoting gravity and substance live with light-hearted colour and confetti. Unexpected combinations of materials inspire creative outcomes. Celebrate the mix!

Look Both Ways is a collection of carpet tile and LVT patterns combining Zen-like purity with playfulness. Marrying purpose and function with your intention, these styles create landscapes that perform and delight in infinite ways.

Walk of Life™, the bedrock of the LVT collection, is gritty, not polished. Sharing the same urban grey palette, Walk the Aisle™ sparkles with a luminescent fleck that energizes the surface. Walk About™ appears carved in ways that conjure pattern-love from the 1920s, 1980s, and today. And finally Walk on By™ is a vision of pure joy in brights & neutrals. Step, walk or run, but definitely look both ways for design inspiration.

Carbon Neutral Floors™ Like all of our products, globally, Look Both Ways is carbon neutral. Join us in creating a climate fit for life. **#ClimateTakeBack**

www.interface.com.cn

(**封面** / COVER) **LVT** WALK ON BY **颜色 / COLOUR** POLYCHROME **安装 / INSTALLED 顺铺** /MONOLITHIC
模块地毯 / CARPET TILE STEP IT UP **颜色 / COLOUR** JADE **安装 / INSTALLED 左右错半** / BRICK

LVT WALK OF LIFE **颜色 / COLOUR** COOL ASH **LVT** WALK THE AISLE **颜色 / COLOUR** COOL ASH
LVT WALK ABOUT **颜色 / COLOUR** COOL ASH **安装 / INSTALLED 按照地毯纹理图案铺装** / PATTERN BY TILE

LVT WALK OF LIFE **颜色 / COLOUR** CHARCOAL
LVT WALK ON BY **颜色 / COLOUR** MONOCHROME **安装 / INSTALLED 无方向** /NON DIRECTIONAL

www.interface.com.cn

LVT WALK THE AISLE **颜色 / COLOUR** CARBON **安装 / INSTALLED 顺铺**/MONOLITHIC

LVT WALK ABOUT 颜色 / **COLOUR** PUMICE 安装 / **INSTALLED** 顺铺/MONOLITHIC
模块地毯 / **CARPET TILE** STEP THIS WAY 颜色 / **COLOUR** ALBA 安装 / **INSTALLED** 左右错半/BRICK

LVT WALK ON BY 颜色 / **COLOUR** MONOCHROME
模块地毯 / **CARPET TILE** STEP IN TIME 颜色 / **COLOUR** JET 安装 / **INSTALLED** 顺铺/MONOLITHIC

LVT WALK ABOUT **颜色 / COLOUR** CARBON
LVT WALK OF LIFE **颜色 / COLOUR** COOL ASH **安装 / INSTALLED** **按照地毯纹理图案铺装** /PATTERN BY TILE

LVT WALK THE AISLE 颜色 / **COLOUR** CARBON
LVT WALK ON BY 颜色 / **COLOUR** POLYCHROME 安装 / **INSTALLED** 按照地毯纹理图案铺装 /PATTERN BY TILE

技术参数 / Specifications

Look Both Ways | LVT

产品编号	Walk Of Life - A012 Walk The Aisle - A013 Walk About - A014 Walk On By - A015
产品结构	高性能豪华乙烯地板
耐磨层厚度	0.55 mm
总厚度（公制）	4.5 mm
类别	EN 651 类别 33 (公共场合) EN 651 类别 42 (轻工通用)
声振降噪	ISO 140.8 ΔLw = 16dB
饰面	CERAMOR®， 紫外线稳定的陶瓷珠涂层
标称尺寸	50cm x 50cm

性能参数

临界热通量	AS ISO 9239-1	>7kW/m²
烟度雾	AS ISO 9239-1	<750%.min
尺寸，公差	ISO 24342	>400 mm < 0.35 mm
	ISO 24342	<400 mm < 0.25 mm
尺寸稳定性	ISO 23999	<0.25%
厚度	ISO 24346	平均值 + 0.20mm
耐光性能	ISO 105-B02	≥6
耐热性能	ASTM F1514	ΔE< 8 平均最大值
耐化学品性能	EN-ISO 26987	通过
抗火性能	EN ISO 13501-1	类别 BFI-S1
VOC测试	ISO 10580	通过
灵活性	ISO 24344 方法A	通过
静载重	ASTM F970	≤0.005”（在1500 psi时）
脚轮磨耗	ISO 4918	通过
导热性能	EN 12667	0.16 W/mK
静电性能	EN 1815	<2kV
防滑性能	AS 4586:2014	R10

环保参数

成分和生命周期影响	EPD 高级弹性地板
可持续性评估	NSF/ANSI 332, 符合认证准则
LEED v4	符合IEQ：低挥发性材料标准；M&R：EPD和EPR
产品寿命末期	可通过地毯底背回收系统完全回收

技术信息

铺装	详见Interface LVT在线铺装指南
维护	详见Interface LVT在线维护指南
回收	ReEntry® 回收项目
保修	15年标准LVT产品商业质保
铺装方法	上下错半，左右错半，顺铺，直角转角，无方向

上下错半

左右错半

顺铺

直角转角

无方向

Product Name / Number	Walk Of Life - A012 Walk The Aisle - A013 Walk About - A014 Walk On By - A015
Product Construction	High Performance Luxury Vinyl Plank
Wear Layer Thickness	0.55 mm
Total Thickness (Metric)	4.5 mm
Classification	EN 651 Class 33 (heavy contract) EN 651 Class 42 (light industrial general)
Acoustic Impact Noise Reduction	ISO 140.8 ΔL_w = 16dB
Finish	CERAMOR® UV Stabilized Ceramic Bead Coating
Nominal Dimensions	50cm x 50cm

Performance Specifications

Critical Heat Flux	AS ISO 9239-1	>7kW/m²
Smoke Rate	AS ISO 9239-1	<750%.min
Size, Tolerance	ISO 24342	>400 mm < 0.35 mm
	ISO 24342	<400 mm < 0.25 mm
Dimensional Stability	ISO 23999	<0.25%
Thickness	ISO 24346	Average value + 0.20mm
Resistance to Light	ISO 105-B02	≥6
Resistance to Heat	ASTM F1514	ΔE< 8 avg Max
Resistance to Chemicals	EN-ISO 26987	Pass
Reaction to Fire	EN ISO 13501-1	Class BFI-S1
VOC Test	ISO 10580	Pass
Flexibility	ISO 24344 Method A	Pass
Static Load	ASTM F970	≤0.005” with 1500 psi
Castor chair	ISO 4918	Pass
Thermal Conductivity	EN 12667	0.16 W/mK
Static Electrical	EN 1815	<2kV
Slip Resistance	AS 4586:2014	R10

Environmental Specifications

Ingredients and Life Cycle Impacts	EPD for LVT
Sustainability Assessment	NSF/ANSI 332, Meets Certification Guidelines
LEED v4	Contributes to IEQ: Low Emitting Materials; M&R: EPD and EPR
End of Life	Fully Recyclable to carpet tile Backing Recycling

Technical Information

Installation	See Interface LVT Installation Guidelines online
Maintenance	See Interface LVT Maintenance Guidelines online
Reclamation	Recyclable through ReEntry®
Warranty	15 Year Standard LVT Product Warranty
Installation Methods	Ashlar, Brick, Monolithic, Quarter Turn, Non Directional

Ashlar

Brick

Monolithic

Quarter Turn

Non Directional

所有产品的规格信息由测试样品的平均值推算而出，受产品的生产工艺及内在的差异影响，会存在合理的偏差范围，且偏差范围若有变动，恕不另行通知。如欲了解更多关于本文件中所述产品的相关重要属性的信息，包括可回收成分和产品质保信息，请访问英特飞网站，查看完整的LVT产品免责声明。

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see our full LVT product disclaimer @ interface.com.

Walk of Life™ 色系/Colourline


A012-01 WARM ASH


A012-05 CHARCOAL

A012-02 PUMICE

A012-03 COOL ASH


A012-04 CARBON

Walk the Aisle™ 色系/Colourline


A013-01 WARM ASH


A013-02 PUMICE


A013-03 COOL ASH

A013-04 CARBON

Walk About™ 色系/Colourline


A014-01 WARM ASH

A014-02 PUMICE

A014-03 COOL ASH

A014-04 CARBON

Walk on By™ 色系/Colourline

A015-01 POLYCHROME

A015-02 MONOCHROME

LVT 弹性地板与模块地毯，双剑合璧。

Look Both Ways系列将硬质地材与软质地材有机结合，搭配巧妙的设计，让您可以轻松地选择适合所处空间的材料。私人工作区域的模块地毯与人来人往的走廊的LVT弹性地板无缝连接，无需任何过渡或者改变图案。对于人流量较大的区域，可以铺上亮色LVT地板，装点空间；而对于较为封闭的私人空间，则可以用模块地毯营造出舒适的环境。随机组合，性能出众，美观实用。

LVT & Carpet. A power duo.

Look Both Ways combines hard and soft flooring with intentional design, which makes choosing the right materials for your space even easier. Seamlessly move from carpet tile in a private work area to LVT in a busy corridor, without changing patterns or using transition strips. Brighten a small, but heavily trafficked space with a lighter shade of LVT and create nested areas with inset area rugs. Every mix is a match with no sacrifice of performance or aesthetics.

模块地毯 / CARPET TILE STEP IN TIME **颜色 / COLOUR** INDIGO
LVT WALK THE AISLE **颜色 / COLOUR** PUMICE
安装 / INSTALLED 顺铺/MONOLITHIC

模块地毯 / CARPET TILE STEP THIS WAY **颜色 / COLOUR** INDIGO
安装 / INSTALLED 左右错半/BRICK **LVT** WALK THE AISLE
颜色 / COLOUR CARBON **安装 / INSTALLED** 顺铺/MONOLITHIC
模块地毯 / CARPET TILE STEP ASIDE **颜色 / COLOUR** COAL
安装 / INSTALLED 上下错半 /ASHLAR

模块地毯 / CARPET TILE STEP ASIDE **颜色 / COLOUR** JET **安装 / INSTALLED** 上下错半 /ASHLAR
LVT WALK OF LIFE **颜色 / COLOUR** CARBON **安装 / INSTALLED** 顺铺/MONOLITHIC

模块地毯 / CARPET TILE STEP IT UP **颜色 / COLOUR** SLATE **安装 / INSTALLED** 左右错半/BRICK
LVT WALK ON BY **颜色 / COLOUR** MONOCHROME **安装 / INSTALLED** 顺铺/MONOLITHIC

英特飞LVT弹性地板和模块地毯，
实现硬质与软质表面的无缝过渡。
无需任何过渡条。

Interface Modular Resilient LVT and Modular Carpet allow you to seamlessly move from hard to soft surfaces. No transition strip needed.

LVT WALK THE AISLE 颜色 / **COLOUR** COOL ASH
模块地毯 / CARPET TILE STEP IN TIME 颜色 / **COLOUR** ASH

为什么要选择我们的模块化地面系统？ / Why Our Modular Resilient LVT?

一体化

*告别过渡条与双层铺装。*我们的弹性模块地材可与我们的模块地毯搭配使用。产品大小和高度相互兼容，可与模块地毯相结合，形成嵌套地毯或者相邻区域，无需任何过渡条。此外还可以省去多层铺设的材料费用，从而节省成本。

高度灵活

*打造持久的独特外观。*英特飞LVT弹性模块地板可以延长地面的使用寿命。从拖地等简单维护到有选择性地更换损坏的部分，让地面经得住时间的考验，轻松营造美观舒适的环境。

循环利用

*地材不再需要填埋。*LVT弹性模块地板的生产原料全程把控，可以通过ReEntry™计划回收，用于我们的GlasBac™RE再生底背中。

降噪

*寂静无声。*选用英特飞配备Sound Choice™底背的LVT弹性模块地板，打造+正能量空间™，减小噪音和楼层之间的声音传播，彰显一流的性能。

Integrated System.

Say goodbye to transition strips and doubling up. Our modular resilient floorings are made to work as a system with our modular carpet tile. The compatible size and height of our products allows you to integrate modular carpet for an inset rug or an adjacent field – no transition strip required. You'll avoid doubling up on materials and save cost.

Real Flexibility.

Create a unique look that lasts. Interface modular resilient LVT makes it easy to extend the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.

Circular System.

Keep flooring out of the landfill. Our modular resilient LVT is produced with a controlled material stream so it can be reclaimed and recycled into our GlasBac™RE recycled content backing through our ReEntry™ program.

Noise Reduction.

Less distractions. Interface is helping create **+Positive spaces™** with our LVT with Sound Choice ™ backing, offering you best-in-class performance for reduced impact sound and floor to floor sound transmission.

为什么要选择我们的模块化地面系统?（续）/ Why Our Modular Flooring System (continued)

从上到下，性能始终如一。

1. *Ceramor™ 涂层*。充分减少日常磨损与刮擦。
2. *耐磨层*。优质耐磨层，弹性和性能可保持15年。
3. *印刷薄膜层*。呈现天然材质以及英特飞创新设计的出色视觉效果。
4. *核心片材*。坚固的芯材厚度，减少下方透印。
5. *玻璃纤维*。增强尺寸稳定性和灵活性的可控度。
6. *核心片材*。坚固的芯材厚度，减少下方透印。
7. *Sound Choice™*。带来舒适和优异的隔音效果。

High Performance from Top to Bottom.

1. *Ceramor™ Coating.* Minimizes everyday scratching and scuffing.
2. *Wear Layer.* High quality layer enabling 15 years of resilience and performance.
3. *Print Film.* Provides outstanding visuals of natural materials and Interface innovative designs.
4. *Core Sheet.* Creates a thickness for a stronger core and reduces telegraphing from beneath.
5. *Fiberglass.* Adds dimensional stability and controlled flexibility.
6. *Core Sheet.* Creates a thickness for a stronger core and reduces telegraphing from beneath.
7. *Sound Choice™.* Provides comfort and superior acoustic performance.

第三方认证。

碳中和地材。英特飞在全球销售的所有地材均为已通过第三方认证的碳中和产品。我们从全局出发，实现碳中和，首先是减少我们产品中的碳足迹，其次是利用碳平衡的方式抵消剩余的部分。

环保产品声明（EPD）。英特飞LVT产品均带有EPD认证。环保产品声明是一项基于按照ISO标准执行的生命周期评估而作出的有关产品成分和环境影响的综合声明。

可持续性评估。英特飞LVT产品符合NSF/ANSI 332弹性地材可持续发展评估认证标准。该标准评估的是弹性地材整个生命周期的环境影响。

室内空气质量。所有英特飞模块地材产品均符合室内空气质量最高标准。英特飞LVT产品通过了FloorScore©认证，确保极低的挥发性有机化合物排放量。

Third Party Certification.

Carbon Neutral Floors. All Interface flooring sold globally is third party verified carbon neutral. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder.

Environmental Product Declaration (EPD). Interface LVT products are covered by an EPD. An EPD provides a comprehensive statement of product ingredients and environmental impacts based upon life cycle assessment performed to ISO standards.

Sustainable Assessment. Interface LVT meets the certification standards of the NSF/ANSI 332 Sustainability Assessment for Resilient Floor Coverings. This standard evaluates the environmental impact of resilient floor covering for its entire lifecycle.

Indoor Air Quality. All Interface modular flooring products meet the highest standards for indoor air quality. Interface LVT is FloorScore© Certified, assuring very low emissions of VOCs.

LVT WALK OF LIFE 颜色 / **COLOUR** PUMICE 安装 / **INSTALLED** 顺铺/MONOLITHIC
模块地毯 / CARPET TILE STEP ASIDE 颜色 / **COLOUR** ALBA 安装 / **INSTALLED** 上下错半 /ASHLAR

我们已尽可能准确地呈现产品颜色。但是，由于印刷材质的原因，实际产品颜色可能会略有不同。如需查看实际产品的颜色，请订购一片地毯样品。

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com.cn

上海工作室 / Shanghai Studio
英特飞中国 / Interface China
tel: 86-21-6340 3868
www.interface.com.cn

香港工作室 / Hongkong Studio
英特飞中国 / Interface China
tel: 852-2802 0838
www.interface.com.cn

北京工作室 / Beijing Studio
英特飞中国 / Interface China
tel: 86-10-6590 7812
www.interface.com.cn

太仓生产基地 / Taicang Plant
英特飞中国 / Interface China
tel: 86-512- 5373 9888
www.interface.com.cn

广州工作室 / Guangzhou Studio
英特飞中国 / Interface China
tel: 86-139 2645 4400
www.interface.com.cn

东南亚 / South East Asia
英特飞亚洲 / Interface Asia
tel: 65-6478 1510
www.interface.com

韩国 / South Korea
tel: 82-2-555 1734
www.interface.com

日本 / Japan
英特飞日本 / Interface Japan
tel: 81-3-5733 5211
www.interface.com

澳大利亚 / Australia
英特飞澳大利亚 / Interface Australia
local toll free: 1800 008 101
www.interface.com.au

08/2019
SF0119T0

CLIMATE TAKE BACK™

Climate change is undeniable. And reversible. Our mission is to prove it. **Join the #ClimateTakeBack and help create a climate fit for life.**