

As we connect around the world, we see our personal histories, our stories, more and more entwined. If our stories were to take shape they would be complicated, layers of lines and patterns, sometimes fine and detailed and other times broad and gestural. The Narratives Collection, part of our global library of styles, is an elegant rendering of what this might look like.

NS230™, a kind of broken scroll pattern, could be drawn from the ancient and exotic, like a silk rug, shimmering and fading in the light. In contrast, NS231™ is straightforward and simple, like an impeccable linen that balances and grounds everything near it. The transition between the two is distinct, with dramatic changes in fullness and texture. But the connection is compelling and clear; both are offered in Skinny Planks™ with a soft, neutral palette of yarns weaving them together.

Like any good story, the Narratives Collection begins well, with up to 70% total recycled content. And when its useful life is through, it can be reclaimed for recycling through Interface's ReEntry® program—the perfect ending.
















NS230[™] Colourline




7939-007-000 Darjeeling

7939-008-000 Oolong



NS231[™] Colourline




7938-007-000 Darjeeling

7938-008-000 Oolong












Product NS230 Colour Wasabi Installed Herringbone







Product NS230 Colour Ginseng Product Walk the Plank™ Colour Beech Installed Pattern By Tile











Product NS231 Colour Fennel, Darjeeling Installed Pattern By Tile

Specifications

NS230™

Style Code 7939 Pattern 000

Product Definition Tufted Textured Tip Sheared Loop Yarn/Fibre OptimumRE SD Type 6.6 Nylon

Colour System 100% Solution Dyed

Machine Gauge 1/10

 Pile Thickness
 4.0mm +/- 0.5mm

 Total Thickness
 8.5mm +/- 0.5mm

 Tile Size
 25cm x 100cm

Area of Use Commercial – General Use

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Total Recycled Content GlasBac® 42% to 51% recycled content

GlasBac®RE 62% to 74% recycled content

Installation Methods Ashlar, Herringbone





Specifications

NS231™

Style Code 7938 Pattern 000 Product Definition Tufted Textured Loop

Yarn/Fibre OptimumRE SD Type 6.6 Nylon

Colour System 100% Solution Dyed

Machine Gauge 1/12

Pile Thickness 2.5mm +/- 0.5mm Total Thickness 6.0mm +/- 0.5mm Tile Size 25cm x 100cm Area of Use Commercial - Heavy Use

Lifetime Antimicrobial Intersept® Protekt^{2®} Soil/Stain Protection

GlasBac® 42% to 51% recycled content Total Recycled Content

GlasBac®RE 62% to 74% recycled content

Installation Methods Ashlar, Herringbone



















Optimum*RE* **CoolCarpet**[™] Intersept®

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content calculation excludes backing. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology.

*Cool Carpet is not a standard option in Australia and New Zealand.