Pietra Objection



Transcend the polish of Italian stone with the refined elegance of the Pietra Collection, three patterns that set a sublime tone for your fine interiors. A sateen air gives the collection a resplendent luxury, while varying striated texture mimicking natural stone creates visual depth. Available in earthy, mineral neutrals from rich browns, mossy greens and smokey grays, these low profile constructions offer the similar look and performance of stone flooring with added dimension and warmth.

Brescia[™]'s loop patten of balanced lines with equal shifts in color creates a blanket installation. A subtle shadow crosses the crisp lines intermittently, slightly softening the pattern.

San Roco[™] is a loop construction featuring random lines with dramatic shifts to larger spaces of more saturated color.

Bertola's[™] cut and loop construction creates the look of thicker broken lines. Slight shifts in color and pile height create a subtle pattern of random squares.





Brescia[™] Colorline



8866 TEMPESTA

8867 AZZURO

8868 CARBONE

Specifications

Modular, 50cm x 50cm Backing System Yarn Manufacturer Yarn System Color System Construction Preservative Protection Soil/Stain Protection Pile Thickness Pile Density Total Recycled Content Indoor Air Quality



146670250H GlasBac®RE Tile Universal Post-Consumer Content Type 6,6 Nylon 100% Solution Dyed Tufted Textured Loop Intersept[®] Protekt^{2®} 0.131 in., 3.3 mm 6,321 75-83% CRI Green Label Plus #GLP0820

San Roco[™] Colorline



8870 BRUNA

8885 AZZURO





8880 VERDE



8883 GRIGIO



8884 TEMPESTA







8887 ARDESIA

Specifications

Modular, 50cm x 50cm Modular, 50cm x 1m Backing System Yarn Manufacturer Yarn System Color System Construction Preservative Protection Soil/Stain Protection Pile Thickness Pile Density Total Recycled Content Indoor Air Quality

1466802500 146680AB00 GlasBac® Tile Universal Post-Consumer Content Type 6,6 Nylon 100% Solution Dyed Tufted Textured Loop Intersept® Protekt2® 0.131 in., 3.3 mm 6,321 61-66% CRI Green Label Plus #GLP0820







PRODUCT BERTOLA COLOR 8818 PALLIDO INSTALLED BRICK

Bertola[™] Colorline









8829 GRIGIO



8830 TEMPESTA







8831 AZZURO

8816 BRUNA

8832 CARBONE

8833 ARDESIA

Specifications

Modular, 50cm x 50cm Backing System Yarn Manufacturer Yarn System Color System Construction Preservative Protection Soil/Stain Protection Pile Thickness Pile Density Total Recycled Content Indoor Air Quality 1231702500 GlasBac® Tile Universal Post-Consumer Content Type 6,6 Nylon 100% Solution Dyed Tufted Cut & Loop Intersept® Protekt2® 0.127 in, 3.2 mm 6,520 59-68% CRI Green Label Plus #GLP0820



Why Our Modular Carpet?



Modular Carpet Tile

Performance and Flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor withno upcurl, no tapping and no ripplingeffect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet factor of 14% for traditional roll carpet.



Cool Floor™

The Low Carbon Option. Help stop climate change. ALL Interface modular flooring sold in North America is third party verified climate neutral Cool Floor. We start by using low-carbon materials and manufacturing processes, then Cool Floor zeros out all remaining greenhouse gas (GHG) emissions associated with the entire life cycle of your flooring, from raw material extraction through use and recycling.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

 United States
 Canada

 1.877.605.1500
 1.866.398.3192

 Brazil
 Latin America

 + 55 11 2196 0900
 + 52 55 6395 5100

www.interface.com

Register at www.interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle[™] Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification

cool floor[™]

Cool Floor – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire life cycle of your flooring.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept[®]

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry[®]

Recyclable is Now a Reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon while separated GlasBac[®], GlasBacRE and similar competitor backings are recycled into new GlasBacRE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



Sustainable Choice

Environmental Responsibility. More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients vin HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1503 Orchard Hill Road LaGrange, GA 30240 1.800.336.0225 ext.56511

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos 73/74 7° Andar 04571-050 - São Paulo - SP + 55 11 2196 0900

Latin American Headquarters

Montes Urales **#** 415 Piso 6 Col. Lomas de Chapultepec México City, D.F. 11000 Mexico + 52 55 6395 5100

CIM # IFS00427 01/2018



Mission Zero® our promise to eliminate any negative impact our company may have on the environment by the year 2020.