

# Platform, Main Line & Sidetrack

[www.interface.com](http://www.interface.com)

**United States Headquarters**  
1280 West Peachtree Street NW  
Atlanta, GA 30309  
1.800.634.6032

**Canadian Headquarters**  
233 Lahr Drive  
Belleville, ON K8N 5S2  
1.800.267.2149 ext.52128

**Latin American Headquarters**  
Montes Urales # 415 Piso 6  
Col. Lomas de Chapultepec  
México City, D.F. 11000  
Mexico  
+ 52 55 2791 6812

CIM # IFS00647 12/2020



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

**Interface®**

Platform™, Main Line™ & Sidetrack™

---

Platform is the essential solution you've relied upon for years; a timeless texture that has traveled from swanky uptown to hipster downtown and every stop in between. It's the simplicity of the pattern and the palette that makes Platform so accessible.

Now joined by Main Line and Sidetrack, this collection of three styles has a broader reach. Keeping the fundamentals of Platform intact, Sidetrack introduces three distinctly placed accent threads while Main Line blends those same accents throughout the otherwise neutral yarns.

With a shared palette and common construction, Platform, Main Line and Sidetrack are linked together like cars on a train - three different vehicles moving in the same direction.






Platform™ Colorline




9336 STRATOSPHERE




9337 DENIM



9338 STEEL



9339 NUBIAN



9340 BATTLESHIP



9341 STERLING



9331 HAZEL



9332 SOAPSTONE



9335 PEARL GRAY



9325 CHESTNUT



9326 BISQUE



9327 CORDOVAN



9328 AZTEC



9329 CORNSILK



9330 MUSCOVITE



9334 OPAL


Specifications

Modular, 50cm x 50cm	146720
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.126 in., 3.2 mm
Pile Density	4,286
Total Recycled Content	Up to 76% on CQuestGB
Indoor Air Quality	CRI Green Label Plus #GLP0820






## Main Line™ Colorline




104245 STRATOSPHERE/  
LINE



104246 DENIM/LINE



104247 STEEL/LINE



104248 NUBIAN/LINE



104249 BATTLESHIP/LINE



104250 STERLING/LINE



104251 HAZEL/LINE



104252 SOAPSTONE/LINE



104253 PEARL GRAY/LINE



104254 CHESTNUT/LINE




104255 AZTEC/LINE



104256 CORNSILK/LINE


## Specifications

Modular, 50cm x 50cm	146830
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt <sup>2</sup> ®
Pile Thickness	0.102 in., 2.6 mm
Pile Density	5,294
Total Recycled Content	Up to 73% on CQuestGB
Indoor Air Quality	CRI Green Label Plus #GLP0820







## Sidetrack™ Colorline




104257 STRATOSPHERE/  
TRACK




104258 DENIM/TRACK



104259 STEEL/TRACK




104260 NUBIAN/TRACK



104261 BATTLESHIP/TRACK




104262 STERLING/TRACK



104263 HAZEL/TRACK



104264 SOAPSTONE/TRACK



104265 PEARL GRAY/  
TRACK



104266 CHESTNUT/TRACK




104267 AZTEC/TRACK



104268 CORNSILK/TRACK

## Specifications

Modular, 50cm x 50cm	146840
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt <sup>2</sup> ®
Pile Thickness	0.102 in., 2.6 mm
Pile Density	5,294
Total Recycled Content	Up to 76% on CQuestGB
Indoor Air Quality	CRI Green Label Plus #GLP0820



BRICK QUARTERTURN

## Why Our Modular Flooring?



### Modular Flooring

#### Performance and flexibility.

Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 3-4% waste compared to roll carpet's average of 14%. And it installs seamlessly with our LVT, no transition strips needed.



### TacTiles™

*No glue installation.* Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



### Intersept™

*Mold protection.* Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



### ReEntry™

*Recyclable is now a reality.* Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon while separated GlasBac™, GlasBacRE, similar competitive backings and our own LVT are recycled into new GlasBacRE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



### Sustainable Choice

*Environmental responsibility.* More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients in HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.

**Third Party Certification**  
Our Carbon Neutral Floors™ program is annually verified by a third party.



**Environmental Product Declaration (EPD)** – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



**Sustainable Assessment for Carpet** – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



**CRI Green Label Plus** – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

### Samples

Order samples at [www.interface.com](http://www.interface.com). You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500  
Canada 1.866.398.3192

Brazil + 55 11 2196 0900  
Latin America + 52 55 6395 5100

### [www.interface.com](http://www.interface.com)

Register at [www.interface.com](http://www.interface.com) to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

### InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see [www.interface.com/disclaimer](http://www.interface.com/disclaimer).



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.