



Printed on 50% post consumer waste (PCW)
fiber manufactured using wind power.

We have tried our very best to accurately
represent product colors. However, due to
the nature of printed materials, color of actual
products may vary slightly. Please request a
sample to see actual product color.

www.interface.com

United States Headquarters

1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Latin American Headquarters

Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
Miguel Hidalgo, CDMX, C.P. 11000
Mexico
+ 52 55 2791 6812

CIM # IFS00883 01/2021



Climate change is undeniable. And
reversible. Our mission is to prove it.
**Join the #ClimateTakeBack and
help create a climate fit for life.**

 *QuickShip* / *Neutrals*
One

Interface®

The flooring you need, when you need it.

Running up against a deadline? Rely on Interface QuickShip to deliver — *fast*.

QuickShip pulls together hundreds of our most in-demand carpet and LVT options as an affordable solution for a variety of spaces. This book, Neutrals One, contains a selection of go-to carpet styles and color options that are part of the program.

The best part? It all ships within 10 business days.

Carpet Tile

Field Styles | Up to 2,000 SY
Accents & Walk Off | Up to 200 SY

LVT

Field Styles | Up to 10,000 SF

Don't sacrifice style for quick turn projects. With QuickShip carpet and LVT, you have a practical flooring option that checks the boxes on speed, design, durability, and maintenance.

To explore all available QuickShip options, visit [interface.com/quickship](https://www.interface.com/quickship).

TABLE OF CONTENTS

Color Stories 4-34

QUICK SILVER **p.3**
SWIFT GREY **p.11**
RAPID CHARCOAL **p.19**
JET BLACK **p.27**

Specifications 35-52

AE310 **p.37**
NEIGHBORHOOD SMOOTH™ **p.39**
AE311 **p.41**
BP410 **p.43**
CLOUD COVER™ **p.45**
DETOURS AHEAD™ **p.47**
HARMONIZE™ **p.49**
NATURALLY WEATHERED™ **p.51**

Fast Friends 53-74

AE312 **p.55**
AE315 **p.59**
AE317 **p.61**
BP411 **p.65**
DETOURS™ **p.67**
GROUND WAVES™ **p.71**

Index 75-76

Why Interface 77-78



QUICK SILVER



PRODUCT AE310 COLOR 104625 GREIGE INSTALLED NON DIRECTIONAL



PRODUCT NEIGHBORHOOD SMOOTH COLOR 105631 FOG/SMOOTH INSTALLED ASHLAR



PRODUCT AE311 COLOR 104669 FOG INSTALLED ASHLAR



PRODUCT HARMONIZE COLOR 104044 PEWTER INSTALLED ASHLAR
PRODUCT AE310 COLOR 104625 GREIGE INSTALLED NON DIRECTIONAL



PRODUCT BP410 **COLOR** 104654 DOVE **INSTALLED** ASHLAR



PRODUCT DETOURS AHEAD **COLOR** 105160 STEEL/TONAL **INSTALLED** QUARTER-TURN



SWIFT GREY



PRODUCT HARMONIZE COLOR 104039 COBALT INSTALLED ASHLAR



PRODUCT AE311 COLOR 105805 GRANITE INSTALLED ASHLAR



PRODUCT CLOUD COVER **COLOR** 105716 AFTER DARK **INSTALLED** ASHLAR



PRODUCT NATURALLY WEATHERED **COLOR** 106023 SLATE GREY
PRODUCT HARMONIZE **COLOR** 104039 COBALT **INSTALLED** ASHLAR



CARPET PRODUCT NATURALLY WEATHERED **COLOR** 106023 SLATE GREY
LVT PRODUCT NATURAL WOODGRAINS **COLOR** A00205 STORM **INSTALLED** ASHLAR



PRODUCT AE311 **COLOR** 104668 MIST **INSTALLED** ASHLAR

RAPID CHARCOAL





CARPET PRODUCT NATURALLY WEATHERED **COLOR** 106021 GREYSTONE
LVT PRODUCT NATURAL WOODGRAINS **COLOR** A00204 BEECH **INSTALLED** ASHLAR



PRODUCT NEIGHBORHOOD SMOOTH **COLOR** 105634 IRON/SMOOTH **INSTALLED** ASHLAR






PRODUCT HARMONIZE COLOR 104043 GRAVEL
PRODUCT CLOUD COVER COLOR 105717 SMOKY RIDGE INSTALLED ASHLAR



PRODUCT AE311 COLOR 104673 IRON INSTALLED ASHLAR

JET BLACK









PRODUCT HARMONIZE **COLOR** 104042 IRON **INSTALLED** ASHLAR




PRODUCT NATURALLY WEATHERED **COLOR** 106022 BURNT EMBER **INSTALLED** ASHLAR

PRODUCT SPECIFICATIONS



AE310 Colorline The colorline grids shown below are all in a 2m x 2m non directional display.



104622 FOG



104625 GREIGE



104626 IRON



104627 SMOKE

Specifications



Modular, 50cm x 50cm	13882
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.1 in., 2.5 mm
Pile Density	5,760
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820



Plays well with these other QuickShip styles:


- AE311
- AE312
- AE315
- AE317
- Neighborhood Smooth






CARPET PRODUCT NEIGHBORHOOD SMOOTH **COLOR** 105304 GREIGE/SMOOTH
LVT PRODUCT NATURAL WOODGRAINS **COLOR** A00208 SAND DUNE **INSTALLED** ASHLAR

Neighborhood Smooth™ Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.



105304 GREIGE/SMOOTH



105629 SMOKE/SMOOTH



105631 FOG/SMOOTH



105634 IRON/SMOOTH

Specifications




Modular, 25cm x 1m	16326
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.084 in., 2.1 mm
Pile Density	7,286
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820

**Plays well
with these other
QuickShip styles:**

- AE310
- AE311
- AE312
- AE315
- AE317




AE311 Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.



104668 MIST




104669 FOG



104672 GREIGE



104673 IRON



104674 SMOKE



105805 GRANITE


Specifications



Modular, 25cm x 1m	13883
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.097 in., 2.5 mm
Pile Density	5,567
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820

**Plays well
with these other
QuickShip styles:**

- AE310
- AE312
- AE315
- AE317
- *Neighborhood Smooth*



PRODUCT AE311 COLOR 104673 IRON
PRODUCT AE315 COLOR 105813 IRON/BERRY INSTALLED ASHLAR



PRODUCT BP410 COLOR 104655 EMBER INSTALLED ASHLAR

BP410 Colorline

The colorline grids shown below are all in a 2m x 2m ashlar display.



104654 DOVE




104655 EMBER

Specifications

Modular, 25cm x 1m	14685
Backing System	Standard Backing
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.068 in., 1.7 mm
Pile Density	7,412
Total Recycled Content	Up to 79%
Indoor Air Quality	CRI Green Label Plus #GLP0820

**Plays well
with this other
QuickShip style:**
- BP411






105716 AFTER DARK



105717 SMOKY RIDGE

Specifications


Modular, 50cm x 50cm	13789
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Cut & Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.079 in., 2 mm
Pile Density	7,747
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820





PRODUCT DETOURS AHEAD COLOR 105160 STEEL/TONAL INSTALLED QUARTER-TURN

Detours Ahead™ Colorline The colorline grids shown below are all in a 2m x 2m non directional display.




105159 ONYX/TONAL



105160 STEEL/TONAL

Specifications


Modular, 50cm x 50cm	14723
Backing System	Standard Backing
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.144 in., 3.7 mm
Pile Density	3,500
Total Recycled Content	Up to 79%
Indoor Air Quality	CRI Green Label Plus #GLP0820




Plays well
with this other
QuickShip style:
- Detours

Harmonize™ Colorline


The colorline grids shown below are all in a 2m x 2m ashlar display.




104039 COBALT



104042 IRON



104043 GRAVEL



104044 PEWTER

Specifications



Modular, 25cm x 1m	13872
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.106 in., 2.7 mm
Pile Density	5,434
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820



**Plays well
with this other
QuickShip style:**
- *Ground Waves*






PRODUCT NATURALLY WEATHERED COLOR 106025 WROUGHT IRON INSTALLED ASHLAR

Naturally Weathered™ Colorline


The colorline grids shown below are all in a 2m x 2m ashlar display.



106021 GREYSTONE



106022 BURNT EMBER



106023 SLATE GREY



106025 WROUGHT IRON

Specifications



Modular, 25cm x 1m	13940
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.102 in., 2.6 mm
Pile Density	4,941
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820







FAST FRIENDS

Looking for the right companion for your go-to neutrals? Add a pop of color to the floor with more QuickShip coordinates that will take any space to the next level.

AE312 Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.




105406 FOG/ACCENT



105409 GREIGE/ACCENT



105410 IRON/ACCENT



105411 SMOKE/ACCENT

Specifications



Modular, 50cm x 50cm	13891
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.1 in., 2.5 mm
Pile Density	5,760
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820



**Plays well
with these other
QuickShip styles:**

- AE310
- AE311
- AE315
- AE317
- Neighborhood Smooth





PRODUCT AE312 COLOR 105406 FOG/ACCENT INSTALLED BRICK
 PRODUCT AE317 COLOR 105830 AQUAMARINE, 105822 CITRON INSTALLED ASHLAR

Fast Friends

Products

A AE312, FOG/ACCENT

B AE310, FOG

C AE311, FOG

D AE315, MIST/AQUAMARINE

E AE315, FOG/CITRON

F AE317, AQUAMARINE


● **G** TEXTURED STONES, POLISHED CEMENT

● **H** TEXTURED STONES, COOL POLISHED CEMENT

I AE317, CITRON



AE315 Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.



105809 FOG/CITRON



105811 GREIGE/PERSIMMON




105813 IRON/BERRY



105815 SMOKE/IRIS



105816 GRANITE/AZURE



105817 MIST/AQUAMARINE

Specifications



Modular, 25cm x 1m	16323
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.09 in., 2.3 mm
Pile Density	6,400
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820



Plays well with these other QuickShip styles:

- AE310
- AE311
- AE312
- AE317
- Neighborhood Smooth




PRODUCT AE311 COLOR 104672 GREIGE
PRODUCT AE315 COLOR 105811 GREIGE/PERSIMMON INSTALLED ASHLAR




PRODUCT AE315 **COLOR** 105816 GRANITE/AZURE
PRODUCT AE317 **COLOR** 105829 AZURE **INSTALLED** ASHLAR


AE317 Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.




105822 CITRON



105824 PERSIMMON



105826 BERRY



105828 IRIS



105829 AZURE



105830 AQUAMARINE

Specifications



Modular, 25cm x 1m	16327
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.101 in., 2.6 mm
Pile Density	6,059
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820



Plays well with these other QuickShip styles:

- AE310
- AE311
- AE312
- AE315
- Neighborhood Smooth



PRODUCT AE310 COLOR 104625 GREIGE INSTALLED BRICK
 PRODUCT AE317 COLOR 105824 PERSIMMON INSTALLED ASHLAR
 PRODUCT AE312 COLOR 105409 GREIGE/ACCENT INSTALLED BRICK


Fast Friends




Products

- A AE310, GREIGE
- B AE312, GREIGE/ACCENT
- C AE315, GREIGE/PERSIMMON
- D NEIGHBORHOOD SMOOTH, GREIGE/SMOOTH
- E AE317, PERSIMMON
- F GROUND WAVES, PEWTER COLORS
- G NATURAL WOODGRAINS, WASHED WHEAT
- H HARMONIZE, PEWTER

BP411 Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.




104662 DOVE/LIME



104663 EMBER/RED

Specifications

Modular, 25cm x 1m	14686
Backing System	Standard Backing
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.068 in., 1.7 mm
Pile Density	7,412
Total Recycled Content	Up to 79%
Indoor Air Quality	CRI Green Label Plus #GLP0820




**Plays well
with this other
QuickShip style:**
- BP410





LVT PRODUCT NATURAL WOODGRAINS COLOR A00207 WASHED WHEAT
CARPET PRODUCT DETOURS COLOR 104718 STEEL INSTALLED ASHLAR

Detours™ Colorline The colorline grids shown below are all in a 2m x 2m non directional display.



104717 ONYX



104718 STEEL

Specifications

Modular, 25cm x 1 m	14666
Backing System	Standard Backing
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.066 in., 1.7 mm
Pile Density	7,636
Total Recycled Content	Up to 79%
Indoor Air Quality	CRI Green Label Plus #GLP0820




Plays well
with this other
QuickShip style:
- Detours Ahead




PRODUCT BP410 COLOR 104655 EMBER
 PRODUCT BP411 COLOR 104663 EMBER/RED INSTALLED ASHLAR

Fast Friends




Products


- A BP411, EMBER/RED
- B BP410, EMBER
- C NATURALLY WEATHERED, BURNT EMBER
- D AE317, IRIS
- E AE311, SMOKE
- F AE315, SMOKE/IRIS
- G STUDIO SET, PEPPER
- H CLOUD COVER, SMOKY RIDGE




104051 COBALT/COLORS



104054 IRON/COLORS



104055 GRAVEL/COLORS




104056 PEWTER/COLORS

Specifications



Modular, 25cm x 1m	13873
Backing System	Standard Backing
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservation Protection	Intersept™
Soil/Stain Protection	Protekt™
Pile Thickness	0.088 in., 2.2 mm
Pile Density	6,545
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820



Plays well
with this other
QuickShip style:
- *Harmonize*




PRODUCT HARMONIZE COLOR 104044 PEWTER INSTALLED ASHLAR
PRODUCT GROUND WAVES COLOR 104056 PEWTER/COLORS INSTALLED PATTERN BY TILE



PRODUCT HARMONIZE COLOR 104043 GRAVEL
 PRODUCT GROUND WAVES COLOR 104051 COBALT/COLORS INSTALLED ASHLAR
 PRODUCT ON LINE COLOR 103794 LAGOON, 103798 LIME INSTALLED PATTERN BY TILE

Fast Friends




Products

- A** GROUND WAVES, GRAVEL/COLORS
- B** HARMONIZE, COBALT
- C** HARMONIZE, GRAVEL
- D** AE317, AQUAMARINE
- E** GROUND WAVES, COBALT/COLORS
- F** ON LINE, LIME
- G** AE315, MIST/AQUAMARINE
- H** ON LINE, LAGOON
- I** STUDIO SET, PEWTER

Why Interface? | Performance

Beauty that Lasts

Fiber We start with the best—commercial-grade, solution dyed fibers with a low modification (MR) ratio. A lower MR means better performance. The result? High performance fibers that don't fade or bleach out.




Passing the Test

Industry standard wear tests just aren't tough enough. So, we developed our own—the **Appearance Retention Test (ART)**. ART considers real world conditions—wear, soiling and maintenance—for up to 20 year-increments. If an Interface carpet style doesn't pass, we won't launch it.



Breathe Easier

Intersept™ Only Interface carpet tiles are protected with Intersept, our safe and effective preservative that protects against odor-causing microorganisms. It's built into the backing system, so it won't wear off or wash away.



[interface.com/intersept](https://www.interface.com/intersept)

Maintenance Made Easy

Simple vacuuming, spot cleaning and routine deep cleaning are all you need to maintain Interface carpet tile—no special equipment or cleaning solutions.



[interface.com/maintenance](https://www.interface.com/maintenance)

Glue-free Installation

TacTiles™ Just peel, pull and stick for a hassle-free, durable carpet tile installation. No mess, no drying time and little, if any, future floor prep. And TacTiles connectors can be recycled with Interface carpet tiles.



[interface.com/tactiles](https://www.interface.com/tactiles)



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.

Why Interface? | Innovation & Sustainability

Inspired by Nature

i2™ Nature doesn't design with perfectly matched materials, so why should we? Our i2 products are made to blend, not match. That means no dye lot concerns, so you order what you need when you need it. Bonus: Many i2 styles install with as little as 1.5% waste.



[interface.com/i2](https://www.interface.com/i2)

Closing the Loop

ReEntry™ We want our carpet tile and LVT back. Through our ReEntry program we reclaim and recycle our used carpet tile and LVT and turn it into new flooring.



[interface.com/reentry](https://www.interface.com/reentry)

Going Beyond Zero

Climate Take Back™ Interface has been on a purpose-driven journey to eliminate its negative environmental impact since 1994. We've achieved Mission Zero® success, and now live zero every day. Our bold mission continues with our commitment to overcoming the biggest challenge facing humanity—reversing global warming.



[interface.com/climatetakeback](https://www.interface.com/climatetakeback)

InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

www.interface.com

Register at www.interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
---------------------------------	--------------------------

Latin America
+ 52 55 6395 5100