

United States Headquarters

1503 Orchard Hill Road LaGrange, GA 30240 1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.2128

Latin American Headquarters


Rua Surubim, 577 - Conjuntos 73/74 7° Andar 04571-050 - São Paulo - SP + 55 11 2196 0900

CIM # IFS00429 04/2013



Mission Zero:

our promise to eliminate any negative impact our company may have on the environment by the year 2020.




Inspired by wool and chenille fabrics, the Redo Collection features three patterns that have three different scales of linear and geometric design. These styles feature multiple pile heights that add sculptural linear accents and visual depth. Soft, muted expressions of color round out the palette.

REINCARNATION™ – A subtle striping effect creates a beautiful flow of lines that variegate in tone and texture.

REMADE™ – A series of blocks and stripes appearing in a consistent density creates a medium scale geometric pattern. A soft, muted darker accent thread produces balance and contrast.


REISSUED™ – This style features a small-scale grid pattern created by a series of blocks and stripes that are clustered in varying degrees of density. A soft, muted darker accent thread produces balance and contrast.








Reincarnation[™] Colorline



Reissued[™] Colorline

8945 COSMIC BLUE

8946 VELOUR



8947 ATOMIC GRAY

Remade[™] Colorline



8912 BURNT ORANGE



8913 SANDALWOOD



8914 ROSEWOOD BEIGE



8915 HARVEST GOLD



8916 MELLOW YELLOW




8917 ALMOND



8918 AVOCADO



8919 ACID GREEN



8920 CHARTREUSE



8921 EARTHTONE




8922 OLIVE DRAB



8923 GREIGE



8924 BLACKLIGHT



8925 ALUMINUM




8926 CHROME



8927 COSMIC BLUE



8928 VELOUR



8929 ATOMIC GRAY

Specifications Reincarnation™

Modular, 50 cm x 50 cm 1232102500 Backing System GlasBac® Tile Yarn Manufacturer Universal

Post-Consumer Content Type 6,6 Nylon Yarn System

Color System 100% Solution Dyed Tufted Cut & Loop Construction Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®} Pile Thickness 0.134 in., 3.4 mm Pile Density 6,179

Total Recycled Content 49%

CRI Green Label Plus #GLP0820 Indoor Air Quality







Reissued™

Modular, 50 cm x 50 cm 1232302500 GlasBac® Tile Backing System Yarn Manufacturer Universal

Post-Consumer Content Type 6,6 Nylon Yarn System

100% Solution Dyed Color System Construction Tufted Cut & Loop Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®} Pile Thickness 0.134 in., 3.4 mm 6,179 Pile Density

Total Recycled Content 49%

Indoor Air Quality CRI Green Label Plus #GLP0820







Remade™

Modular, 50 cm x 50 cm 1232202500 Backing System GlasBac® Tile Yarn Manufacturer Universal

Post-Consumer Content Type 6,6 Nylon Yarn System

Color System 100% Solution Dyed Tufted Cut & Loop Construction Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®} 0.134 in., 3.4 mm Pile Thickness Pile Density 6,179

Total Recycled Content 49% CRI Green Label Plus #GLP0820 Indoor Air Quality









Modular Carpet Tile

Performance and Flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.



Cool Carpet™

Help Stop Global Warming and Earn a LEED® Innovation Credit. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. Cool Carpet zeros out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet. And climate neutral verified Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States Canada 1.877.605.1500 1.866.398.3192

Brazil Latin America + 55 11 2196 0900 + 55 11 2196 0902

www.interface.com

Register at www.interface.com to:

- Order samples
- View carpet in a variety of room scenes and even upload your own room
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.



Intersept®

Mold Protection. Our proprietary antimicrobial preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria quaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is low in toxicity, water insoluble and contains no arsenic, heavy metals, phenols or formaldehyde.



ReEntry® 2.0

Recyclable is Now a Reality. Our ReEntry 2.0 program uses innovative technology that gives us the ability to cleanly separate the face fiber and backing of nearly any carpet type. Separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into new GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We achieved an EPD based on our Convert™ products and have now expanded our EPDs into four catagories covering more than 90% of our products.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.

Third Party Certification

cool carpet™

Cool Carpet - Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



Environmental Product Declaration (EPD) - A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified



Sustainable Assessment for Carpet - The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle



CRI Green Label Plus - An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

*Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in color among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology. Post-consumer content comes from reclaimed carpet.



RECYCLED FSC® C009723



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.