

www.interfacehospitality.com

United States Headquarters

1503 Orchard Hill Road LaGrange, GA 30240 1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.2128

Mexican Headquarters

Montes Urales # 415 Piso 6 Col. Lomas de Chapultepec México City, D.F. 11000 + 52 55 6395 5100


Latin American Headquarters

Rua Surubim, 577 - Conjuntos 73/74 7° Andar 04571-050 - São Paulo - SP Brazil + 55 11 2196 0900

05/2015 IFS00688











PRODUCT SPECIFICATIONS

SWTS 110

Style: 127800AK00

Backing System GlasBac® Tile

Yarn System

100% Recycled Content Type 6 Nylon

Yarn Manufacturer

Aquafil

Color System 100% Solution Dyed

Construction

Tufted Sheared

Lifetime Antimicrobial

Intersept®

Soil / Stain Protection

Protekt^{2®}

Pile Thickness 0.139 in., 3.5 mm

Pile Density

4,921

Total Recycled Content

62%

Installation

Ashlar, Herringbone

CRI Green Label Plus

GLP0820



ASHLAR

COLORLINE



104615 PEARL



104616 VANILLA



104617 CANVAS



104618 LUNAR



104619 DUSK



104620 CLOVE

A PRODUCT: SWTS 110 SIZE: 25cm × 1m COLOR: Vanilla INSTALLATION: Herringbone

B PRODUCT: SWTS 110 SIZE: 25cm x 1m COLOR: Canvas INSTALLATION: Herringbone



A PRODUCT: SWTS 110 SIZE: 25cm x 1m COLOR: Canvas INSTALLATION: Ashlar

PRODUCT: SWTS 110 COLOR: Vanilla SIZE: 25cm x 1m INSTALLATION: Ashlar





WHY MODULAR CARPET TILE?



Flexibility

Keep Your Floor Beautiful. Modular carpet tile allows you to play with pattern and design without having to special order carpet sizes. And the same flexibility that lets you create your floor helps you keep it looking good because in-house staff can easily replace individual tiles that become damaged or heavily soiled-no down time or outside contractors required.



Intersept®

Mold Protection. No matter what's spilled on the floor, our proprietary preservative, Intersept®, protects our modular carpet against the growth of odor-causing bacteria-guaranteed. With proper maintenance Intersept treated carpet safely and effectively inhibits the growth of mold and other bacteria so your floors are always fresh.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). In addition, all of our products with GlasBac®, GlasBacRE and NexStep® backings meet NSF/ ANSI 140 Sustainable Assessment for Carpet.



TacTiles®

No Glue Installation. Installation or reconfiguration with our glue-free TacTiles installation system means there's no glue smell and no drying time. Guests can use the room as soon as the last piece is laid and all they'll notice is a beautiful floor.



Less Waste

Save Money. Interface Hospitality's carpet tile averages just 3.9% installation waste compared to as much as 18% or more with patterned roll carpet. Use our non directional styles with an average of 1.5% waste and save even more. That means more of your flooring investment stays on the floor—not in a dumpster.



InterComfort™

Comfort underfoot. Offer guests the additional comfort and acoustical benefits of a cushion underlay with InterComfort, Interface Hospitality's recyclable polyethylene cushion that installs easily with our patented TacTiles® glue-free installation system. There's no sticky mess or potential damage to your subfloor. InterComfort is available in two formats-InterComfort PS for public spaces and InterComfort GR for guest rooms.









Cool Carpet[™]
Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire

Sustainable Assessment for Carpet
The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.

CRI Green Label Plus

An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

Environmental Product Declaration (EPD) A statement of product ingredients and environmental impacts over the entire lifecycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and the LCA must be third party verified.