

A modern interior space featuring a large, patterned carpet in shades of grey, brown, and tan. In the background, there is a staircase with glass railings and a black, curved bench on a metal stand. The room is bright, with large windows on the right side. The text "Silver Linings Collection" is written vertically on the left side of the image.

Silver Linings
Collection

Interface[®]

A stormy sky might seem hopeless, but silver linings in dark clouds assure us of the optimism of nature, that storms will clear to brighter prospects.

Loaded with possibilities, Silver Linings™ is a collection of three patterns in 12 colorways designed in our 25cm x 1m skinny plank format. SL910™ is the quiet-before-the-storm, pure texture. Three accent colors start to flicker through the second texture, SL920™. And a very exciting new effect appears in SL930™, where each accent finds a place on its own tile and color flashes in bold gestures—transforming the whole atmosphere of a space through the shift in scale.



Product SL920 Colour Beige Line Installed Herringbone









Product SL930 Colour Nickel Fade Product SL920 Colour Nickel Line
Product SL910 Colour Nickel Installed Ashlar



SL910™ Colourline



SL910 7831-001-000 Navy




SL910 7831-002-000 Black



SL910 7831-003-000 Charcoal



SL910 7831-004-000 Graphite



SL910 7831-005-000 Nickel



SL910 7831-006-000 Grey



SL910 7831-007-000 Stone



SL910 7831-008-000 Ginko



SL910 7831-009-000 Mica



SL910 7831-010-000 Beige



SL910 7831-011-000 Taupe




SL910 7831-012-000 Walnut




SL920™ Colourline



SL920 7832-001-000 Navy Line



SL920 7832-002-000 Black Line



SL920 7832-003-000 Charcoal Line



SL920 7832-004-000 Graphite Line



SL920 7832-005-000 Nickel Line



SL920 7832-006-000 Grey Line



SL920 7832-007-000 Stone Line



SL920 7832-008-000 Ginko Line



SL920 7832-009-000 Mica Line



SL920 7832-010-000 Beige Line



SL920 7832-011-000 Taupe Line




SL920 7832-012-000 Walnut Line






Product SL930 Colour Mica Fade Installed Ashlar

SL930™ Colourline The colourline grids shown below are all in a 2m x 2m ashlar display.



Navy Fade



Black Fade



Charcoal Fade



Graphite Fade



Nickel Fade



Grey Fade



Stone Fade



Ginkgo Fade

SL930™ Colourline The colourline grids shown below are all in a 2m x 2m ashlar display.



Mica Fade



Beige Fade



Taupe Fade




Walnut Fade

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.

Specifications


SL910

Style Code	7831 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	100% Recycled Content Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/12
Pile Thickness	3.0mm +/- 0.5mm
Total Thickness	7.0mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – Heavy Contract
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone



SL920


Style Code	7832 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	100% Recycled Content Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/12
Pile Thickness	3.0mm +/- 0.5mm
Total Thickness	7.0mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – Heavy Contract
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone



SL930



Style Code	7833 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	100% Recycled Content Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/12
Pile Thickness	3.0mm +/- 0.5mm
Total Thickness	7.0mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – Heavy Contract
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone



CoolCarpet™
Intersept®


Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content calculation excludes backing. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology.

*Cool Carpet is not a standard option in Australia and New Zealand.




Design Ideas

Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




■ **Product** SL930 **Colour** Grey Fade




■ **Product** On Line **Colour** Azure

■ **Product** SL930 **Colour** Stone Fade



■ **Product** SL920 **Colour** Mica Line

■ **Product** SL920 **Colour** Stone Line



■ **Product** SL930 **Colour** Nickel Fade

■ **Product** SL920 **Colour** Nickel Line

■ **Product** SL910 **Colour** Nickel

