



Speckled Ground

Interface®

Speckled Ground

Creating subtle contrast through alternating stipple effects

Light and shadow are two of nature's unique design tools. From the forest floor to a flowing river. Speckled Ground is the marriage between soft and dense stipple effects used to create subtle movement on the floor to enliven any space.

Speckled Ground has 40 attractive colours and an artisanal texture. The colour palette includes soft greys and warm neutrals, subtle pastels and bright accent colours to zone your space. The colours give natural warmth and richness with a soft stipple.

Install Speckled Ground in monolithic for a seamless broadloom effect. It is made with 100% recycled nylon, and like all of our products, globally, is carbon neutral throughout its full lifecycle.







CARPET PRODUCT SPECKLED GROUND **COLOUR** BLUSH **INSTALLED** MONOLITHIC
LVT PRODUCT WALK THE AISLE **COLOUR** CARBON **INSTALLED** NON DIRECTIONAL



CARPET PRODUCT SPECKLED GROUND **COLOUR** STONE & SKY **INSTALLED** MONOLITHIC
LVT PRODUCT BRUSHED LINES **COLOUR** DEEP COBALT **INSTALLED** ASHLAR








CARPET PRODUCT SPECKLED GROUND COLOUR MUSTARD INSTALLED MONOLITHIC
LVT PRODUCT WALK ON BY COLOUR MONOCHROME INSTALLED NON DIRECTIONAL




PRODUCT SPECKLED GROUND COLOUR MALACHITE, PINE & SAGE INSTALLED DESIGN BY TILE


Speckled Ground Colourline




2539001 COAL



2539002 RAVEN




2539003 EMBER




2539004 LAVA




2539005 CREEK



2539006 MUSHROOM



2539007 METAL




2539008 MINERAL



2539009 PINE



2539010 SAGE




2539011 STONE



2539012 WHISPER



2539013 FOREST



2539014 MALACHITE



2539015 PETROL




2539016 LAGOON



2539017 PEACOCK




2539018 ICE




2539019 ROYAL




2539020 INDIGO




2539021 INK




2539022 SKY




2539023 POWDER




2539024 LAVENDER




2539025 IMPERIAL



2539026 CHERRY



2539027 CRIMSON




2539028 HIBISCUS




2539029 NUDE



2539030 CAMEL




2539031 BLUSH



2539032 ROSE




2539033 CINDER




2539034 OCHRE



2539035 GINGER



2539036 APRICOT



2539037 MUSTARD



2539038 CARAMEL



2539039 BLONDE



2539040 GOLDEN



Specifications

Style Code	2539
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	3.3mm (± 0.5mm)
Total Thickness	6.5mm (± 0.5mm)
Tile Size	50x50cm
Area of Use	Commercial - Heavy Use
ACCS (Australia Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Installation Methods	Monolithic, Brick, Ashlar



MONOLITHIC



BRICK



ASHLAR

CARPET PRODUCT SPECKLED GROUND **COLOUR** INDIGO **INSTALLED** MONOLITHIC
LVT PRODUCT LEVEL SET NATURAL STONES **COLOUR** COOL IMPALA MARBLE **INSTALLED** NON DIRECTIONAL

Why Our Modular Flooring?



Modular Flooring
Performance and flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 2-5% waste compared to roll carpet's average of 15% . And it installs seamlessly with our LVT, no transition strips needed.



Carbon Neutral Floors™
Create a climate fit for life. All Interface flooring sold globally is third party verified carbon neutral across the entire product lifecycle. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder, including the emissions from raw materials, our manufacturing processes and product use to end of life.



TacTiles®
No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Intersept®
Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mould growth and odour-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mould or bacterial growth when tested as per the ASTM E2471 Standard Test Method. Intersept is EPA-approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



Protekt®
Stain protection. The life and performance of your flooring is extended with Protekt, our patented stain resistant coating. Protekt uses advanced technology to provide a lasting barrier against permanent soiling and staining, which simplifies the cleaning process and enhances the longevity of your carpet.



ReEntry
At Interface, an end of life solution of our products is a reality. ReEntry is our innovative programme to reclaim materials used in our product. Taking back our product at end of life is a sevice we provide our customers to ensure that none of the products they use will end up in landfill. Whether it is recycling into new product or re-purposing, we see our customer's waste as an opportunity for new product life.



15-Year Warranty
Interface products are warranted for 15 years against excessive surface wear, edge ravel, backing separation, shrinking, stretching and static electricity even under castor chair conditions.



Manufactured in Australia
Offering local responsiveness and a global experience. We are embedded within the same communities as our customers to help us build relationships that are collaborative, committed and productive. We manufacture carpet tile out of South West Sydney, NSW from beginning to end, including inspection, boxing and shipment. You can be proud of contributing to our local economies and environment.

Third Party Certifications

Our EPDs and certifications contribute credits towards Green Building Council's Green Star® rating system.

Green Star credits are approved by the Green Building Councils of Australia and New Zealand. The internationally-recognised Green Star rating system provides independent verification that a building or community project is sustainable. Developed by the Green Building Council of Australia, Green Star is Australia's only national, voluntary, sustainability rating system for buildings and communities.



Environmental Product Declaration (EPD) –
The Environmental Product Declaration (EPD) is a third party verified environmental certification classified as Type III that quantifies and verifies the lifecycle impacts of products and goods according to the International Standards Organization (ISO) 14025, 14040, 14044 and EN 15804. EPDs help customers that are environmentally driven to evaluate the performance of a product and to make the best decision when choosing a product. All Interface products have EPDs.



Global GreenTag GreenRate Level A – Global GreenTag's GreenRate certification is a product rating system recognised by the Green Building Council of Australia, New Zealand and South Africa. It has been set up to meet the criteria of the Green Star® “Sustainable Products” credits. All Interface products are certified “Level A”.



Environmental Certification Scheme Level 4 – ECS-certified carpet manufacturers must adhere to a code of practice that details performance standards for raw materials, manufacturing, in-service use and end-of-life treatment. Interface flooring holds the highest grading under ECS.



Best Practice Guidelines for PVC – A comprehensive standard for better PVC developed by the Green Building Council of Australia under its Green Star programme. Interface holds Lloyd's Statement of Compliance (Green Building Council of Australia Best Practice Guidelines 2013) for Best Practice PVC for all products made in Australia.

All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

The visibility of joints may vary based on colour and pattern.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.



Carbon Neutral Floors™

www.interface.com

Australia

Interface Australia
local toll free: 1800 804 361

India

Interface India
tel: +91 80 4613 1313

South East Asia

Interface Asia
tel: +65 6478 1510

South Korea

Interface South Korea
tel: +82 2 555 1734

Japan

Interface Japan
tel: +81 3 5733 5211

Beijing

Interface China
tel: +86 10 6590 7810

Hong Kong

Interface China
tel: +852 2802 0838

Shanghai

Interface China
tel: +86 21 6340 3868



Climate change is undeniable. And reversible. Our mission is to prove it.
Join the #ClimateTakeBack and help create a climate fit for life.