



Printed on 100% post consumer waste (PCW)
fiber manufactured using wind power.

[interface.com](https://www.interface.com)

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext. 52128

Latin American Headquarters
Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM # IFS00793 09/2022



Climate change is undeniable. And
reversible. Our mission is to prove it.
**Join the #ClimateTakeBack and
help create a climate fit for life.**

Studio Set | LVT

Interface®

Every project is an opportunity for fresh ideas. Enter Studio Set. These hues serve as your go-to source for color in LVT. Studio Set is a spectrum from super saturated brights to ideal neutrals - available across two volumes for a total of 27 colors. Take note of the very subtle woodgrain pattern, but don't get stuck in conventional solutions. These planks were meant to inspire you to design with pure color, creating unique compositions or just making a singular bold choice, like a red floor.

Studio Set is fully recyclable through our ReEntry™ program and contains 39% recycled content. And, like all flooring you specify from Interface, it is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program.







LVT PRODUCT STUDIO SET **COLORS** A00703 PEPPER, A00711 MANDARIN, A00709 OCEAN
LVT PRODUCT LEVEL SET™ | TEXTURED STONES **COLOR** A00302 COOL POLISHED CEMENT
CARPET PRODUCT STEP REPEAT™ | SR799 **COLOR** 104935 GRANITE **INSTALLED** PATTERN BY TILE



PRODUCT STUDIO SET **COLORS** A00702 PEWTER, A00713 SLATE **INSTALLED** PATTERN BY TILE



LVT PRODUCT STUDIO SET COLOR A00705 TITANIUM INSTALLED ASHLAR
FLOR CARPET PRODUCT HUMAN CONNECTIONS™ | STONE COURSE™ COLORS 105584 ORANGE/
STONE, 105581 TEAL/STONE, 105587 PURPLE/STONE INSTALLED PATTERN BY TILE



PRODUCT STUDIO SET COLORS A00703 PEPPER, A00707 LIME,
A00712 MARIGOLD, A00709 OCEAN INSTALLED PATTERN BY TILE

Specifications

Product Number	A007
Product Construction	High Performance Luxury Vinyl Tile
Class / ASTM F1700	Class III Printed Vinyl Tile
Wear Layer Thickness	22 mil
Total Thickness	4.5mm
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	25cm x 1m (9.845 in x 39.38 in)
Total Recycled Content (Pre Consumer)	39%
Indoor Air Quality	GREENGUARD Gold FloorScore® Certified CDPH 01350 Compliant Carbon Neutral Floors™
Full Life Cycle Carbon Emissions	
Environmental Certifications	NSF/ANSI 332 Silver
LEED v4	Contributes to multiple IEQ and MR credits

View the full product specification on interface.com.

Installation Methods



ASHLAR



HERRINGBONE



BROWSE IMAGES
ORDER SAMPLES

Studio Set™ Colorline



A00701 SILVERLIGHT



A00702 PEWTER



A00703 PEPPER



A00704 ESPRESSO



A00705 TITANIUM



A00706 MUSHROOM



A00707 LIME



A00708 IRIS



A00709 OCEAN



A00710 POPPY



A00711 MANDARIN




A00712 MARIGOLD





A00713 SLATE



Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.





PRODUCT STUDIO SET **COLORS** A00701 SILVERLIGHT, A00702 PEWTER, A00709 OCEAN, A00711 MANDARIN **INSTALLED** PATTERN BY TILE (ASHLAR)




PRODUCT STUDIO SET **COLORS** A00702 PEWTER, A00713 SLATE **INSTALLED** PATTERN BY TILE (ASHLAR)



LVT PRODUCT STUDIO SET **COLORS** A00703 PEPPER, A00711 MANDARIN, A00709 OCEAN
LVT PRODUCT LEVEL SET | TEXTURED STONES **COLOR** A00302 COOL POLISHED CEMENT
CARPET PRODUCT STEP REPEAT | SR799 **COLOR** 104935 GRANITE **INSTALLED** PATTERN BY TILE



PRODUCT STUDIO SET **COLORS** A00702 PEWTER, A00709 OCEAN, A00711 MANDARIN **INSTALLED** PATTERN BY TILE (ASHLAR)





Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




PRODUCT STUDIO SET COLORS A00703 PEPPER, A00702 PEWTER INSTALLED PATTERN BY TILE



PRODUCT STUDIO SET COLORS A00704 ESPRESSO, A00705 TITANIUM, A00710 POPPY
INSTALLED PATTERN BY TILE (ASHLAR)



PRODUCT STUDIO SET COLORS A00703 PEPPER, A00707 LIME, A00712 MARIGOLD, A00709 OCEAN INSTALLED PATTERN BY TILE (ASHLAR)



PRODUCT STUDIO SET COLORS A00701 SILVERLIGHT, A00702 PEWTER, A00703 PEPPER, A00712 MARIGOLD INSTALLED PATTERN BY TILE





Why Our Modular Resilient Sound Choice™ 4.5 mm LVT?



Integrated System
Save time and look good doing it. Our Sound Choice LVT integrates with our full product portfolio, allowing you to streamline specification and installation of your floorplate. Add our modular carpet for an inset rug or an adjacent field – no transition strip required.



Easy Maintenance
Create a unique look that lasts. Interface Sound Choice LVT extends the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.




Circular System
Keep flooring out of the landfill. Interface LVT on Sound Choice™ is produced with a controlled material stream, so it is recyclable through our ReEntry™ program. And, like all of Interface modular resilient flooring, our LVT contains 39% recycled content.



Noise Reduction
Silence distractions. Sound Choice is a specially formulated backing for superior noise reduction, offering you best-in-class impact sound reduction and floor to floor sound transmission.

High Performance from Top to Bottom



- 1. Ceramor™ Coating.** Minimizes everyday scratching and scuffing.
- 2. Wear Layer.** High quality 22 mil layer enabling 15 years of resilience and performance.
- 3. Print Film.** Provides outstanding visuals of natural materials and Interface innovative designs.
- 4. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 5. Fiberglass.** Adds dimensional stability and controlled flexibility.
- 6. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 7. Sound Choice Backing.** Provides comfort and superior acoustic performance.

Interface Sound Choice LVT and carpet tile allow you to seamlessly move from hard to soft surfaces. No transition strip needed.



Help Lower Your Carbon Footprint
Like all the flooring products we sell, Interface LVT is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



Health Product Declaration (HPD)
A transparency tool for evaluating if a product includes materials of concern and whether it supports Green Chemistry.



NSF/ANSI 332 Silver
This standard evaluates the environmental impact of resilient floor covering for its entire life cycle.



Environmental Product Declaration (EPD)
A third-party verified statement of product ingredients and environmental impacts over the entire life cycle of a product.



GREENGUARD Gold & FloorScore®
Meeting the highest standards for indoor air quality and assuring very low emissions of VOCs, Interface LVT is GREENGUARD Gold and FloorScore® Certified and CDPH 01350 compliant.

Samples
Order samples at interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil +5511.2196.0900	Latin America +52.55.2791.6812

interface.com
Register at interface.com to:

- Browse products and order samples
- View flooring in a variety of room scenes
- Change colors, view as a grid or in a room, download and share
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.