



Printed on 100% post consumer waste (PCW) fiber manufactured using wind power.

[interface.com](https://www.interface.com)

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext. 52128

Latin American Headquarters
Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM# IFS00880 09/2022



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

Studio Set Vol. 2 | LVT



Interface®

Who doesn't love a bold choice? With Studio Set LVT, we encourage you to embrace a saturated spectrum of daring brights and warm neutrals—available across two volumes for a total of 27 colors. Take note of the subtle woodgrain pattern that suggests texture without demanding attention. Go beyond conventional solutions to create inspiring spaces with pure color and unique composition. Choose Studio Set.

Studio Set is recyclable through our **ReEntry™** program and contains 39% recycled content. And, like all flooring you specify from Interface, it is carbon neutral across its full product life cycle through our third party verified **Carbon Neutral Floors™** program.





Specifications

Product Number	A007
Product Construction	High Performance Luxury Vinyl Tile
Class / ASTM F1700	Class III Printed Vinyl Plank
Wear Layer Thickness	22 mil
Total Thickness	4.5mm
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	25cm x 1m (9.845in x 39.38in)
Total Recycled Content (Pre Consumer)	39%
Indoor Air Quality	GREENGUARD Gold
	FloorScore® Certified
	CDPH 01350 Compliant
	Carbon Neutral Floors™
Full Life Cycle Carbon Emissions	
Environmental Certifications	NSF/ANSI 332 Silver
LEED v4	Contributes to multiple IEQ and MR credits

View the full product specification on interface.com.

Installation Methods



BROWSE IMAGES
ORDER SAMPLES

Studio Set™ Vol. 2 Colorline



A00714 YELLOW



A00715 CHARTREUSE



A00716 ORANGE



A00717 RED



A00718 DEEP FUCHSIA



A00719 VIOLET



A00720 ROYAL BLUE



A00721 ELECTRIC BLUE



A00722 AQUA



A00723 KELLY GREEN



A00724 TURQUOISE



A00725 DARK GREEN



A00726 PEBBLE



A00727 SAND



A00706 MUSHROOM



A00701 SILVERLIGHT



A00702 PEWTER



A00713 SLATE



Why Our Modular Resilient Sound Choice™ 4.5 mm LVT?



Integrated System
Save time and look good doing it. Our Sound Choice LVT integrates with our full product portfolio, allowing you to streamline specification and installation of your floorplate. Add our modular carpet for an inset rug or an adjacent field – no transition strip required.



Easy Maintenance
Create a unique look that lasts. Interface Sound Choice LVT extends the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.




Circular System
Keep flooring out of the landfill. Interface LVT on Sound Choice™ is produced with a controlled material stream, so it is recyclable through our ReEntry™ program. And, like all of Interface modular resilient flooring, our LVT contains 39% recycled content.




Noise Reduction
Silence distractions. Sound Choice is a specially formulated backing for superior noise reduction, offering you best-in-class impact sound reduction and floor to floor sound transmission.

High Performance from Top to Bottom



- 1. Ceramor™ Coating.** Minimizes everyday scratching and scuffing.
- 2. Wear Layer.** High quality 22 mil layer enabling 15 years of resilience and performance.
- 3. Print Film.** Provides outstanding visuals of natural materials and Interface innovative designs.
- 4. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 5. Fiberglass.** Adds dimensional stability and controlled flexibility.
- 6. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 7. Sound Choice Backing.** Provides comfort and superior acoustic performance.

Interface Sound Choice LVT and carpet tile allow you to seamlessly move from hard to soft surfaces. No transition strip needed.



Help Lower Your Carbon Footprint
Like all the flooring products we sell, Interface LVT is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



Health Product Declaration (HPD)
A transparency tool for evaluating if a product includes materials of concern and whether it supports Green Chemistry.



NSF/ANSI 332 Silver
This standard evaluates the environmental impact of resilient floor covering for its entire life cycle.



Environmental Product Declaration (EPD)
A third-party verified statement of product ingredients and environmental impacts over the entire life cycle of a product.



GREENGUARD Gold & FloorScore®
Meeting the highest standards for indoor air quality and assuring very low emissions of VOCs, Interface LVT is GREENGUARD Gold and FloorScore® Certified and CDPH 01350 compliant.

Samples
Order samples at interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil +5511.2196.0900	Latin America +52.55.2791.6812

interface.com
Register at interface.com to:

- Browse products and order samples
- View flooring in a variety of room scenes
- Change colors, view as a grid or in a room, download and share
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.