

An aerial photograph of a dam with multiple spillways. The water is cascading down the spillways, creating a series of white, frothy rapids. The surrounding landscape is a mix of green and brown, suggesting a natural, possibly forested, environment. The lighting is bright, highlighting the textures of the water and the concrete structure of the dam.

Syncopation™


Interface®

Syncopation™


A cut and loop product, Syncopation is manufactured with innovative technology that creates a plush, silken finish. This smart tone on tone product utilizes textural variations, rather than contrasting colors, to achieve a sculpted patterning effect. Syncopation's diverse color palette, featuring 36 colors ranging from corporate neutrals to saturated tones to vivid colors, is perfect for either dramatic accents or wall to wall applications.




Syncopation™ Colorline




3294 TOP SOIL



3295 TERRAIN



3296 COAST



3297 PUTTY



3298 BEACH



3299 PUMICE



3300 STRATA




6372 BOULDER




6373 MICA



6374 QUARTZ



6375 GRAPHITE



6376 WEATHER



6377 MOUNTAIN



6378 FELDSPAR




6379 LIMESTONE




6380 LAVA




6381 UMBER




6382 SHALE




6477 TOPAZ




6478 MOJAVE




6479 BOYSENBERRY




6480 FLAME




6481 CORAL




6482 SUNBURST




6483 MARITIME




6484 OCEAN




6485 GRAPE




6486 LILAC




6487 BLUE GRASS




6488 CANAL




6489 LAGOON




6490 SPEARMINT



6491 HEMLOCK



6492 FESCUE



6493 ZOYSIA



6494 MARGARITA

Specifications

Modular, 50 cm x 50 cm	1240202500
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Cut & Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.182 in., 4.6 mm
Pile Density	5,143
Total Recycled Content	64%
Indoor Air Quality	CRI Green Label Plus #GLP0820



All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.



Why Our Modular Carpet?



Modular Carpet Tile

Performance and Flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.



Cool Carpet™

Help Stop Global Warming and Earn a LEED® Innovation Credit. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. Cool Carpet zeros out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet. And climate neutral verified Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Intersept®

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is low in toxicity, water insoluble and contains no arsenic, heavy metals, phenols or formaldehyde.



ReEntry® 2.0

Recyclable is Now a Reality. Our ReEntry 2.0 program uses innovative technology that gives us the ability to cleanly separate the face fiber and backing of nearly any carpet type. Separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into new GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We achieved an EPD based on our Convert™ products and have now expanded our EPDs into four categories covering more than 90% of our products.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.

Third Party Certification

cool carpet™

Cool Carpet – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

www.interface.com

United States Headquarters

1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Latin American Headquarters

Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

CIM # IFS00649 02/2014



Mission Zero:
our promise to eliminate any
negative impact our company
may have on the environment
by the year 2020.