



# Urban Retreat

---

UR101-103  
UR201-203  
UR301-303

---

**Interface®**

**Follow Your Instinct with Nature-inspired Carpet Tile**

Unexpected shifts of pattern and eccentric textures create a wonderful new landscape.

We love life and all things related to it. There's a word for this—biophilia—which suggests an innate bond between human beings and other living systems. Even in the most urban spaces, we instinctively crave a connection to nature.

At Interface, we use design to bridge the gap between these seemingly divergent environments. We're at the vanguard of a new aesthetic that is technologically versatile, environmentally responsible and inspired by the natural world. It all starts from the ground up.

Urban Retreat™ is a dynamic collection of nine carpet tile products sorted into pattern studies that range from refined textures to broad organic forms. It explores where concrete gives way to grass, looking closely at the deeply carved character of an old growth tree set against the architecture of a man-made grid.

With its natural, neutral color palette, Urban Retreat evokes the solitude and sanctuary of an old-growth forest floor, down to the occasional moss or lichen-covered stone, as well as the cool splendour of glass and steel.





PRODUCT UR101 COLOUR ASH/IVY INSTALLED DESIGN BY TILE  
PRODUCT UR102 COLOUR ASH INSTALLED NON DIRECTIONAL

## UR101 Colour Range



7148001 BARK/MOSS




7148002 CHARCOAL/LICHEN




7148003 STRAW/GRASS




7148004 GRANITE/LICHEN



7148005 FLAX/GRASS



7148006 STONE/IVY



7148007 SAGE/MOSS



7148008 ASH/IVY

## Specification

Style Code	7148
Product Construction	Tufted Textured Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	4.5 ± 0.5mm
Total Thickness	8.0 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

[View the full product specification on interface.com](#)

## Installation Methods




NON DIRECTIONAL

UR102 Colour Range



7146001 BARK




7146002 CHARCOAL



7146003 STRAW




7146004 GRANITE



7146005 FLAX



7146006 STONE



7146007 SAGE



7146008 ASH

Specification

Style Code	7146
Product Construction	Tufted Textured Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	3.5 ± 0.5mm
Total Thickness	8.0 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



PRODUCT UR101 COLOUR GRANITE/LICHEN INSTALLED DESIGN BY TILE  
PRODUCT UR102 COLOUR GRANITE INSTALLED NON DIRECTIONAL




**PRODUCT UR101 COLOUR FLAX/GRASS INSTALLED DESIGN BY TILE**  
**PRODUCT UR102 COLOUR FLAX INSTALLED NON DIRECTIONAL**  
**PRODUCT UR103 COLOUR GRASS INSTALLED NON DIRECTIONAL**


UR103 Colour Range




7150001 LICHEN



7150002 IVY



7150003 MOSS




7150004 GRASS

Specification


Style Code	7150
Product Construction	Tufted Textured Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	3.5 ± 0.5mm
Total Thickness	8.5 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

View the full product specification on [interface.com](#)

Installation Methods



UR201 Colour Range



7133001 BARK



7133002 CHARCOAL



7133003 STRAW



7133004 GRANITE



7133005 FLAX



7133006 STONE



7133007 SAGE



7133008 ASH

Specification

Style Code	7133
Product Construction	Tufted Textured Tip Sheared Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	4.0 ± 0.5mm
Total Thickness	8.0 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



ASHLAR



QUARTER-TURN



PRODUCT UR201 COLOUR STRAW INSTALLED NON DIRECTIONAL



PRODUCT UR202 COLOUR SAGE INSTALLED MONOLITHIC

UR202 Colour Range



7136001 BARK



7136002 CHARCOAL



7136003 STRAW



7136004 GRANITE



7136005 FLAX



7136006 STONE



7136007 SAGE



7136008 ASH

Specification

Style Code	7136
Product Construction	Tufted Textured Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	3.5 ± 0.5mm
Total Thickness	7.0 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



MONOLITHIC



QUARTER-TURN

UR203 Colour Range



7135001 BARK



7135002 CHARCOAL



7135003 STRAW




7135004 GRANITE



7135005 FLAX



7135006 STONE



7135007 SAGE



7135008 ASH

Specification

Style Code	7135
Product Construction	Tufted Textured Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	3.5 ± 0.5mm
Total Thickness	7.0 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



QUARTER-TURN



PRODUCT UR203 COLOUR FLAX INSTALLED QUARTER TURN



PRODUCT UR301 COLOUR GRANITE INSTALLED NON DIRECTIONAL

UR301 Colour Range




7134001 BARK



7134002 CHARCOAL




7134003 STRAW



7134004 GRANITE



7134005 FLAX



7134006 STONE



7134007 SAGE



7134008 ASH

Specification

Style Code	7134
Product Construction	Tufted Textured Tip Sheared Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	3.0 ± 0.5mm
Total Thickness	7.5 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

[View the full product specification on interface.com](#)

Installation Methods



NON DIRECTIONAL

UR302 Colour Range




7129001 BARK



7129002 CHARCOAL




7129003 STRAW




7129004 GRANITE



7129005 FLAX



7129006 STONE



7129007 SAGE



7129008 ASH

Specification

Style Code	7129
Product Construction	Tufted Textured Loop Pile
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	2.5 ± 0.5mm
Total Thickness	6.0 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Medium Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

View the full product specification on [interface.com](#)

Installation Methods



MONOLITHIC



QUARTER-TURN



PRODUCT UR302 COLOUR STONE INSTALLED MONOLITHIC



PRODUCT UR303 COLOUR GRANITE INSTALLED MONOLITHIC

## UR303 Colour Range



7132001 BARK



7132002 CHARCOAL



7132003 STRAW



7132004 GRANITE



7132005 FLAX



7132006 STONE



7132007 SAGE



7132008 ASH

## Specification

Style Code	7132
Product Construction	Tufted Textured Tip Sheared Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/10th
Pile Thickness	3.0 ± 0.5mm
Total Thickness	6.5 ± 0.5mm
Tile Size	50 x 50cm
ACCS (Australia only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Protekt®
Soil / Stain Protection	Intersept®

[View the full product specification on interface.com](#)

## Installation Methods



MONOLITHIC

Why Our Modular Flooring?



**Modular Flooring**  
*Performance and flexibility.* Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 2-5% waste compared to roll carpet's average of 15% . And it installs seamlessly with our LVT, no transition strips needed.



**ReEntry**  
*At Interface, an end of life solution* of our products is a reality. ReEntry is our innovative programme to reclaim materials used in our product. Taking back our product at end of life is a service we provide our customers to ensure that none of the products they use will end up in landfill. Whether it is recycling into new product or re-purposing, we see our customer's waste as an opportunity for new product life.



**TacTiles®**  
*No glue installation.* Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



**Intersept®**  
*Mold protection.* Our proprietary preservative, Intersept, protects our modular carpet against mould growth and odour-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mould or bacterial growth when tested as per the ASTM E2471 Standard Test Method. Intersept is EPA-approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



**Protekt®**  
*Stain protection.* The life and performance of your flooring is extended with Protekt<sup>2</sup>, our patented stain resistant protection. Protekt<sup>2</sup> uses advanced technology to provide a lasting barrier against permanent soiling and staining, which simplifies the cleaning process and enhances the longevity of your carpet. Protekt<sup>2</sup> is product specific, please refer to individual product specifications for details.



**Health Product Declaration (HPD) –**  
A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern.



**15-Year Warranty**  
Interface products are warranted for 15 years against excessive surface wear, edge ravel, backing separation, shrinking, stretching and static electricty even under castor chair conditions.



**Local Manufacturing**  
We combine local responsiveness with a global experience. Being part of the same communities as our customers, we foster collaborative, committed, and productive relationships. Our carpet tiles are manufactured in Australia and China, contributing to local economies and the environment.

All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Third Party Certifications



**Environmental Product Declaration (EPD)**  
The Environmental Product Declaration (EPD) is a third party verified environmental certification classified as Type III that quantifies and verifies the lifecycle impacts of products and goods according to the International Standards Organization (ISO) 14025, 14040, 14044 and EN 15804. EPDs help customers that are environmentally driven to evaluate the performance of a product and to make the best decision when choosing a product. Interface EPDs can be found on [interface.com](https://www.interface.com).



**Global GreenTag GreenRate - Level A**  
Global GreenTag's GreenRate certification is a product rating system recognised by the Green Building Council of Australia and Green Building Council of New Zealand. Its assessment scheme aligns to the Green Star® Responsible Products program. All Interface products are certified "Level A".



**Best Practice Guidelines for PVC**  
Our product proudly holds the Best Environmental Practice (BEP) PVC certification, a recognition of compliance with stringent environmental and social criteria in PVC manufacturing. This certification is a key contributor to Green Star certification, aligning with the GBCA's Responsible Products Framework. Our commitment to BEP guidelines demonstrates our dedication to environmental responsibility and product excellence.



**Singapore Green Building Product (SGBP)**  
The SGBP certification is designed to evaluate and certify building products that meet specific sustainability and environmental performance criteria. The certification scheme helps building professionals identify products that are sustainable and more carbon efficient. Interface carpet tile products are certified "Leader" and LVT products are at "Excellent" Level.



**NSF Certification**  
NSF International develops public health standards and certification programs that help protect the world's food, water, consumer products and environment. Interface carpet tile products are certified "Gold".



**CRI Green Label Plus**  
The Carpet and Rug Insitute (CRI) Green Label Plus sets higher standards for indoor air quality and ensures that customers are purchasing the very lowest emitting products on the market. Interface Carpet Tiles and TacTiles have fulfilled the requirements for this certification.

Do more on [interface.com](https://www.interface.com)

- Browse products, save and share favourites
- See images of products in a variety of room scenes
- Browse floor designs, change colours, upload your own image, download and share
- Get full specifications, sustainability certifications and more
- Sign up to get the latest information on Interface products and news

Our EPDs and certifications contribute credits towards Green Building Council's Green Star® Responsible Products program.

Green Star is the Green Building Council of Australia's sustainability rating system for the built environment. It is used to rate new and existing buildings, new fit-outs, and new precinct developments. The Green Building Council of Australia recognises Responsible Products that may contribute to a Green Star rating through its Responsible Credits.

We have tried our very best to accurately represent product colours. However, due to the nature of printed materials, colour of actual products may vary slightly. Please request a sample to see actual product colour.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. The visibility of joints may vary based on colour and pattern. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.

**[www.interface.com](http://www.interface.com)**

**Australia**

Interface Australia  
local toll free: 1800 804 361

**India**

Interface India  
tel: +91 76249 17934

**South East Asia**

Interface Asia  
tel: +65 6478 1510

**South Korea**

Interface South Korea  
tel: +82 2 555 1734

**Japan**

Interface Japan  
tel: +81(0)3-6892-5513

**Beijing**

Interface China  
tel: +86 10 6590 7810

**Hong Kong**

Interface China  
tel: +852 2802 0838

**Shanghai**

Interface China  
tel: +86 21 6340 3868