



Printed on 100% post consumer waste (PCW)
fiber manufactured using wind power.

interface.com

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext. 52128

Latin American Headquarters
Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM # IFS00616 09/2022



Climate change is undeniable. And
reversible. Our mission is to prove it.
**Join the #ClimateTakeBack and
help create a climate fit for life.**

Viva Colores



Interface®

Viva Colores is suitable as a solid backdrop or a colorful accent that coordinates with our other Interface styles. Color comes alive in this solid, textured loop style available in colors ranging from neutrals to brights.

As part of our Carbon Neutral Floors™ program, when you specify Interface flooring, you're on the path to a more sustainable space. You're choosing to reduce the carbon footprint of your space and help improve the health of the planet.




Viva Colores™ Colorline




101117 MARRÓN101121 BAZO101124 AMARILLO101125 VERDE BOTELLA101126 VERDE PRIMAVERA



101128 CAQUI101129 PANTANO101130 ACEITUNADO101131 SALVIA101133 BERILO



101134 VERDE101135 ESMERALDA101137 VERDE JADE101138 AZUL VERDOSO101139 TURQUESA



101141 AZUL MARINO101142 LAGUNA101143 CERÚLEO101144 TORMENTOSO101145 ARÁNDANO



101146 ZAFIRO101147 AZUL101148 CELESTE101149 MORADO101151 AMATISTA



101152 VIOLETA101154 GRANA101155 ESCARLATA101156 ROSADO101157 BURDEOS



101158 CANELA101159 COLOR TEJA101160 ROJO101162 MANDARINA101164 NARANJA



101165 CAFÉ101167 CASTAÑO101169 MARENGO101170 GRIS101171 CANO



101173 PARDO101174 GRIS PARDO101177 OSCURO101178 CARBÓN101179 GRIS PERLA



101180 PLATEADO106027 LIME106028 MUSGO106029 EUCALIPTO106030 MAR TURQUESA

Viva Colores™ Colorline (cont'd)

				
106031 AGUA	106032 CIRUELA	106033 LILA	106034 UVA	106035 LAVANDA
				
106036 CORAL	106037 DURAZNO	106038 COBRE	106039 RUBOR	106040 CANARIO
				
106041 AZAFRAN	106042 MIEL	106043 VAINILLA	106045 CHOCOLATE	106046 CAFÉ TOSTADO
				
106047 CENIZO	106048 OSTRA	106049 PEDRUSCO	106050 QUARZO	106051 GRIS PIZARRA

Specifications

Modular, 50cm x 50cm	14650
Modular, 25cm x 1m	14650
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.101 in., 2.6 mm
Pile Density	6,416 oz/yd³
Total Recycled Content	Up to 79%
Indoor Air Quality	CRI Green Label Plus #GLP0820

Installation Methods



QUARTER-TURN



HERRINGBONE



BROWSE IMAGES
ORDER SAMPLES



interface.com

PRODUCT VIVA COLORES COLORS 101126 VERDE PRIMAVERA, 101179 GRIS PERLA SIZE 25CM X 1M INSTALLED PATTERN BY TILE
PRODUCT HONEY DON'T™ COLOR 105692 DEW SIZE 50CM X 50CM INSTALLED ASHLAR



CARPET PRODUCT VIVA COLORES COLORS 101146 ZAFIRO, 101147 AZUL, 106032 CIRUELA, 106033 LILA SIZES 25CM X 1M & 50CM X 50CM INSTALLED PATTERN BY TILE
LVT PRODUCT STUDIO SET™ COLOR A00703 PEPPER SIZE 25CM X 1M INSTALLED ASHLAR


Why Our Modular Flooring?



Modular Flooring
Performance and flexibility.
Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 3-4% waste compared to roll carpet's average of 14%. And it installs seamlessly with our LVT, no transition strips needed.



TacTiles™
No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives. TacTiles are approved for use on GlasBac™, CQuest™GB, Graphlar™ and Graphlex™.



Intersept®
Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde. Intersept is standard in Interface carpet tile products backed with GlasBac, CQuestGB, ReadyBac™ and CushionBac Renew™.



ReEntry™
Recyclable. Through our ReEntry program, we reclaim all Interface carpet tile. The result? Carpet tile products with up to 85% total recycled content, including as much as 25% post-consumer content.



Sustainability Transparency
Transparency and certified sustainability leadership come standard on Interface products. We enlist outside partners to help us evaluate the entire product lifecycle and reduce the environmental and human health impact of our flooring. And, carpet products made in our US facilities are made with 99% renewable energy.



Help Lower Your Carbon Footprint
Like all the flooring products we sell, Interface carpet tile is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Health Product Declaration (HPD) – A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



NSF 140 Sustainable Carpet Assessment – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.

Samples
Order samples at interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil + 5511.2196.0900	Latin America + 52.55.2791.6812

interface.com
Register at interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle Sample Return
Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.