

#### interface.com

**United States Headquarters** 1280 West Peachtree Street NW

Atlanta, GA 30309 1.800.634.6032

**Canadian Headquarters** 

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

Brazilian Headquarters

Av. Das Nações Unidas 14261 25 andar, sala 25 -122, Brooklin Paulista São Paulo SP 04578 - 000 Brasil + 5511.2196.0900

#### Latin American Headquarters

Montes Urales # 415 Piso 6 Lomas de Chapultepec Miguel Hidalgo, CDMX 11000 Mexico + 52.55.2791.6812

CIM# IFS00560 08/2021



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

# Ve < € $\square$ bers 20

Interface

Walk the Plank<sup>™</sup> & Shiver Me Timbers<sup>™</sup>

Taking cues from our love affair with repurposed materials, Walk the Plank references the eccentric qualities of old timbers. It evokes all the warmth and familiarity of an age-worn wooden floor with its deeply grooved grain and 25cm x 1m format.

Installed, Shiver Me Timbers creates a similar effect, but in a lower profile construction with less dimensionality. The two share 24 colorways that vary from tile to tile in a range of light to dark.

When you specify flooring from Interface, you're selecting products that are carbon neutral across their full product life cycle.







# Specifications Walk the Plank **i2**

 Modular, 25cm x 1m
 126440AK0G

 Backing System
 CQuest<sup>™</sup>GB

 Yarn Manufacturer
 Aquafil

 Yarn System
 100% Recycled Content Nylon

 Color System
 100% Solution Dyed

 Construction
 Tufted Sheared

 Preservative Protection
 Intersept<sup>®</sup>

 Soil/Stain Protection
 Protekt2<sup>®</sup>

 Pile Dhickness
 0.157 in, 4.0 mm

 Pile Density
 5,962

 Total Recycled Content
 84%

 Indoor Air Quality
 CRI Green Label Plus #GLP0820

Installation Methods





BROWSE IMAGES ORDER SAMPLES

# Walk the Plank<sup>™</sup> Colorline





8760 BEECH









8764 MAPLE

8766 GINKGO



8767 WILLOW





103945 SPRUCE





103947 HAWTHORN

103948 EUCALYPTUS



103949 BALSAM

103950 IRONWOOD







103952 HICKORY



103954 MIMOSA



103956 MAGNOLIA



103957 DOGWOOD



103959 CEDAR


103955 LAUREL



103958 BIRCH



103960 SEQUOIA



# Specifications Shiver Me Timbers

Modular, 25cm x 1 m Backing System Yarn Manufacturer Yarn System Color System Construction Preservative Protection Soil/Stain Protection Pile Thickness Pile Density Total Recycled Content Indoor Air Quality

1 m 127410AK0G CQuest<sup>™</sup>GB er Aquafil 100% Recycled Content Nylon 100% Solution Dyed Tufted Tip-Sheared tection Intersept® Protekt2® 0.071 in, 1.8 mm 9,127 ontent 83% C RI Green Label Plus #GLP0820




HERRINGBONE



BROWSE IMAGES ORDER SAMPLES

# Shiver Me Timbers<sup>™</sup> Colorline



103931 HAWTHORN

103932 EUCALYPTUS

## Why Our Modular Flooring?



#### i2<sup>®</sup> Modular Carpet

Minimize waste & save money. Interface's i2<sup>®</sup> styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



#### TacTiles<sup>™</sup>

*No glue installation.* Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives. TacTiles are approved for use on GlasBac<sup>™</sup>, GlasBacRE, CQuest<sup>™</sup>GB, Graphlar<sup>™</sup> and Graphlex<sup>™</sup>.



#### Intersept<sup>®</sup>

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteriaguaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde. Intersept is standard in Interface carpet tile products backed with GlasBac, GlasBacRE, CQuestGB, ReadyBac™ and CushionBac Renew™.



**ReEntrv**<sup>™</sup> Recyclable. Through our ReEntry program, we reclaim all Interface carpet tile. The result? Carpet tile products with up to 85% total recycled content, including as much as 25% post-consumer content.



#### Sustainability Transparency Transparency and certified sustainability leadership come

standard on Interface products, including published ingredients in HPDs (Health Product Declarations) and published EPDs (Environmental Product Declarations), which are based on full life cycle assessment (LCA). And, Interface carpet products are certified to the NSF 140 Sustainable Carpet Assessment Standard. Additionally, Interface flooring and recommended adhesives are 3rd party certified for low VOC emissions in compliance with California Department of Public Health (CDPH) Standard Method v1.2-2017. Carpet products made in our US facilities are made with 99% renewable energy.



#### Carbon Neutral Floors

The flooring products that we sell, including carpet tile, are carbon neutral across their full product life cycle through our third party verified Carbon Neutral Floors<sup>™</sup> program. To find out more, visit interface.com/carbonneutral


# CERTIFIED

## **Environmental Product**

Third Party Vertification

Declaration (EPD) - A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.





its entire lifecycle.







Modular Carpet on CQuest™Bio



Modular Carpet on CQuest<sup>™</sup>BioX

Modular Carpet on CQuest™GB

#### USDA Certified Biobased Product

Interface offers commercial carpet tiles that meet these certification requirements, providing levels of biobased content that far exceed the required 7% minimum with our CQuest™GB, CQuest™Bio and CQuest™BioX backings.

#### Samples

Order samples at interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States Canada 1.877.605.1500 1.866.398.3192

Brazil Latin America +5511.2196.0900 +52.55.2791.6812

#### interface.com

- Register at interface.com to: Browse products and order samples View carpet in a variety of room scenes Browse floor designs, change colors, view as a grid or in a room, download and share Check order status and inventory
- availability Sign up to get the latest

information on Interface products and news

#### InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.