

Works Facet. Organic subtlety.


Works Facet has an organic pattern that reveals how ceramics crack to create fine, delicate lines. Carving out new shapes and transforming the surface.

Not only is it designed to look good, it's designed to last. With a minimalist profile achieved by a denser construction, it is engineered to deliver superior performance in areas of high footfall.

The Works Series provides customers with greater design versatility without costing the earth.

Works Facet is carbon neutral throughout its full product life cycle through our Carbon Neutral Floors™ Programme.

Works Series - working smarter together for every space.









Works Facet™ Colour Range





2509-001-000 Earthen

2509-004-000 Kaolin





2509-002-000 Stone

2509-005-000 Feldspar





2509-003-000 Sand

2509-008-000 Clay

Specification

Installation Methods

Style Code 2509

Product Construction Tufted Textured Loop Pile
Yarn System 100% Solution Dyed Nylon


 $\begin{array}{lll} \text{Machine Gauge} & 1/12 \\ \text{Pile Thickness} & 2.0 \pm 0.5 \text{mm} \\ \text{Total Thickness} & 5.0 \pm 0.5 \text{mm} \\ \text{Tile Size} & 25 \times 100 \text{cm} \end{array}$

ACCS Grading Commercial Extra Heavy Duty & Stairs


Lifetime Antimicrobial Interse


View the full product specification on interface.com






Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.







- Carpet Tile ChromaDots 2
 Size 25X100cm
 Colour Dragon Fly
 Installed Ashlar
- Carpet Tile Works Facet Size 25X100cm Colour Feldspar Installed Ashlar
- Carpet Tile Works Facet Size 25X100cm Colour Stone Installed Ashlar


Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.





- Carpet Tile Works Facet Size 25X100cm Colour Sand Installed Ashlar
- Carpet Tile Works Facet
 Size 25X100cm
 Colour Earthen
 Installed Ashlar
- Carpet Tile Works Facet
 Size 25X100cm
 Colour Stone
 Installed Ashlar






- Carpet Tile Works Eon Size 25X100cm Colour Twilight Installed Ashlar
- Carpet Tile Works Facet
 Size 25X100cm
 Colour Clay
 Installed Ashlar
- Carpet Tile Flow Brights
 Size 25X100cm
 Colour Sunshine
 Installed Design By Tile



Performance and flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 2-5% waste compared to roll carpet's average of 15%. And it installs seamlessly with our LVT, no transition strips needed.



Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mould growth and odour-causing bacteriaguaranteed. Intersept treated carpet, with proper maintenance, shows no mould or bacterial growth when tested as per the ASTM E2471 Standard Test Method, Intersept is EPA-approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



Carbon Neutral Floors™

Create a climate fit for life. All Interface flooring

sold globally is third party verified carbon neutral

across the entire product lifecycle. We've taken a

first through reducing the carbon footprint of our

holistic approach to achieve carbon neutrality,

products and then using carbon offsets for the

Stain protection. The life and performance of your of your carpet.



No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



flooring is extended with Protekt, our patented stain resistant coating. Protekt uses advanced technology to provide a lasting barrier against permanent soiling and staining, which simplifies the cleaning process and enhances the longevity



At Interface, an end of life solution of our products is a reality. ReEntry is our innovative programme to reclaim materials used in our product. Taking back our product at end of life is a sevice we provide our customers to ensure that none of the products they use will end up in landfill. Whether it is recycling into new product or re-purposing, we see our customer's waste as an opportunity for new product life.



Health Product Declaration (HPD) -

A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern.



15-Year Warranty

Interface products are warranted for 15 years against excessive surface wear, edge ravel, backing separation, shrinking, stretching and static electricty even under castor chair conditions.



Local Manufacturing

We combine local responsiveness with a global experience. Being part of the same communities as our customers, we foster collaborative, committed, and productive relationships. Our carpet tiles are manufactured in Australia and China, contributing to local economies and the environment.

Third Party Certifications



Environmental Product Declaration (EPD)

The Environmental Product Declaration (EPD) is a third party verified environmental certification classified as Type III that quantifies and verifies the lifecycle impacts of products and goods according to the International Standards Organization (ISO) 14025, 14040, 14044 and EN 15804. EPDs help customers that are environmentally driven to evaluate the performance of a product and to make the best decision when choosing a product. All Interface products have EPDs.



Global GreenTag GreenRate - Level A

Global GreenTag's GreenRate certification is a product rating system recognised by the Green Building Council of Australia, New Zealand and South Africa. It has been set up to meet the criteria of the Green Star® "Sustainable Products" credits. All Interface products are certified "Level A".



Environmental Certification Scheme - Level 4

ECS-certified carpet manufacturers must adhere to a code of practice that details performance standards for raw materials, manufacturing, in-service use and end-of-life treatment. Interface flooring holds the highest grading under ECS.



NSF Certification

NSF International develops public health standards and certification programs that help protect the world's food, water, consumer products and environment. Interface carpet tile products are certified "Gold".



CRI Green Label Plus

The Carpet and Rug Insitute (CRI) Green Label Plus sets higher standards for indoor air quality and ensures that customers are purchasing the very lowest emitting products on the market. Interface Carpet Tiles and TacTiles have fulfilled the requirements for this certification.



Singapore Green Building Product (SGBP)

The SGBP certification is designed to evaluate and certify building products that meet specific sustainability and environmental performance criteria. The certification scheme helps building professionals identify products that are sustainable and more carbon efficient. Interface carpet tile products are certified "Leader" and LVT products are at "Excellent" Level.



Best Practice Guidelines for PVC

A comprehensive standard for better PVC developed by the Green Building Council of Australia under its Green Star programme. Interface holds Lloyd's Statement of Compliance (Green Building Council of Australia Best Practice Guidelines 2013) for Best Practice PVC for all products made in Australia.

Our EPDs and certifications contribute credits towards Green Building Council's Green Star® rating system.

Green Star credits are approved by the Green Building Councils of Australia and New Zealand. The internationally-recognised Green Star rating system provides independent verification that a building or community project is sustainable. Developed by the Green Building Council of Australia, Green Star is Australia's only national, voluntary, sustainability rating system for buildings and communities.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. The visibility of joints may vary based on colour and pattern. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. We have tried our very best to accurately represent product colours. However, due to the nature of printed materials, colour of actual products may vary slightly. Please request a sample to see actual product colour. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.

www.interface.com

Australia

Interface Australia local toll free: 1800 804 361

India

Interface India tel: +91 80 4613 1313

South East Asia

Interface Asia tel: +65 6478 1510

South Korea

Interface South Korea tel: +82 2 555 1734

Japan

Interface Japan tel: +81 3 5733 5211

Beijing

Interface China tel: +86 10 6590 7810

Hong Kong

Interface China tel: +852 2802 0838

Shanghai

SF2509T0 AU

Interface China tel: +86 21 6340 3868

11/2023



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.