

Moven Gradience

Interface®

Woven Gradience

Woven Gradience celebrates colour whilst seamlessly blending into your surroundings.

The inspiration for Woven Gradience came from fusions of colour in nature - colour blends caused by light, texture, and form. The way that we see colour can shift and change.

Just like nature, the colours of Woven Gradience are both soothing and exciting. Vibrant pinks blend seamlessly with calming emerald tones. Rich terracotta transitions beautifully into soothing aqua. Each shade is grounded by soft, relaxing grey tones that allow you to connect spaces and create bespoke areas for space users.








PRODUCT WG100 COLOURS FOREST, CHARCOAL & SAGE INSTALLED MONOLITHIC
PRODUCT WG200 COLOURS CHARCOAL/FOREST, STONE/CHARCOAL, PEARL/SAGE & PEARL/STONE INSTALLED DESIGN BY TILE




CARPET PRODUCT WG100 COLOUR SUNRISE INSTALLED MONOLITHIC
CARPET PRODUCT WG200 COLOUR PEARL / SUNRISE INSTALLED DESIGN BY TILE
LVT PRODUCT LEVEL SET TEXTURED STONES COLOUR DISTRESSED CONCRETE INSTALLED DESIGN BY TILE


Woven Gradience Colour Range




WG100 4306001 INK




WG100 4306006 EMERALD



WG100 4306007 OCEAN



WG100 4306009 TERRACOTTA



WG100 4306012 SUNRISE




WG100 4306002 CHARCOAL




WG200 4307001 CHARCOAL / INK




WG200 4307005 INK / EMERALD




WG200 4307006 CHARCOAL / OCEAN




WG200 4307008 STONE / TERRACOTTA



WG200 4307011 PEARL / SUNRISE




WG200 4307002 STONE / CHARCOAL




WG200 4307002 STONE / CHARCOAL



WG200 4307004 INK / ROSE




WG200 4307007 CHARCOAL / FOREST



WG200 4307009 STONE / LAGOON



WG200 4307010 PEARL / SAGE



WG200 4307003 PEARL / STONE




WG100 4306003 STONE




WG100 4306005 ROSE



WG100 4306008 FOREST



WG100 4306010 LAGOON



WG100 4306011 SAGE



WG100 4306004 PEARL




Specifications

WG100


Style Code	4306
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1 / 12
Pile Thickness	2.4 ± 0.5mm
Total Thickness	6.81 ± 0.5mm
Tile Size	50 x 50cm
Area of Use	Commercial Heavy Use
ACCS Grading (Australia & New Zealand Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil / Stain Protection	Protekt ^{2®}

Installation Methods




WG200


Style Code	4307
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1 / 12
Pile Thickness	2.4 ± 0.5mm
Total Thickness	6.81 ± 0.5mm
Tile Size	50 x 50cm
Area of Use	Commercial Heavy Use
ACCS Grading (Australia & New Zealand Only)	Commercial Extra Heavy Duty & Stairs
Lifetime Antimicrobial	Intersept®
Soil / Stain Protection	Protekt ^{2®}




Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




- PRODUCT WG100 COLOUR TERRACOTTA INSTALLED MONOLITHIC
- PRODUCT WG100 COLOUR LAGOON INSTALLED MONOLITHIC
- PRODUCT WG200 COLOUR STONE/TERRACOTTA INSTALLED DESIGN BY TILE
- PRODUCT WG200 COLOUR STONE/LAGOON INSTALLED DESIGN BY TILE
- PRODUCT WG100 COLOUR STONE INSTALLED MONOLITHIC



- PRODUCT WG100 COLOUR ROSE INSTALLED MONOLITHIC
- PRODUCT WG100 COLOUR INK INSTALLED MONOLITHIC
- PRODUCT WG200 COLOUR INK/ROSE INSTALLED DESIGN BY TILE



- PRODUCT WG100 COLOUR OCEAN INSTALLED DESIGN BY TILE
- PRODUCT WG200 COLOUR CHARCOAL/OCEAN INSTALLED DESIGN BY TILE
- PRODUCT WG200 COLOUR STONE / CHARCOAL INSTALLED DESIGN BY TILE
- PRODUCT LEVEL SET TEXTURED STONES COLOUR COOL POLISHED CEMENT INSTALLED NON DIRECTIONAL




- PRODUCT WG100 COLOUR CHARCOAL INSTALLED MONOLITHIC
- PRODUCT WG200 COLOUR CHARCOAL/INK INSTALLED DESIGN BY TILE
- PRODUCT WG100 COLOUR INK INSTALLED MONOLITHIC
- PRODUCT WG200 COLOUR INK/EMERALD INSTALLED DESIGN BY TILE
- PRODUCT WG100 COLOUR EMERALD INSTALLED MONOLITHIC


Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




■ **PRODUCT** WG100 **COLOUR** TERRACOTTA **INSTALLED** BRICK
■ **PRODUCT** WG200 **COLOUR** STONE/TERRACOTTA **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG100 **COLOUR** STONE **INSTALLED** BRICK




■ **PRODUCT** WG200 **COLOUR** PEARL / SUNRISE **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG100 **COLOUR** SUNRISE **INSTALLED** MONOLITHIC
■ **PRODUCT** LEVEL SET TEXTURED STONES **COLOUR** DISTRESSED CONCRETE **INSTALLED** NON DIRECTIONAL



■ **PRODUCT** WG100 **COLOUR** FOREST **INSTALLED** MONOLITHIC
■ **PRODUCT** WG200 **COLOUR** CHARCOAL/FOREST **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG100 **COLOUR** CHARCOAL **INSTALLED** MONOLITHIC
■ **PRODUCT** WG200 **COLOUR** STONE/CHARCOAL **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG200 **COLOUR** PEARL/STONE **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG200 **COLOUR** PEARL/SAGE **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WOVEN GRADIENCE WG100 **COLOUR** SAGE **INSTALLED** MONOLITHIC



■ **PRODUCT** WG100 **COLOUR** INK **INSTALLED** MONOLITHIC
■ **PRODUCT** WG200 **COLOUR** CHARCOAL/INK **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG100 **COLOUR** CHARCOAL **INSTALLED** MONOLITHIC
■ **PRODUCT** WG200 **COLOUR** STONE/CHARCOAL **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG100 **COLOUR** STONE **INSTALLED** MONOLITHIC
■ **PRODUCT** WG200 **COLOUR** PEARL/STONE **INSTALLED** DESIGN BY TILE
■ **PRODUCT** WG100 **COLOUR** PEARL **INSTALLED** MONOLITHIC



Why Our Modular Flooring?



Modular Flooring
Performance and flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 2-5% waste compared to roll carpet's average of 15% . And it installs seamlessly with our LVT, no transition strips needed.



ReEntry
At Interface, an end of life solution of our products is a reality. ReEntry is our innovative programme to reclaim materials used in our product. Taking back our product at end of life is a service we provide our customers to ensure that none of the products they use will end up in landfill. Whether it is recycling into new product or re-purposing, we see our customer's waste as an opportunity for new product life.



TacTiles®
No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Intersept®
Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mould growth and odour-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mould or bacterial growth when tested as per the ASTM E2471 Standard Test Method. Intersept is EPA-approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



Protekt®
Stain protection. The life and performance of your flooring is extended with Protekt², our patented stain resistant protection. Protekt² uses advanced technology to provide a lasting barrier against permanent soiling and staining, which simplifies the cleaning process and enhances the longevity of your carpet. Protekt² is product specific, please refer to individual product specifications for details.



Health Product Declaration (HPD) –
A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern.



15-Year Warranty
Interface products are warranted for 15 years against excessive surface wear, edge ravel, backing separation, shrinking, stretching and static electricy even under castor chair conditions.



Local Manufacturing
We combine local responsiveness with a global experience. Being part of the same communities as our customers, we foster collaborative, committed, and productive relationships. Our carpet tiles are manufactured in Australia and China, contributing to local economies and the environment.

All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Third Party Certifications



Environmental Product Declaration (EPD)
The Environmental Product Declaration (EPD) is a third party verified environmental certification classified as Type III that quantifies and verifies the lifecycle impacts of products and goods according to the International Standards Organization (ISO) 14025, 14040, 14044 and EN 15804. EPDs help customers that are environmentally driven to evaluate the performance of a product and to make the best decision when choosing a product. Interface EPDs can be found on [interface.com](https://www.interface.com).



Global GreenTag GreenRate - Level A
Global GreenTag's GreenRate certification is a product rating system recognised by the Green Building Council of Australia and Green Building Council of New Zealand. Its assessment scheme aligns to the Green Star® Responsible Products program. All Interface products are certified “Level A”.



Best Practice Guidelines for PVC
Our product proudly holds the Best Environmental Practice (BEP) PVC certification, a recognition of compliance with stringent environmental and social criteria in PVC manufacturing. This certification is a key contributor to Green Star certification, aligning with the GBCA's Responsible Products Framework. Our commitment to BEP guidelines demonstrates our dedication to environmental responsibility and product excellence.



Singapore Green Building Product (SGBP)
The SGBP certification is designed to evaluate and certify building products that meet specific sustainability and environmental performance criteria. The certification scheme helps building professionals identify products that are sustainable and more carbon efficient. Interface carpet tile products are certified “Leader” and LVT products are at “Excellent” Level.



NSF Certification
NSF International develops public health standards and certification programs that help protect the world's food, water, consumer products and environment. Interface carpet tile products are certified “Gold”.



CRI Green Label Plus
The Carpet and Rug Insitute (CRI) Green Label Plus sets higher standards for indoor air quality and ensures that customers are purchasing the very lowest emitting products on the market. Interface Carpet Tiles and TacTiles have fulfilled the requirements for this certification.

Do more on [interface.com](https://www.interface.com)

- Browse products, save and share favourites
- See images of products in a variety of room scenes
- Browse floor designs, change colours, upload your own image, download and share
- Get full specifications, sustainability certifications and more
- Sign up to get the latest information on Interface products and news

Our EPDs and certifications contribute credits towards Green Building Council's Green Star® Responsible Products program.

Green Star is the Green Building Council of Australia's sustainability rating system for the built environment. It is used to rate new and existing buildings, new fit-outs, and new precinct developments. The Green Building Council of Australia recognises Responsible Products that may contribute to a Green Star rating through its Responsible Credits.

We have tried our very best to accurately represent product colours. However, due to the nature of printed materials, colour of actual products may vary slightly. Please request a sample to see actual product colour.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. The visibility of joints may vary based on colour and pattern. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.

www.interface.com

Australia

Interface Australia
local toll free: 1800 804 361

India

Interface India
tel: +91 80 4613 1313

South East Asia

Interface Asia
tel: +65 6478 1510

South Korea

Interface South Korea
tel: +82 2 555 1734

Japan

Interface Japan
tel: +81 3 5733 5211

Beijing

Interface China
tel: +86 10 6590 7810

Hong Kong

Interface China
tel: +852 2802 0838

Shanghai

Interface China
tel: +86 21 6340 3868