


Interface®

GOVERNMENT



PRODUCT CATALOG

NORA® RUBBER | LVT | CARPET TILE | FLOORING EXTRAS



DESIGNED FOR SERVICE.

COVER IMAGE:
ARCHITECT/DESIGN: ATEMA ARCHITECTURE
PHOTO: © MICHAEL MORAN PHOTOGRAPHY



BUILT TO LAST.



CONTENTS

- 01 Introduction
- 18 nora® Rubber
- 38 Luxury Vinyl Tile (LVT)
- 60 Carpet Tile
- 126 Walk Off
- 130 Stair Treads

PRODUCT WW860 COLOUR NATURAL TWEED
PRODUCT WW870 COLOUR NATURAL WEFT INSTALLED ASHLAR
DESIGN: DESIGN COLLECTIVE, INC.
PHOTO: © JUDY DAVIS/HOACHLANDER DAVIS



ARCHITECT/DESIGN: DELV DESIGN
PHOTO: © 2018 THE ADDISON GROUP

WE GET IT



ARCHITECT/DESIGN: GENSLER
PHOTO: © MAGDA BIERNAT PHOTOGRAPHY

Our innovative products are designed with purpose and allow you to get more done. And, our specialists are standing by to help you create spaces that serve and inspire.

Here's what's in it for you:

- Our products are included in local and national purchasing contracts
- We work with Cooperative Purchasing Agreements to help you reduce time
- Our QuickShip-ready inventory gets projects rolling fast

THAT'S WHY WE'RE MADE FOR MORE™

Government work brings big challenges: tight budgets, regulatory compliance, and complex procurement.

Why make your days any more complicated?



EXPLORE FLOORING FOR FEDERAL, STATE AND LOCAL FACILITIES.

[click here](#)



GWINNETT COUNTY PUBLIC LIBRARY IN NORCROSS, GA
ARCHITECT/DESIGN: CAS ARCHITECTURE
PHOTO: © GAREY GOMEZ

COMPLIANCE WHERE IT MATTERS MOST

GOVERNMENT PROGRAMS

Need flooring that simplifies purchasing?

We've got you. From sustainability to sourcing, Interface delivers flooring solutions that meet—and often exceed—government program requirements without the hassle.

Here is why Interface is the right choice:

- Buy American Act Compliance
- Premium Certifications: LEED, FloorScore, GreenGuard
- Comprehensive GSA Product Offerings
- CQuest™ backings exceed Bio Preferred federal standards with at least 42% bio-based content

GWINNETT COUNTY PUBLIC LIBRARY IN NORCROSS, GA
ARCHITECT/DESIGN: CAS ARCHITECTURE
PHOTO: © GAREY GOMEZ



BUDGETS MATTER.

We're here to help you get the most from your investment—no wasted time, no hassle. Our modular products and tailored support ensure high-performing spaces, cost-effective installation, and maintenance protocols that deliver long-term value while adapting to your needs now and in the future. We educate and consult with clients on how to get the most out of their purchase. Because we know you have better things to do than waste time.



SO LET'S MAKE THEM STRETCH.

CARPET PRODUCT C561 COLOUR NAVY INSTALLED ASHLAR
NORA PRODUCT NORAMENT ARAGO COLOUR BALANCE INSTALLED DIRECTIONAL

WE'RE

'all in'

ON SOLVING THE CLIMATE CRISIS



So we are challenging ourselves and others to become carbon negative, enterprise wide, without offsets. We've set an incredibly bold and ambitious goal to be carbon negative by 2040, with science based targets set as a 2030 stepping stone on our path.

But our plan is simple. We will continue to avoid, reduce and store as much carbon as we can. And we will inspire others so that we can create a ripple effect for an even bigger positive impact.



Interface is committed to creating healthier environments for government facilities while meeting the urgency of the climate crisis.

Carbon negative carpet tiles, which launched in 2020, changed everything for Interface. We now know it's possible to store more carbon than we emit.



let's plan for a better world, together



LEARN
HOW WE'RE
'ALL IN'

click here

MADE
FOR
YOUR
DEADLINE

QUICKSHIP

When high-function spaces need a fast flooring turnover, Interface QuickShip has you covered. QuickShip includes a range of Interface and nora flooring that meets design and performance needs in government facilities, so you can tackle your fast-paced projects knowing you didn't compromise on style, project outcomes, or your budget.

For a full list of available products & shipping speeds visit interface.com/quickship or nora.com/quickship.




FLOR

FLOR is perfect for high-performance commercial environments. Why? Our products are premium. And our design-forward approach to flooring can do it all, like elevating aesthetics and functionality of your space. All with a 15-year warranty. What's even better? Our tiles seamlessly integrate with Interface's flooring systems, giving you a complete solution tailored to your needs.

Unlock endless design possibilities with FLOR at your feet.

- + BEAUTIFUL
- + SMART
- + RESPONSIBLE

 [FLOR.com/commercial](https://flor.com/commercial)
for more information, styles, and colors



Design/Architecture:
NELSON
Photo: © Brandon Stengel

YOUR DESIGN PARTNER

WE MAKE
FINDING
DESIGN
SOLUTIONS
EASIER WITH
INTERFACE
DESIGN
STUDIO.



Our expert designers know Interface products inside and out—and their services are complimentary.

From concept to completion, our designers work closely with you to create distinct designs that meet your vision and budget no matter how large or small the project. The to-scale floor plan layouts can project overall waste and act as an installation guide for the flooring contractor. Plus, they include the embodied carbon calculation, making it easier to design with carbon footprint in mind.



**FIND YOUR
SALES REP
TO START**

[click here](#)



AT YOUR SERVICE

Our experts are available for consultations before, during, and after flooring installation. We can even help develop a comprehensive maintenance plan for a greater return on investment, lower total cost of ownership, and minimal downtime in high-function spaces.



EVERY STEP OF THE WAY

nora RUBBER

SO
DURABLE
IT CAN
LAST FOR
DECADES—
AND STILL
LOOK GOOD.



© STUDIO BEELDWERKEN

MADE FOR EASY OWNERSHIP, BUILT TO PERFORM

- Dimensionally stable with a non-porous and highly dense surface for a long-lasting floor
- Reduces incidence of slip, trip, falls
- Highly resistant to chemicals and stains
- Floor coverings and adhesives are GREENGUARD Gold Certified for low VOC emissions






PRODUCT NORAMENT PADO COLOR SHADOW


norament pado™



5501
NATURAL



5502
CORAL



5503
EMERALD




5504
CORONET




5505
CONCRETE



5506
MINERAL



5507
SHADOW



5508
WINDSOR



5509
ROSE QUARTZ




5510
BLUFF



5511
MOON MIST




5512
SPEARMINT




5513
NIGHTSHADE



5514
LAUREL



5515
FOREST



5516
GALAXY

Specifications

Article Number: Tile
3167

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

LEED v4
Contributes to multiple IEQ and MR credits

Also available as norament pado™ nTx™. View details and the full product specification at nora.com.

Installation Method



DIRECTIONAL


Scan For More




click here



norament castello™



- 5351 CHATEAU
- 5352 CITADEL
- 5353 CORTEGE
- 5354 MANOR
- 5355 PALAZZO
- 5356 DOMUS
- 5357 PALAIS
- 5358 CATHEDRAL



Specifications

Article Number: Tile
3167

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

LEED v4
Contributes to multiple IEQ and MR credits

Also available as norament castello™ nTx™. View details and the full product specification at nora.com.

Installation Method



Scan For More



click here



norament® arago™



Specifications

Article Number: Tile
3118

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Relief Structure

Nominal Dimensions: Tile
1004 mm x 502 mm (~39.53 in x 19.76 in)

Indoor Air Quality
GREENGUARD Gold; CDPH 01350 Compliant

LEED v4
Contributes to multiple IEQ and MR credits

Also available as norament® arago™ nTx™. View details and the full product specification at nora.com.

For coordinating stair treads, visit nora.com.

Installation Methods



Scan For More



































click here



MT. PLEASANT FIRE STATION #4, MT. PLEASANT, SC
 ARCHITECT/DESIGN: OSWALD DESIGN + CREATIVE
 PHOTO: © OSWALD DESIGN + CREATIVE

PRODUCT NORAMENT GRANO COLORS ANGELICA ROOT & MYRRH

norament® grano™

							
5301 WHITE FIR	5302 ANGELICA ROOT	5303 FRANKINCENSE	5304 BLACK PEPPER	5305 AGAR	5306 CAMPHOR	5307 FENUGREEK	5308 MYRRH
							
5309 JASMINE	5310 HELICHRYSUM	5311 COPAIBA	5312 VETIVER	5313 MARJORAM	5314 HENNA	5315 CEDARWOOD	5316 SIBERIAN FIR
							
5317 AGAPANTHUS	5318 BLUE TANSY	5319 SPIKENARD	5320 SASSAFRAS	5321 WINTERGREEN	5322 YLANG-YLANG	5323 PLUMERIA	5324 PATCHOULI
							
5325 BALSAM	5326 FENNEL SEED	5327 TEA TREE	5328 ARBORVITAE	5329 BERGAMOT	5330 CASSIA	5331 NEROLI	5332 GERANIUM



Made for Fast Delivery.
 See nora.com/quickship
 for program details.

Specifications

Article Number: Tile
 1880

Product Construction
 Homogeneous Rubber Tile

Class: Tile/ASTM F1344
 Type IB and Grade 2

Total Thickness
 ~3.5 mm

Surface Type
 Hammered

Nominal Dimensions: Tile
 1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
 GREENGUARD Gold, CDPH 01350 Compliant

LEED v4
 Contributes to multiple IEQ and MR credits

Also available as *norament® grano™ nTx™*. View details
 and the full product specification at nora.com.

For coordinating stair treads, visit nora.com.

Installation Method



DIRECTIONAL

Scan For More



click here

Nora Rubber

Luxury Vinyl Tile (LVT)

Carpet Tile


Walk Off

Stair Treads



norament® satura™

Hammered Surface



Two-Tone Surface



Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Tile
1880 Hammered surface
3167 Two-Tone surface

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Hammered, Two-Tone

Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

LEED v4
Contributes to multiple IEQ and MR credits

Also available as norament® satura™ nTx™. View details and the full product specification at nora.com.

For coordinating stair treads, visit nora.com.

Installation Method



DIRECTIONAL

Scan For More



click here



noraplan environcare™

7031 BASEBALL GAME	7032 SLEIGH RIDE	7033 TAIL GATING	7034 FIREWORKS	7035 SNOW SHOEING	7036 CLAM BAKE	7037 FUN RUN	7038 HIDE-N-SEEK
7039 BABY SHOWER	7040 BIKE RIDE	7041 WHALE WATCH	7042 STAR GAZING	7043 ICE FISHING	7044 EGG HUNT	7045 ICE SKATING	7046 DRIVE-IN
7047 SKIING	7048 PIE CONTEST	7049 SUMMER CAMP	7050 PETTING ZOO	7051 SNOWBALL FIGHT	7052 SLEDDING	7053 POT LUCK	7054 BOOK CLUB
7055 CHAMPAGNE TOAST	7056 ANTIQUING	7057 COOKIE SWAP	7058 BEACH DAY	7059 CANDLELIGHT DINNER	7060 GARDEN PARTY	7061 FARMERS MARKET	7062 FOOTBALL
7063 CAR WASH	7064 WATER PARK	7065 POOL PARTY	7066 PARADE	7067 YARD GAMES	7068 MINI GOLF	7069 LEAP FROG	7070 TENNIS MATCH
7071 CORN MAZE	7072 LEAF PEEPING	7073 APPLE PICKING	7074 MUSIC FESTIVAL	7075 FOOD COMA	7076 COUNTY FAIR	7077 GRADUATION	7078 HAUNTED HOUSE



Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Sheet

1463

Article Number: Tile

2463

Product Construction

Homogeneous Rubber Sheet & Tile

Class: Sheet/ASTM F1859

Type I

Class: Tile/ASTM F1344

Type I and Grade 1

Total Thickness

~3 mm (also available in ~2 mm)

Surface Type

Smooth

Nominal Dimensions: Sheet

12 m x 1.22 m (~39.37 ft x 48 in)

Nominal Dimensions: Tile

610 mm x 610 mm (~24.015 in x 24.015 in)

Indoor Air Quality

GREENGUARD Gold, CDPH 01350 Compliant

LEED v4

Contributes to multiple IEQ and MR credits

Also available as noraplan environcare™ nTx™. View details and the full product specification at nora.com.

Installation Methods



DIRECTIONAL



DIRECTIONAL

Scan For More




click here



noraplan® sentica™

6500 COTTON CANDY	6501 PROM	6502 VACATION	6503 INDULGENCE	6504 DOWN FEATHERS	6505 SILK	6506 CASHMERE	6507 OLD OAK
6508 WOOL	6509 SAND BOX	6510 DINNER ROLLS	6511 CLYDESDALE	6512 SUNRISE	6513 HAYRIDE	6514 HEAT WAVE	6515 BARBEQUE
6516 ALOE	6517 CUT GRASS	6518 FIRST DAY	6519 PICNIC	6520 SNOW DAY	6521 SUNDAY PAPER	6522 EXPEDITION	6523 ROAD TRIP
6524 FROST BITE	6525 OCEAN MIST	6526 MOUNTAIN AIR	6527 DEEP SEA	6528 ICE CUBE	6529 SURF	6530 WATERFALL	6531 REGATTA
6532 ZEST	6533 VALENTINE	6534 CARNIVAL	6535 DESTINATION	6536 WHEAT FIELDS	6537 CAMP FIRE		



Specifications

Article Number: Sheet
1701

Article Number: Tile
2701

Product Construction
Homogeneous Rubber Sheet & Tile

Class: Sheet/ASTM F1859
Type I

Class: Tile/ASTM F1344
Type I and Grade 1

Total Thickness
~3 mm (also available in ~2 mm)

Surface Type
Smooth

Nominal Dimensions: Sheet
12 m x 1.22 m (~39.37 ft x 48 in)


Nominal Dimensions: Tile
610 mm x 610 mm (~24.015 in x 24.015 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

LEED v4
Contributes to multiple IEQ and MR credits

Also available as noraplan® sentica™ nTx™. View details and the full product specification at nora.com.

Installation Methods



Scan For More



click here



norament® hammered



Specifications

Article Number: Tile
1910

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IA and Grade 1

Total Thickness
~2.7 mm

Surface Type
Smooth

Nominal Dimensions: Tile
502 mm x 502 mm (~19.76 in x 19.76 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

LEED v4
Contributes to multiple IEQ and MR credits

For coordinating stair treads, visit nora.com.

Installation Methods



DIRECTIONAL

Scan For More




click here



PRODUCT NORAMENT 825 ROUND COLOR STONE GREY

norament® 825 round



Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Tile
1902

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IA and Grade 1

Total Thickness
~3.2 mm

Surface Type
Round Pastille

Nominal Dimensions: Tile
501 mm x 501 mm (~19.72 in x 19.72 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

LEED v4
Contributes to multiple IEQ and MR credits

For coordinating stair treads, visit nora.com.

Installation Methods



DIRECTIONAL

Scan For More



[click here](#)

LUXURY VINYL TILE

Our 3.0 mm LVT and 4.5 mm Sound Choice™ LVT makes it simple to pick the perfect flooring for every space. Both come with a tough Ceramor™ finish for easy maintenance and have options for seamless transitions—no strips needed when paired with our carpet tile or nora rubber.

Choose from a range of planks and squares to turn your design ideas into reality.



ARCHITECT/DESIGN: NELSON
PHOTO: © BRANDON STENGEL

4.5 MM
SOUND CHOICE 3.0 MM

MADE FOR PRODUCTIVE DAYS

Impact sound reduction	IIC 64	IIC 56
Slip-resistant finish	X	X

MADE FOR DURABILITY

Ceramor™ coating resists scuffs and scratches	X	X
Core sheet offers dimensional stability and reduced telegraphing	X	X
Fibreglass layer adds stability and controlled flexibility	X	

MADE FOR CIRCULARITY

39% pre-consumer recycled content	X	X
GreenCircle™ certified Recyclable through our ReEntry™ program	X	



PRODUCT STUDIO SET COLOURS PEBBLE, SILVERLIGHT & VIOLET INSTALLED PATTERN BY TILE



ARCHITECT/DESIGN: NELSON
PHOTO: © BRANDON STENGEL

PRODUCT TEXTURED WOODGRAINS COLOR ANTIQUE DARK OAK INSTALLED PATTERN BY TILE

Level Set™ Collection | Textured Woodgrains™



4.5 MM A00401 DISTRESSED WALNUT



4.5 MM A00402 DISTRESSED CASHEW



4.5 MM A00403 DISTRESSED HICKORY



4.5 MM A00405 GREY DUNE



4.5 MM A00406 ANTIQUE LIGHT OAK
3.0 MM C01402 ANTIQUE LIGHT OAK



4.5 MM A00407 WHITE WASH



4.5 MM A00409 ASH WALNUT



4.5 MM A00415 ANTIQUE OAK



4.5 MM A00416 ANTIQUE DARK OAK
3.0 MM C01401 ANTIQUE DARK OAK



4.5 MM A00417 SILVER DUNE



4.5 MM A00418 CHARCOAL DUNE



4.5 MM A00420 RUSTIC CASHEW



4.5 MM A00421 RUSTIC OAK



4.5 MM A00422 RUSTIC HICKORY



4.5 MM A00423 RUSTIC ASH



4.5 MM A00425 RUSTIC CHARCOAL



4.5 MM A00426 SUGARPINE



4.5 MM A00427 HEMLOCK



Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

- Product Number**
4.5 mm A004; 3.0 mm C014
- Product Construction**
High Performance Luxury Vinyl Tile
- Class/ASTM F1700**
Class III Printed Vinyl Tile
- Wear Layer Thickness**
22 mil
- Total Thickness**
4.5 mm and 3.0 mm options available
- Backing Class**
Commercial Grade
- Finish**
Ceramor™ Coating
- Nominal Dimensions**
25 cm x 1 m (9.845 in x 39.38 in)
- Total Recycled Content**
39%
- Indoor Air Quality**
GREENGUARD Gold; FloorScore® Certified
CDPH 01350 Compliant
- Environmental Certifications**
NSF/ANSI 332 Silver
- LEED v4**
Contributes to multiple IEQ and MR credits

Full product specification on interface.com

Installation Methods



Scan For More

4.5 mm LVT



click here

3.0 mm LVT



click here

nora Rubber

Luxury Vinyl Tile (LVT)

Carpet Tile


Walk Off

Stair Treads




LVT PRODUCT NATURAL WOODGRAINS COLOR BEECH INSTALLED HERRINGBONE
 CARPET PRODUCT WW895 COLOR HEATHER WEAVE INSTALLED ASHLAR

Level Set™ Collection | Natural Woodgrains™



4.5 MM A00201 BLACK WALNUT



4.5 MM A00202 MADAGASCAR



4.5 MM A00203 CHESTNUT



4.5 MM A00204 BEECH
 3.0 MM C00901 BEECH



4.5 MM A00205 STORM



4.5 MM A00206 WINTER GREY



4.5 MM A00207 WASHED WHEAT
 3.0 MM C00906 WASHED WHEAT



4.5 MM A00208 SAND DUNE
 3.0 MM C00903 SAND DUNE



4.5 MM A00209 MAHOGANY



4.5 MM A00210 TEAK
 3.0 MM C00904 TEAK



4.5 MM A00211 WASHED MAPLE
 3.0 MM C00905 WASHED MAPLE



4.5 MM A00212 CEDAR
 3.0 MM C00902 CEDAR



Made for Fast Delivery.
 See interface.com/quickship for program details.

Specifications

Product Number

4.5 mm A002; 3.0 mm C009

Product Construction

High Performance Luxury Vinyl Tile

Class/ASTM F1700

Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

4.5 mm and 3.0 mm options available

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions

25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content

39%

Indoor Air Quality

GREENGUARD Gold; FloorScore® Certified
 CDPH 01350 Compliant

Environmental Certifications

NSF/ANSI 332 Silver

LEED v4

Contributes to multiple IEQ and MR credits

Full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

4.5 mm LVT



click here

3.0 mm LVT




click here



LVT PRODUCT TEXTURED STONES COLOR LIGHT CONCRETE
 CARPET PRODUCT COMPOSURE COLOR SECLUSION INSTALLED PATTERN BY TILE

Level Set™ Collection | Textured Stones™



4.5 MM A00301
 POLISHED CEMENT



4.5 MM A00302 COOL
 POLISHED CEMENT



4.5 MM A00308
 LIGHT CONCRETE
 3.0 MM C01302
 LIGHT CONCRETE



4.5 MM A00309
 MEDIUM CONCRETE
 3.0 MM C01303
 MEDIUM CONCRETE



4.5 MM A00310
 DARK CONCRETE
 3.0 MM C01301
 DARK CONCRETE



Made for Fast Delivery.
 See interface.com/quickship for
 program details.

Specifications

Product Number

4.5 mm A003; 3.0 mm C013

Product Construction

High Performance Luxury Vinyl Tile

Class/ASTM F1700

Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

4.5 mm and 3.0 mm options available

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions

50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content

39%

Indoor Air Quality

GREENGUARD Gold; FloorScore® Certified
 CDPH 01350 Compliant

Environmental Certifications


NSF/ANSI 332 Silver

LEED v4

Contributes to multiple IEQ and MR credits

Full product specification on interface.com

Installation Methods



Scan For More



4.5 mm LVT



3.0 mm LVT

click here

click here



PRODUCT STUDIO SET COLORS PEPPER & PEWTER INSTALLED PATTERN BY TILE

Studio Set™

		
4.5 MM A00701 SILVERLIGHT 3.0 MM C01204 SILVERLIGHT	4.5 MM A00702 PEWTER 3.0 MM C01203 PEWTER	4.5 MM A00703 PEPPER 3.0 MM C01202 PEPPER
		
4.5 MM A00704 ESPRESSO	4.5 MM A00705 TITANIUM 3.0 MM C01205 TITANIUM	4.5 MM A00706 MUSHROOM 3.0 MM C01201 MUSHROOM
		
4.5 MM A00708 IRIS 3.0 MM C01207 IRIS	4.5 MM A00709 OCEAN 3.0 MM C01209 OCEAN	4.5 MM A00710 POPPY 3.0 MM C01211 POPPY
		
4.5 MM A00712 MARIGOLD 3.0 MM C01208 MARIGOLD	4.5 MM A00713 SLATE 3.0 MM C01213 SLATE	4.5 MM A00715 CHARTREUSE 3.0 MM C01206 CHARTREUSE
		
4.5 MM A00716 ORANGE 3.0 MM C01210 ORANGE	4.5 MM A00717 RED	4.5 MM A00718 DEEP FUCHSIA
		
4.5 MM A00719 VIOLET	4.5 MM A00720 ROYAL BLUE 3.0 MM C01212 ROYAL BLUE	4.5 MM A00721 ELECTRIC BLUE
		
4.5 MM A00722 AQUA	4.5 MM A00723 KELLY GREEN	4.5 MM A00724 TURQUOISE 3.0 MM C01214 TURQUOISE
		
4.5 MM A00725 DARK GREEN	4.5 MM A00726 PEBBLE	4.5 MM A00727 SAND




Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Product Number	4.5 mm A007; 3.0 mm C012
Product Construction	High Performance Luxury Vinyl Tile
Class/ASTM F1700	Class III Printed Vinyl Tile
Wear Layer Thickness	22 mil
Total Thickness	4.5 mm and 3.0 mm options available
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	25 cm x 1 m (9.845 in x 39.38 in)
Total Recycled Content	39%
Indoor Air Quality	GREENGUARD Gold; FloorScore® Certified CDPH 01350 Compliant
Environmental Certifications	NSF/ANSI 332 Silver
LEED v4	Contributes to multiple IEQ and MR credits

Full product specification on interface.com

Installation Methods



Scan For More



4.5 mm LVT



3.0 mm LVT

click here


click here



Scorpio™



4.5 MM A01701
YELLOW




4.5 MM A01702
CHARTREUSE




4.5 MM A01703
ORANGE




4.5 MM A01704
RED



4.5 MM A01705
DEEP FUCHSIA



4.5 MM A01706
VIOLET



4.5 MM A01708
ELECTRIC BLUE



4.5 MM A01709
AQUA



4.5 MM A01712
DARK GREEN




4.5 MM A01713
PEBBLE



4.5 MM A01714
MUSHROOM



4.5 MM A01715
SAND



4.5 MM A01716
SILVERLIGHT



4.5 MM A01717
PEWTER



4.5 MM A01718
SLATE

Specifications

Product Number

4.5 mm A017

Product Construction

High Performance Luxury Vinyl Tile

Class/ASTM F1700

Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

4.5 mm

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions

50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content

39%

Indoor Air Quality

GREENGUARD Gold; FloorScore® Certified
CDPH 01350 Compliant

Environmental Certifications

NSF/ANSI 332 Silver

LEED v4

Contributes to multiple IEQ and MR credits

Full product specification on interface.com

Installation Methods



Scan For More

4.5 mm LVT



click here



LVT PRODUCT DRAWN LINES COLOR SILVER
 CARPET PRODUCT STITCH COUNT COLOR CHARCOAL COUNT INSTALLED ASHLAR

Drawn Lines™



4.5 MM A00906 AQUAMARINE



4.5 MM A00907 ONYX



4.5 MM A00908 SILVER

Specifications

Product Number	4.5 mm A009
Product Construction	High Performance Luxury Vinyl Tile
Class/ASTM F1700	Class III Printed Vinyl Tile
Wear Layer Thickness	22 mil
Total Thickness	4.5 mm
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	25 cm x 100 cm (9.845 in x 39.38 in)
Total Recycled Content	39%
Indoor Air Quality	GREENGUARD Gold; FloorScore® Certified CDPH 01350 Compliant
Environmental Certifications	NSF/ANSI 332 Silver
LEED v4	Contributes to multiple IEQ and MR credits

Full product specification on interface.com

Installation Methods



Scan For More



click here



PRODUCT RIDGE COLOR SHADE INSTALLED PATTERN BY TILE


Fresco Valley™ Collection | Cliff™



4.5 MM A02401 LAPIS



4.5 MM A02402 SANDSTONE



4.5 MM A02403 LIMESTONE
3.0 MM C00802 LIMESTONE



4.5 MM A02404 ALABASTER
3.0 MM C00801 ALABASTER



4.5 MM A02405 GRANITE



4.5 MM A02406 IRONSTONE

Scan For More



Cliff 4.5 mm


click here




Cliff 3.0 mm

click here


Fresco Valley™ Collection | Ridge™




4.5 MM A02301
PHANTOM




4.5 MM A02302
SHADE




4.5 MM A02303
SAGE



4.5 MM A02304
AGATE



4.5 MM A02305
MUSHROOM



4.5 MM A02306
BOULDER

Fresco Valley™ Collection | Great Heights™



4.5 MM A02501 GREY PINE



4.5 MM A02502 HARD MAPLE



4.5 MM A02503 WHITE OAK



4.5 MM A02504 DOUGLAS FIR



4.5 MM A02505 SEQUOIA



4.5 MM A02506 BIRCH

Specifications

Product Number

Cliff 4.5 mm A024; 3.0 mm C008

Ridge 4.5 mm A023, Great Heights A025

Product Construction

High Performance Luxury Vinyl Tile

Class/ASTM F1700

Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

Cliff 4.5 mm and 3.0 mm options available,

Ridge & Great Heights 4.5 mm

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions

Cliff & Great Heights 25 cm x 1 m (9.845 in x 39.38 in)

Ridge 50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content

39%

Indoor Air Quality

GREENGUARD Gold; FloorScore® Certified;

CDPH 01350 Compliant

Environmental Certifications

NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods

Cliff & Great Heights



ASHLAR



HERRINGBONE



ASHLAR



BRICK



QUARTER-TURN



MONOLITHIC

Scan For More



Ridge 4.5 mm

click here




Great Heights 4.5 mm


click here



Native Fabric™



3.0 MM C01501 FLAX



3.0 MM C01502 LINEN



3.0 MM C01503 TWINE

Specifications

Product Number

3.0 mm C015

Product Construction

High Performance Luxury Vinyl Tile

Class/ASTM F1700

Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

3.0 mm

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions

50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content

39%

Indoor Air Quality

GREENGUARD Gold; FloorScore® Certified
CDPH 01350 Compliant

Environmental Certifications

NSF/ANSI 332 Silver

LEED v4

Contributes to multiple IEQ and MR credits

Full product specification on interface.com

Installation Methods



ASHLAR



BRICK



QUARTER-TURN



MONOLITHIC

Scan For More

Native Fabric 3.0 mm



click here



Brushed Lines™


		
4.5 MM A01602 ALABASTER	4.5 MM A01604 GALENA 3.0 MM C00701 GALENA	4.5 MM A01605 GRAPHITE 3.0 MM C00702 GRAPHITE
		
4.5 MM A01606 KOHL	4.5 MM A01608 SANDALWOOD 3.0 MM C00705 SANDALWOOD	4.5 MM A01609 PARAFFIN 3.0 MM C00704 PARAFFIN
		
4.5 MM A01611 MOUSSE 3.0 MM C00703 MOUSSE	4.5 MM A01612 SOFT SHADOW	4.5 MM A01616 ROUGE
		
4.5 MM A01618 CELADON 3.0 MM C00706 CELADON	4.5 MM A01619 EUCALYPTUS	4.5 MM A01620 TEAL OXIDE 3.0 MM C00708 TEAL OXIDE
		
4.5 MM A01622 DEEP COBALT 3.0 MM C00707 DEEP COBALT		

Specifications

- Product Number**
4.5 mm A016; 3.0 mm C007
- Product Construction**
High Performance Luxury Vinyl Tile
- Class/ASTM F1700**
Class III Printed Vinyl Tile
- Wear Layer Thickness**
22 mil
- Total Thickness**
4.5 mm and 3.0 mm options available
- Backing Class**
Commercial Grade
- Finish**
Ceramor™ Coating
- Nominal Dimensions**
25 cm x 1 m (9.845 in x 39.38 in)
- Total Recycled Content**
39%
- Indoor Air Quality**
GREENGUARD Gold; FloorScore® Certified
CDPH 01350 Compliant
- Environmental Certifications**
NSF/ANSI 332 Silver
- LEED v4**
Contributes to multiple IEQ and MR credits


Full product specification on interface.com

Installation Methods




Scan For More

Brushed Lines 4.5 mm



click here

Brushed Lines 3.0 mm



click here



PRODUCT HEARTH COLOR PETRA
 PRODUCT ON GRAIN COLOR BESPOKE TIMBER INSTALLED ASHLAR

Earthen Forms™ Collection | Crossroads™



4.5 MM A03401 CORNERSTONE



4.5 MM A03402 MATERIA



4.5 MM A03403 STEPPING STONE



4.5 MM A03404 STRATA

Earthen Forms™ Collection | On Grain™



4.5 MM A03301 WHITE OAK VENEER



4.5 MM A03302 EUROPEAN WALNUT



4.5 MM A03303 HONEYED OAK



4.5 MM A03304 OILED WALNUT



4.5 MM A03305 BESPOKE TIMBER



4.5 MM A03306 GOLDEN OAK




4.5 MM A03307 PALE ASH




4.5 MM A03308 SMOKEY ASH


Earthen Forms™ Collection | Hearth™




4.5 MM A03501 PETRA



4.5 MM A03502 GRIS



4.5 MM A03503 SANDSTONE



4.5 MM A03504 MARBLE DUST

Specifications

Product Number
 4.5 mm Crossroads A034, On Grain A033, Hearth A035

Product Construction
 High Performance Luxury Vinyl Tile

Class/ASTM F1700
 Class III Printed Vinyl Tile

Wear Layer Thickness
 22 mil

Total Thickness
 4.5 mm

Backing Class
 Commercial Grade

Finish
 Ceramor™+ Coating

Nominal Dimensions
 Crossroads & On Grain 25 cm x 1 m (9.845 in x 39.38 in)
 Hearth 50 cm x 1 m (19.69 in x 39.38 in)


Total Recycled Content
 39%

Indoor Air Quality
 GREENGUARD Gold; FloorScore® Certified;
 CDPH 01350 Compliant

Environmental Certifications
 NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods



Scan For More



click here click here click here

CARPET TILE

**BACKED
BY OVER 50
YEARS OF
INNOVATION,
IT'S FLOORING
THAT WORKS
AS HARD AS
YOU DO.**



ARCHITECT/DESIGN: NELSON
PHOTO: © BRANDON STENGEL

DESIGN FLEXIBILITY

No limits, no compromises. With a wide range of patterns, colors, and sizes, we've got what you need to nail today's look and adapt for tomorrow—all without blowing your budget.

DURABLE CONSTRUCTION

Premium recycled content nylon fiber withstands heavy traffic

RESISTANT FIBERS

Solution-dyed to endure harsh substances like bleach or hand sanitizers

INTERSEPT™ TECHNOLOGY

Our proprietary preservative, permanently incorporated into the backing to protect carpet tiles against mold growth and odor—even at the seams

BUY AMERICAN ACT CERTIFIED

All carpet products are manufactured in the USA.



EASES INSTALLATION & REPLACEMENT

Glue-free TacTile® installation system for most backings, with full-spread adhesive recommended for areas with heavy rolling loads

SELECTIVE REPLACEMENT

i2™ styles with mergeable dye lots for easy and selective tile replacement



ARCHITECT/DESIGN: NELSON
PHOTO: © BRANDON STENGEL

LOOKING TO REDUCE YOUR IMPACT AND LOWER YOUR CARBON FOOTPRINT?

WE CAN HELP YOU.



CQUEST™

Offer superior performance with a low carbon footprint, and our modular carpet on CQuest backings meet the USDA Certified Biobased Content Federal Purchasing Requirements for carpet.

CQUEST™GB

Made with postconsumer carpet tiles, bio-based additives, and pre-consumer recycled materials.

CQUEST™BIO & CQUEST™BIOX

Incorporate biobased and recycled content and are free of PVC and antimicrobials. Interface modular carpet on these backings are Cradle to Cradle Silver certified.



Our GlasBac™, CQuest™GB, CQuest™Bio, and CQuest™BioX backings are GreenCircle® certified recyclable through our ReEntry™ program. Plus, we have the lowest carbon footprint in the commercial flooring industry, and we're not using offsets to get there.



MODULAR CARPET ON CQUEST™GB



MODULAR CARPET ON CQUEST™BIOX




MODULAR CARPET ON CQUEST™BIO




GWINNETT COUNTY PUBLIC LIBRARY IN NORCROSS, GA
 ARCHITECT/DESIGN: CAS ARCHITECTURE
 PHOTO: © GAREY GOMEZ

PRODUCT AE311 COLORS IRON & MIST INSTALLED ASHLAR

Aerial™ Collection | AE311




104668 MIST 104669 FOG 104670 TAUPE
 104671 CHESTNUT 104672 GREIGE 104673 IRON
 104674 SMOKE 104675 INK 105803 MUSHROOM
 105804 LOAM 105805 GRANITE 105806 TOPAZ
 105807 BISCUIT



Specifications i2

- Modular, 25 cm x 1 m**
13883
- Yarn Manufacturer**
Aquaflil
- Yarn System**
100% Recycled Content Nylon
- Dye Method**
100% Solution Dyed
- Construction**
Tufted Textured Loop
- Preservative Protection**
Intersept®
- Soil/Stain Protection**
Protect™
- Pile Thickness**
0.10 in, 2.5 mm
- Pile Density**
5,567 oz/yd³
- Traffic Classification**
Heavy
- Total Recycled Content**
67%
- Indoor Air Quality**
Green Label Plus #GLP0820, CDPH 01350
- View the full product specification on interface.com*

Installation Methods



Scan For More



click here

nora Rubber
 Luxury Vinyl Tile (LVT)
 Carpet Tile
 Walk Off
 Stair Treads



ARCHITECT/DESIGN: R3A – RENAISSANCE 3 ARCHITECTS
PHOTO: © 2018 ED ROMBOU

PRODUCT AE315 COLOR GRANITE/AZURE
PRODUCT AE311 COLOR GRANITE
PRODUCT AE317 COLOR AZURE INSTALLED ASHLAR

Aerial™ Collection | AE315



105808 MUSHROOM/GRASS



105809 FOG/CITRON



105810 CHESTNUT/MARIGOLD




105811 GREIGE/PERSIMMON



105812 LOAM/POPPY



105813 IRON/BERRY



105814 INK/MAGENTA



105815 SMOKE/IRIS



105816 GRANITE/AZURE



105817 MIST/AQUAMARINE



105818 TOPAZ/EMERALD



105819 TAUPE/LEAF



105820 BISCUIT/EUCALYPTUS



Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications



Modular, 25 cm x 1 m
16323

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.09 in, 2.3 mm

Pile Density
6,400 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
67%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Methods



Scan For More



click here

nora Rubber

Luxury Vinyl Tile (LVT)

Carpet Tile

Walk Off

Stair Treads



PRODUCT AE317 · COLOR PERSIMMON
 PRODUCT AE315 · COLOR GREIGE/PERSIMMON
 PRODUCT AE311 · COLOR GREIGE · INSTALLED ASHLAR

Aerial™ Collection | AE317



105821 GRASS



105822 CITRON



105823 MARIGOLD



105824 PERSIMMON



105825 POPPY




105826 BERRY



105827 MAGENTA




105828 IRIS



105829 AZURE



105830 AQUAMARINE



105831 EMERALD



105832 LEAF



105833 EUCALYPTUS



Made for Fast Delivery.
 See interface.com/quickship for program details.

Specifications



- Modular, 25 cm x 1 m**
16327
- Yarn Manufacturer**
Aquafl
- Yarn System**
100% Recycled Content Nylon
- Dye Method**
100% Solution Dyed
- Construction**
Tufted Textured Loop
- Preservative Protection**
Intersept®
- Soil/Stain Protection**
Protekt™
- Pile Thickness**
0.10 in, 2.6 mm
- Pile Density**
6,059 oz/yd³
- Traffic Classification**
Heavy
- Total Recycled Content**
68%
- Indoor Air Quality**
Green Label Plus #GLP0820, CDPH 01350
- View the full product specification on interface.com*

Installation Methods



Scan For More




click here




PRODUCT CUBIC COLOR PEAK INSTALLED NON DIRECTIONAL


Cubic™




004287 SHAPE




004288 GEOMETRY



004289 MATRIX




004290 PERIMETER




004291 SQUARE




004292 AREA




004294 SURFACE




004295 SYMMETRY




004296 TRANSVERSE




004851 MEASUREMENT



004853 ANGLE




004855 OPTIC




004856 STRUCTURE




004857 FUNCTIONAL




004858 FORM




004860 AXIS




006383 BALANCE




006384 COMPOSITION




006385 VERTICAL




006386 HORIZONTAL




006387 DEPTH




006389 SUPPORTS




006392 DIMENSION




006393 HEIGHT




006395 CONSTRUCTION



006396 MOVEMENT




006397 PURPOSE



106068 SOAR




106069 MERIDIAN




106070 PRINCIPAL




106071 PITCH




106072 ZENITH



106073 ALTITUDE



106074 LOFTY




106075 CREST




106076 VERTEX



106077 PEAK



106078 SUMMIT



106079 PINNACLE



Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

i2

Modular, 50 cm x 50 cm
13829

Yarn Manufacturer
Aquafl

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.09 in, 2.4 mm

Pile Density
6,968 oz/yd³

Traffic Classification
Severe

Total Recycled Content
68%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Method



NON DIRECTIONAL

Scan For More




click here




PRODUCT THE STANDARD COLOR LARIMAR INSTALLED NON DIRECTIONAL


The Standard™




009371 AEGEAN




106183 AGATE




106579 AQUAMARINE




009366 ARTICHOKE




009360 AZTEC



009364 BLUEFISH




106191 BLUESTONE



106182 BROWNSTONE



106185 CARNELIAN




106190 CHARIOTE



106177 CONCRETE



106578 CORAL




106180
CORNERSTONE




009369 FLANNEL




106186 GARNET




009372 GLACIER




106178 GRANITE




009359 GUAVA




106179 JETMIST




106188 LARIMAR




106189 LAZULI




106176 MAGMA




009361 MANGROVE




009370 PEACOCK




106187 PERIDOT




009356 RAFFIA




106181 RARE EARTH



009363 SEASHELL




009355 SESAME




009368 SHALE




106184 SILICA




009358 SPICE




009367 TANGLEWOOD



009357 VELLUM



009362 VISCAYA



009365
WATERCOLOUR



Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

i2

Modular, 50 cm x 50 cm
14673

Yarn Manufacturer
Universal

Yarn System
100% Post-Consumer Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.07 in, 1.9 mm

Pile Density
7,297 oz/yd³

Traffic Classification
Severe

Total Recycled Content
68%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Method



NON DIRECTIONAL

Scan For More



click here



PRODUCT PUPPY LOVE COLORS AERIE, SPIRITED & ILLUSTRIOUS INSTALLED PATTERN BY TILE

Heartbeats™ Collection | Puppy Love™ & Heart Songs™

Puppy Love™

					
107351 AERIE	107352 HAIKU	107346 ILLUSTRIOUS	107342 MISTY	107353 MYSTERIOUS	107345 PARAMOUR
					
107348 POETRY	107343 PROSE	107349 RHAPSODY	107350 SONNET	107344 SPIRITED	107347 VERSE

Heart Songs™

					
107364 ENDURANCE	107361 ILLUMINATION	107358 ILLUSTRIOUS	107365 MAJESTIC	107354 MISTY	107360 MOONSTRUCK
					
107357 PARAMOUR	107355 PROSE	107362 SOULFUL	107356 SPIRITED	107363 VERDANT	107359 VERSE

Specifications

Modular, 50 cm x 50 cm
 Puppy Love 13118; Heart Songs 13119

Yarn Manufacturer
 Aquafil

Yarn System
 100% Recycled Content Nylon

Dye Method
 100% Solution Dyed

Construction
 Tufted Textured Loop

Preservative Protection
 Intersept®

Soil/Stain Protection
 Protekt™

Pile Thickness
 Puppy Love 0.08 in, 2.0 mm;
 Heart Songs 0.08 in, 2.1 mm

Pile Density
 Puppy Love 8,550 oz/yd³; Heart Songs 8,341 oz/yd³

Traffic Classification
 Severe

Total Recycled Content
 68%


Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Method



Scan For More



click here

click here



PRODUCT HEART STRINGS COLORS ILLUSTRIOUS & AERIE INSTALLED MONOLITHIC
 PRODUCT KARMIC RELIEF COLOR CHROMIUM INSTALLED ASHLAR

Heartbeats™ Collection | Heart Strings™ & Lighthearted™

Heart Strings™



Lighthearted™



Specifications

Modular, 50 cm x 50 cm
 Heart Strings 13121; Lighthearted 13122

Yarn Manufacturer
 Aquafil

Yarn System
 100% Recycled Content Nylon

Dye Method
 100% Solution Dyed

Construction
 Tufted Textured Loop

Preservative Protection
 Intersept®

Soil/Stain Protection
 Protekt™

Pile Thickness
 0.07 in, 1.8 mm

Pile Density
 Heart Strings 9,730 oz/yd³; Lighthearted 9,634 oz/yd³


Traffic Classification
 Severe

Total Recycled Content
 Heart Strings 69%; Lighthearted 68%


Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350

View the full product specification on [interface.com](#)

Installation Method




Scan For More




click here click here




Heartbeats™ Collection | Heartthrob™



107499 MISTY




107500 PROSE



107501 SPIRITED




107502 PARAMOUR




107503 ILLUSTRIOUS



107504 VERSE




107505 POETRY




107506 RHAPSODY




107507 SONNET



107508 AERIE



107509 HAIKU



107510 MYSTERIOUS

Specifications



Modular, 50 cm x 50 cm
13124

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.14 in, 3.4 mm

Pile Density
6,400 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
70%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Method



Scan For More




click here



INTERIORS: FIGURE 3
PHOTO: © STEVE TSAI

PRODUCT ICE BREAKER COLOR GRAYFOX INSTALLED NON DIRECTIONAL

Ice Breaker™




Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications



- Modular, 50 cm x 50 cm**
14730
- Yarn Manufacturer**
Universal
- Yarn System**
Post-Consumer Content Nylon
- Dye Method**
100% Solution Dyed
- Construction**
Tufted Textured Loop
- Preservative Protection**
Intersept®
- Soil/Stain Protection**
Protekt™
- Pile Thickness**
0.07 in, 1.8 mm
- Pile Density**
8,620 oz/yd³
- Traffic Classification**
Heavy
- Total Recycled Content**
64%
- Indoor Air Quality**
CRI Green Label Plus #GLP0820
- View the full product specification on interface.com*

Installation Methods



Scan For More



click here

nora Rubber
Luxury Vinyl Tile (LVT)
Carpet Tile
Walk Off
Stair Treads



PRODUCT HARMONIZE COLOR GRAVEL
 PRODUCT GROUND WAVES COLOR GRAVEL/COLORS INSTALLED ASHLAR

Harmonize & Ground Waves™ Collection | Harmonize™



104039 COBALT



104040 MIDNIGHT



104041 ICEBERG



104042 IRON



104043 GRAVEL



104044 PEWTER



104045 LAUREL



104046 MESQUITE



104047 GULL



104048 DRIFTWOOD



104049 PRAIRIE



104050 FLAX

Specifications



Modular, 25 cm x 1 m
13872

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.11 in, 2.5 mm

Pile Density
5,434 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
68%

Indoor Air Quality
CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More




click here




PRODUCT GROUND WAVES COLOR GRAVEL/COLORS
 PRODUCT HARMONIZE COLOR GRAVEL INSTALLED PATTERN BY TILE


Harmonize & Ground Waves™ Collection | Ground Waves™




104051 COBALT/COLOURS



104052 MIDNIGHT/COLOURS



104053 ICEBERG/COLOURS




104054 IRON/COLOURS



104055 GRAVEL/COLOURS



104056 PEWTER/COLOURS




104057 LAUREL/COLOURS




104058 MESQUITE/COLOURS



104059 GULL/COLOURS



104060 DRIFTWOOD/COLOURS



104061 PRAIRIE/COLOURS



104062 FLAX/COLOURS

Specifications



Modular, 25 cm x 1 m
13873

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.09 in, 2.2 mm

Pile Density
6,545 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
68%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Methods



Scan For More





click here











PRODUCT STITCH COUNT COLOR GRAPHITE COUNT
 PRODUCT STITCHERY COLOR PLAIN STITCH INSTALLED PATTERN BY TILE

Visual Code™ Collection | Stitchery™ & Stitch Count™

Stitchery™

		
105938 BLACK STITCHERY	105936 CHARCOAL STITCHERY	105935 FLINT STITCHERY
		
105934 GRAPHITE STITCHERY	105933 GREY STITCHERY	105932 IRON STITCHERY
		
105931 NICKEL STITCHERY	105937 SLATE STITCHERY	

Stitch Count™

		
105930 BLACK COUNT	105928 CHARCOAL COUNT	105927 FLINT COUNT
		
105926 GRAPHITE COUNT	105925 GREY COUNT	105924 IRON COUNT
		
105923 NICKEL COUNT	105929 SLATE COUNT	

Specifications

Modular, 25 cm x 1 m
 Stitchery 13927; Stitch Count 13926

Yarn Manufacturer
 Aquafil

Yarn System
 100% Recycled Content Nylon

Dye Method
 100% Solution Dyed

Construction
 Stitchery Tufted Pattern Loop;
 Stitch Count Tufted Sheared

Preservative Protection
 Intersept®

Soil/Stain Protection
 Protekt2™

Pile Thickness
 Stitchery 0.08 in, 2.0 mm; Stitch Count 0.17 in, 4.4 mm

Pile Density
 Stitchery 7,650 oz/yd³; Stitch Count 5,554 oz/yd


Traffic Classification
 Severe

Total Recycled Content
 Stitchery 68%; Stitch Count 70%

Indoor Air Quality
 Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Method



Scan For More

	
Stitchery	Stitch Count
click here	click here



Nature's Course™



105859 FOSSIL



105862 GRANITE



105860 GRAPHITE



105861 MARBLE



105863 MICA



105864 MINERAL



105866 PEBBLE



105865 SANDSTONE

Specifications



Modular, 25 cm x 1 m
12899

Yarn Manufacturer
Aquaflil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Engaged Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0,09 in, 2,2 mm

Pile Density
7,448 oz/yd³

Traffic Classification
Severe

Total Recycled Content
68%

Indoor Air Quality
Green Label Plus #GLP0820

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



ASHLAR



HERRINGBONE

Scan For More



[click here](#)



Open Air™ | Open Air™ 401



106772 BLACK



106773 IRON



106774 FLANNEL



106775 CHARCOAL



106776 NATURAL



106777 NICKEL



106778 GRANITE



106779 STONE



106780 LINEN



107683 MIST



107684 NAVY



107685 EBONY



107686 OAT



107687 BROWN



107688 SHELL



107689 AMBER



Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
16336

Yarn Manufacturer
Aquafl

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.08 in, 1.9 mm

Pile Density
8,526 oz/yd³

Traffic Classification
Severe

Total Recycled Content
68%

Indoor Air Quality
CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More



click here



Open Air™ Collection | Open Air™ 402



Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
16332

Yarn Manufacturer
Aquafl

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.08 in, 2.1 mm

Pile Density
8,143 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
69%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods



Scan For More



click here



106736 BLACK



106737 IRON



106738 FLANNEL



106739 CHARCOAL




106740 NATURAL




106741 NICKEL




106742 GRANITE



106743 STONE



106744 LINEN



106790 MIST



106791 NAVY



106792 EBONY



106793 OAT



106794 BROWN



106795 SHELL



106796 AMBER



ARCHITECT/DESIGN: NELSON
PHOTO: © BRANDON STENGEL

PRODUCT OPEN AIR 403 COLOR NICKEL INSTALLED NON DIRECTIONAL

Open Air™ Collection | Open Air™ 403



106727 BLACK




106728 IRON



106729 FLANNEL



106730 CHARCOAL



106731 NATURAL




106732 NICKEL



106733 GRANITE



106734 STONE



106735 LINEN



107697 MIST



107698 NAVY



107699 EBONY



107700 OAT



107701 BROWN



107702 SHELL



107703 AMBER



Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

i2

Modular, 50 cm x 50 cm
16331

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.08 in, 2.1 mm

Pile Density
8,241 oz/yd³

Traffic Classification
Severe

Total Recycled Content
68%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Method



NON DIRECTIONAL

Scan For More



click here

nora Rubber

Luxury Vinyl Tile (LVT)


Carpet Tile

Walk Off

Stair Treads




Open Air™ Collection | Open Air™ 441



Specifications i2

Modular, 50 cm x 50 cm	12621
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Dye Method	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt™
Pile Thickness	0.11 in, 2.9 mm
Pile Density	7,902 oz/yd³
Traffic Classification	Heavy
Total Recycled Content	68%
Indoor Air Quality	CRI Green Label Plus #GLP0820
<i>View the full product specification on interface.com</i>	

Installation Methods



Scan For More



click here

PRODUCT OPEN AIR 441 COLOR LINEN INSTALLED NON DIRECTIONAL

nora Rubber
 Luxury Vinyl Tile (LVT)
 Carpet Tile
 Walk Off
 Stair Treads



View from Above™ Collection | Cloud Cover™




Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications



Modular, 50 cm x 50 cm 13789
Yarn Manufacturer Aquaflil
Yarn System 100% Recycled Content Nylon
Dye Method 100% Solution Dyed
Construction Tufted Cut & Loop
Preservative Protection Intersept®
Soil/Stain Protection Protekt™
Pile Thickness 0.08 in, 2.0 mm
Pile Density 7,747 oz/yd ³
Traffic Classification Heavy
Total Recycled Content 68%
Indoor Air Quality CRI Green Label Plus #GLP0820
<i>View the full product specification on interface.com</i>

Installation Methods



Scan For More



click here



View from Above™ Collection | Night Flight™



105704 AFTER DARK 106475 BLACK 105706 BLACKOUT 105699 CARDOON 105703 DARK SKY



106470 FOG 105700 FOREST 106476 INDIGO 106474 INK 105701 LAVENDER CREST



105695 MEADOW 106469 NATURAL 106473 PEPPER 106472 PEWTER 105702 PLUM SHADOW



105698 ROCKY SHORE 105697 SAND DUNE 105705 SMOKY RIDGE 106471 TITANIUM 105696 WHEAT FIELD

Specifications

Modular, 50 cm x 50 cm
12872

Yarn Manufacturer
Aquaflil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.14 in, 3.5 mm

Pile Density
6,216 oz/yd³


Traffic Classification
Heavy

Total Recycled Content
70%

Indoor Air Quality
CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Methods




Scan For More



click here




View from Above™ Collection | Head in the Clouds™



105722 MIDNIGHT LANDING



105721 OCEAN VIEW



105719 ROLLING DESERT



105720 TAWNY FIELDS

Specifications

Modular, 50 cm x 50 cm
12873

Yarn Manufacturer
Aqualfil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Engaged Tufted Sheared

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.1 in, 2.6 mm

Pile Density
8,308 oz/yd³


Traffic Classification
Severe

Total Recycled Content
70%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Methods



Scan For More



click here

PRODUCT NIGHT FLIGHT **COLOR** DARK SKY **INSTALLED** BRICK
PRODUCT HEAD IN THE CLOUDS **COLOR** OCEAN VIEW **INSTALLED** MONOLITHIC



ARCHITECT/DESIGN: SMMA
PHOTO: © RAJ DAS PHOTOGRAPHY

CARPET PRODUCT WW860 COLOR LINEN TWEED
 CARPET PRODUCT WW865 COLOR MOORLAND WARP
 LVT PRODUCT TEXTURED WOODGRAINS COLOR ANTIQUE LIGHT OAK INSTALLED ASHLAR

World Woven™ | WW860



103200 NAVY TWEED



103201 VOLCANIC TWEED



103202 RIVERBED TWEED



103203 OAT TWEED



103204 NICKEL TWEED



103205 SHELL TWEED



103206 UMBER TWEED



105351 LINEN TWEED

World Woven™ | WW860 (cont'd)



105352 FLANNEL TWEED



105353 CHARCOAL TWEED



105354 BLACK TWEED



105356 NATURAL TWEED


World Woven™ | WW865



103214 CAMEL WARP



103212 CARIBBEAN WARP



103208 DUSK WARP



103210 FOREST WARP



103209 PLATEAU WARP



103213 SAHARA WARP



103211 TERRAIN WARP



103207 TUNDRA WARP

World Woven™ | WW870



105343 LINEN WEFT



105344 FLANNEL WEFT



105345 CHARCOAL WEFT




105346 BLACK WEFT



105347 BROWN WEFT



105348 NATURAL WEFT



105349 RAFFIA WEFT



105350 SISAL WEFT

Specifications

Modular, 25 cm x 1 m
 WW860 12819; WW865 12821; WW870 13893

Yarn Manufacturer
 Aquafil

Yarn System
 100% Recycled Content Nylon

Dye Method
 100% Solution Dyed

Construction
 WW860 & WW865 Tufted Pattern Loop;
 WW870 Tufted Textured Loop

Preservative Protection
 Intersept®

Soil/Stain Protection
 Protekt™

Pile Thickness
 WW860 0.07 in, 2.8 mm; WW865 0.06 in, 1.4 mm;
 WW870 0.10 in, 2.6 mm

Pile Density
 WW860 9,415 oz/yd³; WW865 10,737 oz/yd³;
 WW870 7,962 oz/yd³


Traffic Classification
 Heavy

Total Recycled Content
 WW860 & WW865 68%; WW870 70%

Indoor Air Quality
 CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Methods



Scan For More



click here click here click here



DESIGN: WRIGHT INTERIOR DESIGN
PHOTO: © LUKE POTTER

PRODUCT WW890 COLOR RAFFIA DOBBY INSTALLED ASHLAR

World Woven™ | WW880



105362 BLACK LOOM



105363 BROWN LOOM



105361 CHARCOAL LOOM



105360 FLANNEL LOOM



105359 LINEN LOOM



105364 NATURAL LOOM



105365 RAFFIA LOOM



105366 SISAL LOOM

World Woven™ | WW890



105386 BLACK DOBBY



105387 BROWN DOBBY



105385 CHARCOAL DOBBY




105384 FLANNEL DOBBY




105383 LINEN DOBBY



105388 NATURAL DOBBY



105389 RAFFIA DOBBY



105390 SISAL DOBBY

World Woven™ | WW895




103216 PLATEAU WEAVE



103218 SAHARA WEAVE



103217 TERRAIN WEAVE



103215 TUNDRA WEAVE

Specifications

Modular, 25 cm x 1 m

WW880 12820; WW890 12824; WW895 12822

Yarn Manufacturer

Aquafl

Yarn System

100% Recycled Content Nylon

Dye Method

100% Solution Dyed

Construction

WW880 Tufted Sheared; WE890 & WW895 Engaged Tufted Pattern Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt™

Pile Thickness

WW880 0.12 in, 3.0 mm; WW890 0.12 in, 3.1 mm;

WW895 0.12 in, 2.9 mm

Pile Density

WW880 7,563 oz/yd³; WW890 8,780 oz/yd³;

WW895 9,310 oz/yd³

Traffic Classification

Heavy

Total Recycled Content

WW880 70%; WW890 & WW895 72%

Indoor Air Quality

CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

WW880



WW890



WW895




click here click here click here



PRODUCT EE712 COLOR EARTH INSTALLED MONOLITHIC

Etched Earth™ Collection | EE711™



Etched Earth™ Collection | EE712™



Specifications

- Modular, 50 cm x 50 cm**
EE711 12585; EE712 12588

- Yarn Manufacturer**
Aquafil

- Yarn System**
100% Recycled Content Nylon

- Dye Method**
100% Solution Dyed

- Construction**
Engaged Tufted Pattern Loop

- Preservative Protection**
Intersept®

- Soil/Stain Protection**
Protekt™

- Pile Thickness**
0.09 in, 2.2 mm

- Pile Density**
EE711 11,045 oz/yd³; EE712 11,721 oz/yd³

- Traffic Classification**
Severe

- Total Recycled Content**
71%

- Indoor Air Quality**
Green Label Plus #GLP0820, CDPH 01350

- View the full product specification on interface.com*

Installation Methods



Scan For More



click here click here



PRODUCT EE715 COLOR BASALT INSTALLED ASHLAR


Etched Earth™ Collection | EE714™



103441 BASALT



103448 CLAY



103447 EARTH



103446 FOSSIL



103442 GLACIER



103443 PEAT



103444 STONE



103445 STRATA

Etched Earth™ Collection | EE715™



103433 BASALT



103440 CLAY



103439 EARTH



103438 FOSSIL



103434 GLACIER



103435 PEAT



103436 STONE



103437 STRATA

Specifications

Modular, 25 cm x 1 m
EE714 12587; EE715 12586

Yarn Manufacturer
Aquaflil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Engaged Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
EE714 0.12 in, 2.9 mm; EE715 0.06 in, 1.4 mm

Pile Density
EE714 8,452 oz/yd³; EE715 14,785 oz/yd³

Traffic Classification
Severe

Total Recycled Content
EE714 71%; EE715 70%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Methods



Scan For More



click here

click here




PRODUCT EE710 | COLOR STRATA | INSTALLED MONOLITHIC

Etched Earth™ Collection | EE710™



103425 BASALT 103432 CLAY 103431 EARTH 103430 FOSSIL



103426 GLACIER 103427 PEAT 103428 STONE 103429 STRATA

Etched Earth™ Collection | EE713™



103417 BASALT 103424 CLAY 103422 EARTH 103422 FOSSIL



103418 GLACIER 103419 PEAT 103420 STONE 103421 STRATA

Specifications

Modular, 1 m x 1 m EE710 12584; EE713 12583
Yarn Manufacturer Aqualfil
Yarn System 100% Recycled Content Nylon
Dye Method 100% Solution Dyed
Construction EE710 Engaged Tufted Pattern Loop; EE713 Tufted Pattern Loop
Preservative Protection Intersept®
Soil/Stain Protection Protekt™
Pile Thickness EE710 0.13 in, 3.3 mm; EE713 0.15 in, 3.8 mm
Pile Density EE710 8,244 oz/yd³; EE713 6,081 oz/yd³
Traffic Classification Severe
Total Recycled Content EE710 72%; EE713 71%
Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350
<i>View the full product specification on interface.com</i>

Installation Methods



Scan For More



click here click here



Combined Effect™
Collection | C551™



103406 BLACK




103403 BONE



103407 CHALK




103404 FLINT



103408 NAVY



103401 PEARL




103402 PINE



103405 WHITE


Combined Effect™
Collection | C552™



103414 BLACK




103411 BONE



103415 CHALK




103412 FLINT



103416 NAVY



103409 PEARL



103410 PINE




103413 WHITE

Specifications

Modular, 25 cm x 1 m C551 14070; C552 14071
Yarn Manufacturer Aquafil
Yarn System 100% Recycled Content Nylon
Dye Method 100% Solution Dyed
Construction Tufted Pattern Loop
Preservative Protection Intersept®
Soil/Stain Protection Protekt™
Pile Thickness C551 0.15 in, 3.8 mm; C552 0.13 in, 3.3 mm
Pile Density C551 5,280 oz/yd³; C552 5,771 oz/yd³
Traffic Classification Severe
Total Recycled Content C551 70%; C552 68%
Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350
<i>View the full product specification on interface.com</i>

Installation Methods



Scan For More




click here

click here



PRODUCT INTERPRET COLOR VOLCANIC
 PRODUCT PROTOTYPE COLOR DENIM INSTALLED MONOLITHIC


Shifted States™ Collection | Prototype™



Specifications

- Modular, 50 cm x 50 cm**
14056
 - Yarn Manufacturer**
Aquafil
 - Yarn System**
100% Recycled Content Nylon
 - Dye Method**
100% Solution Dyed
 - Construction**
Tufted Pattern Loop
 - Preservative Protection**
Intersept®
 - Soil/Stain Protection**
Protekt™
 - Pile Thickness**
0.12 in, 3.0 mm
 - Pile Density**
6,050 oz/yd³
 - Traffic Classification**
Severe
 - Total Recycled Content**
69%
 - Indoor Air Quality**
Green Label Plus #GLP0820, CDPH 01350
- View the full product specification on [interface.com](https://www.interface.com)*

Installation Methods



Scan For More



click here



PRODUCT INTERPRET COLORS OAT, RIDGE & MUSHROOM INSTALLED MONOLITHIC


Shifted States™ Collection | Interpret™



Specifications

Modular, 50 cm x 50 cm 14058
Yarn Manufacturer Aquafil
Yarn System 100% Recycled Content Nylon
Dye Method 100% Solution Dyed
Construction Tufted Pattern Loop
Preservative Protection Intersept®
Soil/Stain Protection Protekt™
Pile Thickness 0.12 in, 3.1 mm
Pile Density 5,653 oz/yd³
Traffic Classification Severe
Total Recycled Content 69%
Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350
<i>View the full product specification on interface.com</i>

Installation Methods



Scan For More



click here




PRODUCT EFFERVESCENT COLORS LAPIS & LINDEN INSTALLED ASHLAR

Material Impressions™ | Effervescent



108283 CAMEL



108290 DUSK




108293 FELDSPAR



108287 FOREST



108288 GRAPHITE



108292 IRIS



108289 LAPIS



108291 LINDEN


Material Impressions™ | Effervescent (cont'd)



108285 MICA



108286 SAGE



108284 SAHARA



108282 TRAVERTINE

Material Impressions™ | Moving Tints



108295 CAMEL



108302 DUSK




108305 FELDSPAR



108299 FOREST



108300 GRAPHITE



108304 IRIS



108301 LAPIS



108303 LINDEN

Material Impressions™ | Moving Tints (cont'd)



108297 MICA



108298 SAGE



108296 SAHARA



108294 TRAVERTINE



Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications



Modular, 25 cm x 1 m
Effervescent 12387; Moving Tints 12388

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Dye Method

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt™

Pile Thickness

Effervescent 0.10 in, 2.6 mm;

Moving Tints 0.09 in, 2.2 mm

Pile Density

Effervescent 6,641 oz/yd³; Moving Tints 7,773 oz/yd³

Traffic Classification

Severe

Total Recycled Content

69%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

View the full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

Effervescent



Moving Tints





click here

click here



PRODUCT LIGHT PLAY COLOR LINDEN INSTALLED NON DIRECTIONAL

Material Impressions™ Collection | Light Play™



Specifications i2

Modular, 50 cm x 50 cm 12389
Yarn Manufacturer Aquafil
Yarn System 100% Recycled Content Nylon
Dye Method 100% Solution Dyed
Construction Tufted Textured Loop
Preservative Protection Intersept®
Soil/Stain Protection Protekt™
Pile Thickness 0.10 in, 2.5 mm
Pile Density 6,612 oz/yd³
Traffic Classification Severe
Total Recycled Content 68%
Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350
<i>View the full product specification on interface.com</i>

Installation Methods



Scan For More



click here

EVERY ROOM. AND THEN SOME.



When we say we have an integrated system of products for **EVERY** space, we mean it. That includes walk-off products for entryways, nora® stairwell solutions, and a range of accessories for norament® and noraplan® floor coverings to complete the perfect floor.

INTERFACE WALK-OFF CARPET

Designed for entryways and heavy traffic, the Step Repeat™ Collection works to grab dirt and debris before it gets tracked inside. It cleans just like carpet, helping maintain fresher interiors and reducing maintenance efforts.

- Unlike most walk-offs, ours can be cleaned just like carpet, making it ideal for entryways and high-traffic areas
- Stiff fibers in our Step Repeat™ Collection grab dirt and debris before it's tracked inside, trapping it until it can be vacuumed later
- Interiors stay fresher, creating a better indoor environment with reduced maintenance

NORA STAIRWELL SOLUTIONS

- Fast installation with decades-long endurance against heavy traffic
- norament® stairtreads offer a pre-shaped stair nosing, riser and tread all-in-one piece
- nora® stair nosings have a slide-in lip to lock in noraplan and norament floor coverings
- norament® 920 stairtreads are Class A fire-rated
- nora® visually impaired strips offer added safety and accessibility with a photoluminescent option available on request











Find more finishing details for your floor, including coordinating cove and sanitary base, weld options, and installation materials on [nora.com](https://www.nora.com).












PRODUCT SR899 COLOR DARK BROWN INSTALLED MONOLITHIC

Step Repeat™ | SR799

			
104934 SMOKE	104935 GRANITE	104936 IRON	104937 ONYX
			
104915 KHAKI	104916 SABLE	104917 DARK BROWN	104918 MIDNIGHT

Step Repeat™ | SR899

			
104938 SMOKE	104939 GRANITE	104940 IRON	104941 ONYX
			
104919 KHAKI	104920 SABLE	104921 DARK BROWN	104922 MIDNIGHT



Specifications

- Modular, 50 cm x 50 cm**
SR799 13885, SR899 13886
 - Yarn Manufacturer**
Aquafil
 - Yarn System**
100% Recycled Content Nylon
 - Dye Method**
100% Solution Dyed
 - Construction**
Tufted Textured Loop
 - Preservative Protection**
Intersept®
 - Soil/Stain Protection**
Protekt™
 - Pile Thickness**
0.14 in, 3.6 mm
 - Pile Density**
SR799 6,686 oz/yd³, SR899 6,545 oz/yd³
 - Traffic Classification**
Severe
 - Total Recycled Content**
66%
 - Indoor Air Quality**
CRI Green Label Plus #GLP0820
- View the full product specification on interface.com*

Installation Methods



Scan For More






Step Repeat™ | SR999



104942 SMOKE




104943 GRANITE



104944 IRON



104945 ONYX




104923 KHAKI



104924 SABLE



104925 DARK BROWN



104926 MIDNIGHT



Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
13887

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt™

Pile Thickness
0.13 in, 3.2 mm

Pile Density
7,654 oz/yd³

Traffic Classification
Severe

Total Recycled Content
66%

Indoor Air Quality
CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Method



NON DIRECTIONAL

Scan For More




[click here](#)



norament® arago™ stairtreads



5171 FORTITUDE 5172 STAMINA 5175 UNITY



5177 BALANCE 5178 CALM 5179 TRANQUIL

Art. 3170 — width 1285 mm (~50.59 in)
 Art. 3171 — width 1614 mm (~63.54 in)
 Art. 3172 — width 2004 mm (~78.89 in)

norament® grano™ stairtreads




5301 WHITE FIR 5302 ANGELICA ROOT 5303 FRANKINCENSE



5304 BLACK PEPPER 5313 MARJORAM 5314 HENNA



5315 CEDARWOOD 5308 MYRRH 5329 BERGAMOT



5325 BALSAM 5317 AGAPANTHUS 5318 BLUE TANSY

Art. 479 — width 1285 mm (~50.59 in)
 Art. 468 — width 1614 mm (~63.54 in)
 Art. 469 — width 2004 mm (~78.89 in)


norament® hammered stairtreads



5336 RHINO 0884 DUST GREY 5337 ASH



0702 BLACK 0007 ALUMINUM 0882 PLATINUM GREY



0749 STONE GREY 0716 SLATE GREY 5343 EVERGREEN



0319 SLATE BLUE 0733 STEEL BLUE

Art. 479 — width 1285 mm (~50.59 in)
 Art. 468 — width 1614 mm (~63.54 in)
 Art. 469 — width 2004 mm (~78.89 in)

Scan For More



click here

View details and full product specifications at nora.com.



norament® round stairtreads

5336 RHINO	0884 DUST GREY	5337 ASH
0702 BLACK	0007 ALUMINUM	0882 PLATINUM GREY
0749 STONE GREY	0716 SLATE GREY	5343 EVERGREEN
0319 SLATE BLUE	0733 STEEL BLUE	

Art. 465 — width 1285 mm (~50.59 in)
 Art. 466 — width 1614 mm (~63.54 in)
 Art. 467 — width 2004 mm (~78.89 in)

norament® satura™ stairtreads

5102 GRUS	5107 CALLISTO	5110 ARA
5114 CIRCINUS	5115 HERCULES	5116 ARCTURUS
5127 VELA	5273 DORADO	

Art. 479 — width 1285 mm (~50.59 in)
 Art. 468 — width 1614 mm (~63.54 in)
 Art. 469 — width 2004 mm (~78.89 in)

norament® 920 stairtreads (Class A fire-rated) 🔥

0884 DUST GREY	0749 STONE GREY	0702 BLACK
0862 AZURE BLUE		

Art. 465 — width 1285 mm (~50.59 in)

Scan For More



click here

MADE FOR



DESIGN: WRIGHT INTERIOR DESIGN
PHOTO: © LUKE POTTER

MORE

nora®, norament®, and noraplan® are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. Other labels used here are trademarks of their respective owners.

Interface reserves the right to change or modify specifications. Please see website for latest specifications. We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

interface.com

United States Headquarters

1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

03/2025