Interface®

MADE FOR HEALTHCARE





PRODUCT CATALOG

NORA® RUBBER | LVT | CARPET TILE | FLOORING EXTRAS

MADE FOR CARE



ARCHITECT/DESIGN: PAYETTE
PHOTOS: © ROBERT BENSON PHOTOGRAPHY



ARCHITECT/DESIGN: PAYETTE
PHOTO: © ROBERT BENSON PHOTOGRAPHY



ARCHITECT/DESIGN: ARRAY ARCHITECTS
PHOTO: © CHRIS COOPER / ARCHEXPLORER

WITHOUT COMPROMISE



ARCHITECT/DESIGN: CHILDERS ARCHITECT
PHOTO: © THOMAS WATKINS

CONTENTS

04 Introduction

18 nora® Rubber

52 Luxury Vinyl Tile (LVT)

82 Carpet Tile

138 Flooring Extras



ARCHITECT/DESIGN: THE LIRO GROUP/DIGIORGIO ASSOCIATES INC.
PHOTO: © LINDSAY NICOLE PHOTOGRAPHY

As your single-source flooring provider for healing environments, Interface understands healthcare facilities. Our space-specific flooring solutions address the unique demands of the healthcare industry and enhance experiences and outcomes for both patients and staff.



ARCHITECT/DESIGN: E4H ARCHITECTURE
PHOTO: © JONATHAN TADIELLO | THE IMAGE STANDARD

Made with purpose & without compromise, our products help you get more from your floor. Align your healthcare environment to the needs of your staff and patients with our space-specific solutions.



ARCHITECT/DESIGN: ARRAY ARCHITECTS
PHOTO: © CHRIS COOPER / ARCHEXPLORER



Our flooring products—nora rubber, LVT, carpet tile, and coordinating accessories—are developed to provide superior performance and a lower total cost of ownership over the life of the products. From lobbies to patient rooms, it supports staff and patients every step of the way—with safety, health, and performance in mind. Every color, pattern, and detail is grounded in research on how design affects healing, safety, and wellbeing.



THAT'S WHY WE'RE MADE FOR MORE™

EXPLORE OUR SOLUTIONS FOR ANY SPACE
click here



Hospitals and clinics can support the needs of patients, staff and caregivers by thoughtfully choosing products that contribute to positive outcomes.

With the right flooring solution and maintenance protocols, you can lower the costs over the life of the product, reduce harmful noise, and provide added comfort underfoot—all of which contribute to a happier, healthier environment.

MORE THAN



ARCHITECT/DESIGN: LAVALLEE BRENSINGER ARCHITECTS
PHOTO: © SIRI BLANCHETTE / BLIND DOG PHOTO ASSOCIATES



ARCHITECT/DESIGN: HKS ARCHITECTS
PHOTO: © JOE AKER/AKER IMAGING

- Streamlined installation & maintenance: Help lower costs over the product's lifetime, backed by expert guidance to maximize your investment.
- Flexible & future-ready: Modular products adapt to evolving needs, all within budget.
- Healthier air: Third-party certified for low VOC emissions.
- Quieter spaces: Sound-absorbing solutions reduce noise at the floor level.
- Superior slip resistance: Reduces incidence of slips, trips, and falls.
- All-day comfort: Reduces staff fatigue with cushioned underfoot support.
- Cleaner surfaces: Reduces contamination without harsh chemicals.

A FLOOR

MADE FOR CIRCULAR THINKING

Good Design Never Ends



Designed once. Designed to be used again.

Circularity starts with good design. Built for the full life cycle, our products perform and they endure–so they stay in use longer and reduce impact at every stage.

Smarter design means modular solutions that use fewer materials and last longer. Better inputs–like recycled, bio-based, and carbon-storing materials–help lower carbon. Planning for what's next–with regional programs that reclaim, reuse, or recycle–keeps more flooring in use and out of the waste stream.

Each decision helps keep our products in play and drives carbon emissions down–for you and for us. It's proof that good design truly never ends.



© CHRISTOPHER PAYNE / ESTO



flooring made for more than one life

LEARN HOW WE'RE 'ALL IN'

click here

MADE FOR YOUR DEADLINE

QUICKSHIP

When high-function spaces need a fast flooring turnover, Interface QuickShip has you covered. QuickShip includes a range of Interface and nora flooring that meets design and performance needs in healing environments, so you can tackle your fast-paced projects knowing you didn't compromise on style, patient and staff-centered outcomes, or your budget.

For a full list of available products & shipping speeds visit
interface.com/quickship





FLOR® by Interface®

DESIGN THAT WORKS

Our area rugs don't just look different - they are different. Designed from individual carpet tiles, FLOR rugs bring together beauty, performance, and purpose for offices, conference rooms, and collaborative spaces - wherever ideas happen. FLOR delivers bold patterns, rich textures, and on-trend colors for all your projects.

Built to perform. Designed to impress. FLOR is made for high-performance commercial environments that demand both durability and refinement. Our modular system elevates the look and function of your space – all backed by a 15-year warranty. And because FLOR seamlessly integrates with Interface's flooring systems, you get a complete solution tailored to your needs.

Unlock endless design possibilities with FLOR.

FLOR.com/commercial
for more information, styles, and colors



PRODUCT MADE YOU LOOK **COLOUR** BONE AND BLACK FLOR.COM/MADE-YOU-LOOK
PROJECT LOCATION: INSIGHT GLOBAL, LOS ANGELES
PHOTOGRAPHER: THOMAS J STORY
DESIGNER: ASD|SKY

YOUR DESIGN PARTNER



WE MAKE FINDING DESIGN SOLUTIONS EASIER WITH INTERFACE DESIGN STUDIO.

FIND YOUR SALES REP TO START
click here

Our expert designers know all our product categories inside and out, and their services are complimentary.

- Designers partner with you from concept to completion
- Create distinct designs aligned to your vision and budget—regardless of project size
- Provide to-scale floor plan layouts
- Help project overall material waste
- Serve as an installation guide for contractors
- Include embodied carbon calculations
- Make it easier to design with carbon footprint in mind



ARCHITECT/DESIGN: HKS ARCHITECTS
PHOTO: © JOE AKER/AKER IMAGING



ARCHITECT/DESIGN: LAVALLEE BRENSINGER ARCHITECTS
PHOTO: © SIRI BLANCHETTE / BLIND DOG PHOTO ASSOCIATES

AT YOUR SERVICE

Our experts are available for consultations before, during, and after flooring installation. We can help develop a comprehensive maintenance plan for a greater return on investment, lower total cost of ownership, and minimal downtime in high-function spaces.





ARCHITECT/DESIGN: INVISION PHOTO: © WAYNE JOHNSON, MAIN STREET STUDIO

EVERY STEP OF THE WAY

NORA RUBBER

Flooring that's so durable it can last for decades—and still look good—is a must-have for any healthcare environment. nora rubber does just that and more.



ARCHITECT/DESIGN: INVISION
PHOTO: ©WAYNE JOHNSON, MAIN STREET STUDIO



ARCHITECT/DESIGN: CHILDERS ARCHITECT
PHOTO: © THOMAS WATKINS

MADE FOR PATIENTS, STAFF & CAREGIVERS

- Reduces incidence of slips, trips, falls
- Combats staff fatigue by providing comfort underfoot
- Offers impact sound reduction of up to Δ IIC 23
- Floor coverings and adhesives are GREENGUARD Gold Certified for low VOC emissions
- norament 926 and noraplan 913 styles are Greenhealth Approved™

MADE FOR EASY OWNERSHIP

Dimensionally stable with a non-porous and highly dense surface for a long-lasting floor that is easy to own.

Maintenance

- Cleans easily with little more than water
- Highly resistant to chemicals and stains
- Scratches can be remediated & larger damage is repairable
- Doesn't require coatings

Installation

- The nora® nTx™ installation system combines standard nora floor coverings with a self-adhesive layer for even easier installation
- Moisture resistant systems, including adhesives, available

MADE FOR ENVIRONMENTAL STEWARDSHIP

- norament 926 and noraplan 913 styles are Cradle to Cradle Certified® Silver





PHOTO: ©MARKUS BACHMANN

PRODUCT NORAMENT ARAGO **COLOR** HARMONY

norament® **arago™**


5170
STRENGTH


5171
FORTITUDE


5172
STAMINA


5174
HARMONY


5175
UNITY


5177
BALANCE


5178
CALM


5179
TRANQUIL


5180
SERENE

Specifications

Article Number: Tile
3118

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Relief Structure

Nominal Dimensions: Tile
~1000 mm x 500 mm (~39.37 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold; CDPH 01350 Compliant

Also available as norament® arago™ nTx™. View details and the full product specification at interface.com.

For coordinating stair treads, visit interface.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: CPL PHOTO: © HOMMATI 102

PRODUCT NORAMENT CASTELLO **COLOR** DOMUS

norament **castello**™


5351
CHATEAU


5352
CITADEL


5353
CORTEGE


5354
MANOR


5355
PALAZZO


5356
DOMUS


5357
PALAIS


5358
CATHEDRAL

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Tile
3167

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament castello™ nTx™. View details and the full product specification at interface.com.

Installation Method

DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAPLAN CONVIA **COLOR** STONE KHAKI

noraplan **convia**™

7351
PEARL GREY

7352
LAVA ROCK

7353
BASALT

7354
PITCH

7355
SILVER SAND

7356
SHALE

7357
SMOKEY ASH

7358
WROUGHT IRON

7359
ICED TAUPE

7360
STONE KHAKI

7361
WARM SAND

7362
PUTTY

7363
BUTTERMILK

7364
PALE GREEN

7365
DUSTY MINT

7366
PATINA GREEN

7367
ADOBE

7368
POWDER BLUE

7369
HYDRANGEA

7370
PIGEON BLUE

7371
HONEY

7372
CHARTREUSE

7373
CAROLINA BLUE

7374
LUMINOUS RED

7375
CARMINE RED

7376
BILLIARDS

7377
GRECIAN BLUE

7378
VIOLET BLUE

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Sheet
170F
Article Number: Tile
270F
Product Construction
Homogeneous Rubber Sheet & Tile
Class: Sheet/ASTM F1859
Type I
Class: Tile/ASTM F1344
Type I and Grade 1
Total Thickness
~2 mm
Surface Type
Smooth
Nominal Dimensions: Sheet
~15 m x 1.22 m (~49.21 ft x 48 in)
Nominal Dimensions: Tile
~610 mm x 610 mm (~24.015 in x 24.015 in)
Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan convia™ nTx™. View details and the full product specification at interface.com.

Installation Methods

DIRECTIONAL

DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAPLAN DARIVA **COLORS** PEPPERWOOD, SYCAMORE & HEMLOCK

noraplan **dariva**™

7161
PINE NUT

7164
HICKORY

7168
ARGAN

7173
RED MAPLE

6716
ALMOND

6718
WALNUT

6715
PECAN

6719
COCOA BEAN

6714
MUSHROOM

6721
SANDBAR

6722
PINECONE

6723
BARK

6713
BIRCH

6709
SMOKE

7169
RIVER BIRCH

6710
CHARCOAL

7162
COTTONWOOD

7165
PEPPERWOOD

7170
ACAI BERRY

7174
BLUEBELL

6708
BEACH WOOD

7166
PALMETTO

7171
BLUE SPRUCE

7175
WISTERIA

7163
PLANTAIN

7167
JUNIPER

7172
SYCAMORE

7176
HEMLOCK

Specifications

Article Number: Sheet
2 mm 160F
3 mm 161F

Product Construction
Homogeneous Rubber Sheet

Class: Sheet/ASTM F1859
Type I

Total Thickness
Available in ~2 mm and ~3 mm

Surface Type
Smooth

Nominal Dimensions: Sheet
2 mm ~ 15 m x 1.22 m (~49.21 ft x 48 in)
3 mm ~ 12 m x 1.22 m (~39.37 ft x 48 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan dariva™ nTx™. View details and the full product specification at interface.com.

Installation Method

DIRECTIONAL

Scan For More


BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: HKS ARCHITECTS
PHOTO: © JOE AKER/AKER IMAGING

PRODUCT NORAPLAN ENVIRONCARE **COLORS** LEAP FROG, PARADE, SLEIGH RIDE

noraplan **environcare**™



Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Sheet
1463
Article Number: Tile
2463
Product Construction
Homogeneous Rubber Sheet & Tile
Class: Sheet/ASTM F1859
Type I
Class: Tile/ASTM F1344
Type I and Grade 1
Total Thickness
~3 mm (also available in ~2 mm)
Surface Type
Smooth
Nominal Dimensions: Sheet
~12 m x 1.22 m (~39.37 ft x 48 in)
Nominal Dimensions: Tile
~610 mm x 610 mm (~24.015 in x 24.015 in)
Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan environcare™ nTx™. View details and the full product specification at interface.com.

Installation Methods



Scan For More

BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: NBBJ PHOTO: © CHUCK CHOI

PRODUCT NORAMENT GRANO **COLORS** WHITE FIR & BLUE TANSY

norament® **grano**™

Hammered Surface

5301 WHITE FIR
5302 ANGELICA ROOT
5303 FRANKINCENSE
5304 BLACK PEPPER
5305 AGAR
5306 CAMPHOR
5307 FENUGREEK
5308 MYRRH
5309 JASMINE
5310 HELICHRYSUM
5311 COPAIBA
5312 VETIVER
5313 MARJORAM
5314 HENNA
5315 CEDARWOOD
5316 SIBERIAN FIR
5317 AGAPANTHUS
5318 BLUE TANSY
5319 SPIKENARD
5320 SASSAFRAS
5321 WINTERGREEN
5322 YLANG-YLANG
5323 PLUMERIA
5324 PATCHOULI
5325 BALSAM
5326 FENNEL SEED
5327 TEA TREE
5328 ARBORVITAE
5329 BERGAMOT
5330 CASSIA
5331 NEROLI
5332 GERANIUM

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Tile
Hammered Surface 1880
Cubic Structure Surface 1870

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Hammered

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament® grano™ nTx™. View details and the full product specification at interface.com.

For coordinating stair treads, visit interface.com.

Installation Method

DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAMENT KIVO COLORS 5371 GREIGE & 5372 LAPIS

norament **kivo**™

5361
PUMICE

5362
FLINT

5363
SHARKSKIN

5364
PEWTER

5365
CEMENT

5366
COBBLESTONE

5367
TITANIUM

5368
GRANITE

5371
GREIGE

5372
LAPIS

5373
MALACHITE

5374
SEAWEED

5375
SPINACH

5376
BURGUNDY

5377
CINDER

5378
MIDNIGHT

5379
BLACKCURRANT

Specifications

Article Number: Tile
3166

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~2.7 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

View details and the full product specification at interface.com.

Installation Method

DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: CHILDERS ARCHITECT PHOTO: © THOMAS WATKINS

PRODUCT NORAMENT PADO **COLOR** CONCRETE

norament **pado**™


5501
NATURAL


5502
CORAL


5503
EMERALD


5504
CORONET


5505
CONCRETE


5506
MINERAL


5507
SHADOW


5508
WINDSOR


5509
ROSE QUARTZ


5510
BLUFF


5511
MOON MIST


5512
SPEARMINT


5513
NIGHTSHADE


5514
LAUREL


5515
FOREST


5516
GALAXY

Specifications

Article Number: Tile
3167

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament pado™ nTx™. View details and the full product specification at interface.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAMENT SATURA **COLOR** CYGNUS

norament® **satura**™

Hammered Surface


5102
GRUS

5105
CYGNUS


5106
VULPECULA


5107
CALLISTO


5109
ORION


5110
ARA


5111
CASTOR


5113
SAGITTA


5114
CIRCINUS


5115
HERCULES


5116
ARCTURUS


5122
EARTH


5127
VELA


5128
DELPHINUS


5189
VIRGO


5270
TUCANA


5271
ARIES


5272
CARINA


5273
DORADO


5274
APUS


5275
LEO


5276
PHOENIX

Two-Tone Surface


5109
ORION


5110
ARA


5111
CASTOR


5115
HERCULES


5272
CARINA


5273
DORADO



Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Tile
1880 Hammered surface
3167 Two-Tone surface

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Hammered, Two-Tone

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

View details and the full product specification at interface.com.

For coordinating stair treads, visit interface.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: BALLINGER
PHOTO: © 2021 HALKIN MASON PHOTOGRAPHY LLC

PRODUCT NORAPLAN SENTICA **COLORS** ALOE, FIRST DAY & REGATTA
PRODUCT NORAPLAN ENVIRONCARE **COLOR** SLEDDING

noraplan® **sentica**™

6500 COTTON CANDY
6501 PROM
6502 VACATION
6503 INDULGENCE
6504 DOWN FEATHERS
6505 SILK
6506 CASHMERE
6507 OLD OAK

6508 WOOL
6509 SAND BOX
6510 DINNER ROLLS
6511 CLYDESDALE
6512 SUNRISE
6513 HAYRIDE
6514 HEAT WAVE
6515 BARBEQUE

6516 ALOE
6517 CUT GRASS
6518 FIRST DAY
6519 PICNIC
6520 SNOW DAY
6521 SUNDAY PAPER
6522 EXPEDITION
6523 ROAD TRIP

6524 FROST BITE
6525 OCEAN MIST
6526 MOUNTAIN AIR
6527 DEEP SEA
6528 ICE CUBE
6529 SURF
6530 WATERFALL
6531 REGATTA

6532 ZEST
6533 VALENTINE
6534 CARNIVAL
6535 DESTINATION
6536 WHEAT FIELDS
6537 CAMP FIRE

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Sheet
1701
Article Number: Tile
2701
Product Construction
Homogeneous Rubber Sheet & Tile
Class: Sheet/ASTM F1859
Type I
Class: Tile/ASTM F1344
Type I and Grade 1
Total Thickness
~3 mm (also available in ~2 mm)
Surface Type
Smooth
Nominal Dimensions: Sheet
~12 m x 1.22 m (~39.37 ft x 48 in)
Nominal Dimensions: Tile
~610 mm x 610 mm (~24.015 in x 24.015 in)
Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan® sentica™ nTx™. View details and the full product specification at interface.com.

Installation Methods

DIRECTIONAL DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAVANT TIMBER **COLOR** HOMESTEAD

noravant™ **timber**


7505 PROVINCIAL GROVE


7504 FRONTIER


7507 WOODLAND


7501 LENNOX


7508 FJORD


7506 HOMESTEAD


7509 ASHWOOD


7502 HIGHLAND HILLS


7510 BLACK FOREST


7503 REDWOOD

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Sheet
150H

Product Construction
Heterogeneous Rubber Compound

Class: Sheet/ASTM F1859
Type I

Total Thickness
~2 mm

Surface Type
Oak structure

Nominal Dimensions
~15 m x 1.22 m (~49.21 ft x 48 in)

Useable Dimensions
~15 m x 1.2 m (~49.21 ft x 47.24 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

View details and the full product specification at interface.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



HOSPITAL KARLSRUHE, HOUSE M, DE
© ELMAR WITT

PRODUCT NORAMENT GRANO ED

nora® **ed flooring**

Protection to stand on. And count on.

nora ed flooring discharges static quickly and reliably – safeguarding people, electronic devices and sensitive equipment.

Key benefits

- **Reliable static protection** – static generation is consistently below 20V in use (ESD STM97.2 tested with conductive shoes)
- **Minimal upkeep** – No conductive wax needed with reduced maintenance that requires little more than water
- **Built for heavy use** – resistant to most oils, greases and chemicals
- **Quieter underfoot** – reduces footfall noise for improved comfort
- **High slip resistance** – better for safer working environments
- **Health-conscious material** – no PVC, halogenated polymers or phthalate plasticisers
- **Proven ESD protection** – 10-year limited conductive warranty

Trusted to perform. Trusted to look good.

Create spaces that meet the most demanding of technical standards. And the highest standards of design. Choose a classic stone look or dip into targeted colour palettes.


nora ED flooring protects people and electronics in a wide range of settings, including:

- Pharmaceutical manufacturing
- Laboratories
- ORs and MRIs
- Research facilities

Scan For More

BROWSE IMAGES
ORDER SAMPLES


norament castello™ ed




5355 PALAZZO | 5356 DOMUS | 5351 CHATEAU

Electrostatically-dissipative
Art. 3167 ~3.5 mm
☐ ~1000 mm x 1000 mm (~39.37 in x 39.37 in)

norament® grano™ ed



5301 WHITE FIR | 5306 CAMPHOR | 5317 AGAPANTHUS | 5318 BLUE TANSY



5329 BERGAMOT | 5325 BALSAM | 5321 WINTERGREEN | 5304 BLACK PEPPER

Electrostatically-dissipative
Art. 1880 ~3.5 mm
☐ ~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Electrostatically-dissipative for raised access floors*
Art. 1912 ~3.5 mm
☐ ~625 mm x 625 mm (~24.6 in x 24.6 in)

Available in 5304 and 5306 colors



PRODUCT NORAPLAN ENVIRONCARE ED
BERGMANN CLINICS LOCATIONS NAARDEN, NL © BEELDWERKEN

nora® **ed flooring**

norament pado™ ed


5505
CONCRETE


5502
CORAL


5514
LAUREL

Electrostatically-dissipative
Art. 3167 ~3.5 mm
☐ ~1000 mm x 1000 mm (~39.37 in x 39.37 in)

noraplan environcare™ ed


7031 BASEBALL GAME


7033 TAIL GATING


7035 SNOW SHOEING


7036 CLAM BAKE


7044
EGG HUNT


7045 ICE SKATING


7051 SNOWBALL FIGHT


7052
SLEDDING


7055 CHAMPAGNE TOAST


7056
ANTIQUING


7065 POOL PARTY


7066
PARADE


7067 YARD GAMES


7076 COUNTY FAIR

Electrostatically-dissipative
Art. 1390 ~2 mm
▭ ~15 m x 1.22 m (~49.21 ft x 48 in)

Art. 2390 ~2 mm
☐ ~610 mm x 610 mm (~24.015 in x 24.015 in)
15 ☐ = 5.58 m² per carton

Art. 1523 ~3 mm
▭ ~12 m x 1.22 m (~39.37 ft x 48 in)

noraplan® sentica™ ed


6520
SNOW DAY


6521 SUNDAY PAPER


6522
EXPEDITION


6523
ROAD TRIP


6508
WOOL


6509
SAND BOX


6504 DOWN FEATHERS


6505
SILK


6517
CUT GRASS


6513
HAYRIDE


6529
SURF


6530
WATERFALL

Electrostatically-dissipative
Art. 1702 ~2 mm
▭ ~15 m x 1.22 m (~49.21 ft x 48 in)

Art. 2702 ~2 mm
☐ ~610 mm x 610 mm (~24.015 in x 24.015 in)
15 ☐ = 5.58 m² per carton

Art. 1703 ~3 mm
▭ ~12 m x 1.22 m (~39.37 ft x 48 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAMENT GRANO XP **COLORS** CAMPHOR & SPIKENARD

norament® grano™ xp

Hammered Surface


5301
WHITE FIR


5302 ANGELICA ROOT


5303
FRANKINCENSE


5304 BLACK PEPPER


5305
AGAR


5306
CAMPHOR


5307
FENUGREEK


5309
JASMINE


5310
HELICHRYSUM


5311
COPAIBA


5319
SPIKENARD


5330
CASSIA*

Cubic Structure Surface


5306
CAMPHOR


5303
FRANKINCENSE


5304
BLACK PEPPER


5310
HELICHRYSUM


5319
SPIKENARD


5330
CASSIA*

* Use to identify sterile or restricted areas. Welding is not required unless specified.
View weld recommendations at interface.com.

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number: Tile
Hammered Surface 1880
Cubic Structure Surface 1870

Product Construction
Homogeneous Rubber Compound

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Hammered; Cubic

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament® grano™ nTx™. View details and the full product specification at interface.com.

Installation Methods

DIRECTIONAL

Scan For More

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT NORAMENT CASTELLO XP **COLOUR** CORTEGE

norament® **castello™ xp**



5351
CHATEAU



5353
CORTEGE



5354
MANOR



5355
PALAZZO

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number
1880

Product Construction
Homogeneous Rubber Compound

Class: ASTM F1344
Type I and Grade 1

Total Thickness
~3.5 mm

Surface Type
Two-Tone Surface

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament® castello™ nTx™. View details and the full product specification at interface.com.

Installation Method



DIRECTIONAL

Scan For More

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT NORAMENT SATURA XP **COLOUR** 5105 CYGNUS

norament® **satura™ xp**


5109
ORION


5110
ARA


5111
CASTOR


5276
PHOENIX

5105
CYGNUS


5102
GRUS


5106
VULPECULA


5127
VELA

Made for Fast Delivery.
See interface.com/quickship
for program details.

Specifications

Article Number
1880

Product Construction
Homogeneous Rubber Compound

Class: ASTM F1344
Type I and Grade 1

Total Thickness
~3.5 mm

Surface Type
Hammered

Nominal Dimensions: Tile
~1000 mm x 1000 mm (~39.37 in x 39.37 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament® satura™ nTx™. View details and the full product specification at interface.com.

Installation Methods


DIRECTIONAL

Scan For More

CHECK AVAILABILITY
ORDER SAMPLES

LUXURY VINYL TILE

With Interface 3.0 mm LVT or 4.5 mm Sound Choice™ LVT, it's easier to choose the right flooring for different areas of your healthcare facility.

To ease installation and maintenance, both options have Ceramor™ coating, a durable UV-stabilized ceramic bead finish, and provide options for no transition strips when paired with our carpet tile or nora rubber. Choose from a variety of planks and squares to see the design vision for your space come to life.



	4.5 MM SOUND CHOICE	3.0 MM
MADE FOR HEALING ENVIRONMENTS		
Impact sound reduction	IIC 64	IIC 56
Slip-resistant finish	X	X
MADE FOR DURABILITY		
Ceramor™ coating resists scuffs and scratches	X	X
Core sheet offers dimensional stability and reduced telegraphing	X	X
Fiberglass layer adds stability and controlled flexibility	X	
MADE FOR CIRCULARITY		
39% pre-consumer recycled content	X	X
GreenCircle™ certified Recyclable through our ReEntry™ program	X	



ARCHITECT/DESIGN: GRANT INTERIOR DESIGN LAB
PHOTO: © RYAN DUGGER/CREATIVE REVOLVER



PRODUCT BRUSHED LINES **COLORS** CELADON & TEAL OXIDE **INSTALLED** ASHLAR

Brushed Lines™

4.5 mm A01602 ALABASTER

4.5 mm A01604 GALENA
3.0 mm C00701 GALENA

4.5 mm A01605 GRAPHITE
3.0 mm C00702 GRAPHITE

4.5 mm A01606 KOHL

4.5 mm A01608 SANDALWOOD
3.0 mm C00705 SANDALWOOD

4.5 mm A01609 PARAFFIN
3.0 mm C00704 PARAFFIN

4.5 mm A01611 MOUSSE
3.0 mm C00703 MOUSSE

4.5 mm A01612 SOFT SHADOW

4.5 mm A01616 ROUGE

4.5 mm A01618 CELADON
3.0 mm C00706 CELADON

4.5 mm A01619 EUCALYPTUS

4.5 mm A01620 TEAL OXIDE
3.0 mm C00708 TEAL OXIDE

4.5 mm A01622 DEEP COBALT
3.0 mm C00707 DEEP COBALT

Specifications

Product Number
4.5 mm A016; 3.0 mm C007

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods

ASHLAR HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT HEARTH **COLOR** GRIS
PRODUCT E611 **COLOR** MARBLE **INSTALLED** ASHLAR

Earthen Forms™ Collection | **On Grain™**


4.5 mm A03301 WHITE OAK VENEER


4.5 mm A03302 EUROPEAN WALNUT


4.5 mm A03303 HONEYED OAK


4.5 mm A03304 OILED WALNUT


4.5 mm A03305 BESPOKE TIMBER


4.5 mm A03306 GOLDEN OAK


4.5 mm A03307 PALE ASH


4.5 mm A03308 SMOKEY ASH

Earthen Forms™ Collection | **Hearth™**


4.5 mm A03501 PETRA


4.5 mm A03502 GRIS


4.5 mm A03503 SANDSTONE


4.5 mm A03504 MARBLE DUST

Specifications

Product Number
On Grain A033
Hearth A035

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™+ Coating

Nominal Dimensions
On Grain 25 cm x 1 m (9.845 in x 39.38 in)
Hearth 50 cm x 1 m (19.69 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified;
CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods


ASHLAR HERRINGBONE

Scan For More

On Grain

BROWSE IMAGES
ORDER SAMPLES

Hearth

BROWSE IMAGES
ORDER SAMPLES



PRODUCT CLIFF **COLOR** LIMESTONE **INSTALLED** ASHLAR

Fresco Valley™ Collection | **Cliff™**



4.5 mm A02401 LAPIS



4.5 mm A02402 SANDSTONE



4.5 mm A02403 LIMESTONE
3.0 mm C00802 LIMESTONE



4.5 mm A02404 ALABASTER
3.0 mm C00801 ALABASTER



4.5 mm A02405 GRANITE



4.5 mm A02406 IRONSTONE

Specifications

Product Number
4.5 mm A024
3.0 mm C008

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified;
CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

4.5 mm

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT IN THE MIX **COLOUR** KEYSTONE **INSTALLED** MONOLITHIC

In The Mix™




4.5 mm A03901 OYSTER



4.5 mm A03902 DUNE
3.0 mm C02301 DUNE




4.5 mm A03903 CANYON
3.0 mm C02302 CANYON



4.5 mm A03904 SHALE



4.5 mm A03905 KEYSTONE
3.0 mm C02303 KEYSTONE



4.5 mm A03906 CAVERN
3.0 mm C02304 CAVERN

Specifications

Product Number
4.5 mm A039
3.0 mm C023

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™+ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified;
CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods



ASHLAR



BRICK



MONOLITHIC

Scan For More

4.5 mm



CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm



CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT HEIRLOOM **COLOUR** MERINO WOOL & SWEETGRASS **INSTALLED** ASHLAR

Lasting Impressions™ Collection | **Heirloom™**


4.5 mm A03601 RICE PAPER


4.5 mm A03602 CANVAS
3.0 mm C02201 CANVAS


4.5 mm A03603 MERINO WOOL
3.0 mm C02202 MERINO WOOL


4.5 mm A03604 SEPIA
3.0 mm C02203 SEPIA


4.5 mm A03605 JUTE


4.5 mm A03606 SWEETGRASS


4.5 mm A03607 BERYL


4.5 mm A03608 DYED INDIGO

Lasting Impressions™ Collection | **Plaster™**


A03701 COBBLESTONE


A03702 EARTHENWARE


A03703 BROWNSTONE


A03704 CINDER

Specifications

Product Number
Heirloom 4.5 mm A036
Heirloom 3.0 mm C022
Plaster A037

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
Heirloom 4.5 mm and 3.0 mm options available
Plaster 4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™+ Coating

Nominal Dimensions
On Grain 25 cm x 1 m (9.845 in x 39.38 in)
Hearth 50 cm x 1 m (19.69 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified;
CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods


ASHLAR


ASHLAR

Scan For More

Heirloom 4.5 mm

CHECK AVAILABILITY
ORDER SAMPLES

Heirloom 3.0 mm

CHECK AVAILABILITY
ORDER SAMPLES

Plaster 4.5 mm

CHECK AVAILABILITY
ORDER SAMPLES



ARCHITECT/DESIGN: GRESHAM SMITH
PHOTO: ©2019 MCGINN PHOTOGRAPHY

PRODUCT NATURAL WOODGRAINS **COLOR** SAND DUNE **INSTALLED** ASHLAR

Level Set™ Collection | **Natural Woodgrains™**


4.5 mm A00201 BLACK WALNUT


4.5 mm A00202 MADAGASCAR


4.5 mm A00203 CHESTNUT


4.5 mm A00204 BEECH
3.0 mm C00901 BEECH


4.5 mm A00205 STORM


4.5 mm A00206 WINTER GREY


4.5 mm A00207 WASHED WHEAT
3.0 mm C00906 WASHED WHEAT


4.5 mm A00208 SAND DUNE
3.0 mm C00903 SAND DUNE


4.5 mm A00209 MAHOGANY


4.5 mm A00210 TEAK
3.0 mm C00904 TEAK


4.5 mm A00211 WASHED MAPLE
3.0 mm C00905 WASHED MAPLE


4.5 mm A00212 CEDAR
3.0 mm C00902 CEDAR

Specifications

Product Number
4.5 mm A002; 3.0 mm C009
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
4.5 mm and 3.0 mm options available
Backing Class
Commercial Grade
Finish
Ceramor™ Coating
Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



ARCHITECT/DESIGN: GRESHAM SMITH
PHOTO: ©2019 MCGINN PHOTOGRAPHY

PRODUCT TEXTURED WOODGRAINS **COLOR** RUSTIC CASHEW **INSTALLED** ASHLAR

Level Set™ Collection | **Textured Woodgrains™**


4.5 mm A00401 DISTRESSED WALNUT


4.5 mm A00402 DISTRESSED CASHEW


4.5 mm A00403 DISTRESSED HICKORY


4.5 mm A00405 GREY DUNE


4.5 mm A00406 ANTIQUE LIGHT OAK
3.0 mm C01402 ANTIQUE LIGHT OAK


4.5 mm A00407 WHITE WASH


4.5 mm A00409 ASH WALNUT


4.5 mm A00415 ANTIQUE OAK


4.5 mm A00416 ANTIQUE DARK OAK
3.0 mm C01401 ANTIQUE DARK OAK


4.5 mm A00417 SILVER DUNE


4.5 mm A00418 CHARCOAL DUNE


4.5 mm A00420 RUSTIC CASHEW


4.5 mm A00421 RUSTIC OAK


4.5 mm A00422 RUSTIC HICKORY


4.5 mm A00423 RUSTIC ASH


4.5 mm A00425 RUSTIC CHARCOAL


4.5 mm A00426 SUGARPINE


4.5 mm A00427 HEMLOCK

Specifications

Product Number
4.5 mm A004; 3.0 mm C014
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
4.5 mm and 3.0 mm options available
Backing Class
Commercial Grade
Finish
Ceramor™ Coating
Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT TEXTURED STONES **COLOUR** LIGHT CONCRETE **INSTALLED** BRICK

Level Set™ Collection | **Textured Stones™**



4.5 mm A00301
POLISHED CEMENT



4.5 mm A00308 LIGHT CONCRETE
3.0 mm C01302 LIGHT CONCRETE



4.5 mm A00302 COOL
POLISHED CEMENT



4.5 mm A00309 MEDIUM CONCRETE
3.0 mm C01303 MEDIUM CONCRETE



4.5 mm A00310 DARK CONCRETE
3.0 mm C01301 DARK CONCRETE

Specifications

Product Number
4.5 mm A003; 3.0 mm C013
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
4.5 mm and 3.0 mm options available
Backing Class
Commercial Grade
Finish
Ceramor™ Coating
Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods



ASHLAR



BRICK



MONOLITHIC



QUARTER-TURN

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



ARCHITECT/DESIGN: GRANT INTERIOR DESIGN LAB
PHOTO: RYAN DUGGER AT CREATIVE REVOLVER

PRODUCT NATIVE FABRIC **COLOUR** FLAX **INSTALLED** BRICK
PRODUCT STEADY STRIDE WOODGRAINS **COLOUR** BRISTLE **INSTALLED** ASHLAR

Native Fabric™



C01501 FLAX



C01502 LINEN



C01503 TWINE

Specifications

Product Number
C015

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
3.0 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods



ASHLAR



BRICK



MONOLITHIC



QUARTER-TURN

Scan For More

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT NORTHERN GRAIN **COLOR** DARK WASH **INSTALLED** ASHLAR

Northern Grain™

4.5 mm A02601 GLAZED OAK

4.5 mm A02602 CHIFFON OAK

4.5 mm A02603 BARE OAK

4.5 mm A02604 DRIED OAK

4.5 mm A02605 NORDIC WASH

4.5 mm A02606 ANTIQUE WASH
3.0 mm C01101 ANTIQUE WASH

4.5 mm A02607 DARK WASH
3.0 mm C01102 DARK WASH

4.5 mm A02608 GREY WASH

4.5 mm A02609 AGED SATIN

4.5 mm A02610 NATURAL SATIN

4.5 mm A02611 OAK SATIN
3.0 mm C01103 OAK SATIN

4.5 mm A02612 DARK SATIN

Specifications

Product Number
4.5 mm A026; 3.0 mm C011
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
4.5 mm and 3.0 mm options available
Backing Class
Commercial Grade
Finish
Ceramor™ Coating
Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods

ASHLAR HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT RAW MATERIALS **COLOUR** SLATE **INSTALLED** ASHLAR

Raw Materials™



4.5 mm A04201 CRIMSON
3.0 mm C02404 CRIMSON



4.5 mm A04202 ORANGE



4.5 mm A04203 GRASS GREEN
3.0 mm C02402 GRASS GREEN



4.5 mm A04204 TEAL



4.5 mm A04205 ELECTRIC BLUE
3.0 mm C02401 ELECTRIC BLUE



4.5 mm A04206 SLATE
3.0 mm C02403 SLATE



4.5 mm A04207 MIDNIGHT PURPLE



4.5 mm A04208 BLACK INK

Specifications

Product Number
4.5 mm A042; 3.0 mm C024
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
4.5 mm and 3.0 mm options available
Backing Class
Commercial Grade
Finish
Ceramor+™ Coating
Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT SCORPIO **COLORS** SILVERLIGHT & PEWTER **INSTALLED** MONOLITHIC

Scorpio™

4.5 mm A01701
YELLOW

4.5 mm A01702
CHARTREUSE

4.5 mm A01703
ORANGE

4.5 mm A01704
RED

4.5 mm A01705
DEEP FUCHSIA

4.5 mm A01706
VIOLET

4.5 mm A01708
ELECTRIC BLUE

4.5 mm A01709
AQUA

4.5 mm A01712
DARK GREEN

4.5 mm A01713
PEBBLE

4.5 mm A01714
MUSHROOM

4.5 mm A01715
SAND

4.5 mm A01716
SILVERLIGHT

4.5 mm A01717
PEWTER

4.5 mm A01718
SLATE

Specifications

Product Number
A017

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods

ASHLAR BRICK QUARTER-TURN MONOLITHIC

Scan For More

CHECK AVAILABILITY
ORDER SAMPLES



ARCHITECT/DESIGN: GRANT INTERIOR DESIGN LAB
PHOTO: RYAN DUGGER AT CREATIVE REVOLVER

PRODUCT STEADY STRIDE WOODGRAINS **COLOR** BARLEY **INSTALLED** ASHLAR

Steady Stride Woodgrains™


3.0 mm B00101 BISCUIT


3.0 mm B00102 BRISTLE


3.0 mm B00103 MALT


3.0 mm B00104 DRIFTWOOD


3.0 mm B00105 NICKEL


3.0 mm B00106 BLONDE


3.0 mm B00107 BARLEY


3.0 mm B00109 ELM


3.0 mm B00110 MOCHA


3.0 mm B00113 GRAPHITE


3.0 mm B00114 STERLING

Specifications

Product Number
B001
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
3.0 mm
Backing Class
Commercial Grade
Finish
Ceramor™ Coating
Nominal Dimensions
12.5 cm x 1 m (4.923 in x 39.38 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



ARCHITECT/DESIGN: 2WR
PHOTO: © HARLAN HAMBRIGHT

PRODUCT STUDIO SET **COLOR** SLATE
PRODUCT NATURAL WOODGRAINS **COLOR** WASHED MAPLE **INSTALLED** ASHLAR

Studio Set™

4.5 mm A00701 SILVERLIGHT
3.0 mm C01204 SILVERLIGHT

4.5 mm A00702 PEWTER
3.0 mm C01203 PEWTER

4.5 mm A00703 PEPPER
3.0 mm C01202 PEPPER

4.5 mm A00704 ESPRESSO

4.5 mm A00705 TITANIUM
3.0 mm C01205 TITANIUM

4.5 mm A00706 MUSHROOM
3.0 mm C01201 MUSHROOM

4.5 mm A00708 IRIS
3.0 mm C01207 IRIS

4.5 mm A00709 OCEAN
3.0 mm C01209 OCEAN

4.5 mm A00710 POPPY
3.0 mm C01211 POPPY

4.5 mm A00712 MARIGOLD
3.0 mm C01208 MARIGOLD

4.5 mm A00713 SLATE
3.0 mm C01213 SLATE

4.5 mm A00715 CHARTREUSE
3.0 mm C01206 CHARTREUSE

4.5 mm A00716 ORANGE
3.0 mm C01210 ORANGE

4.5 mm A00717 RED

4.5 mm A00718 DEEP FUCHSIA

4.5 mm A00719 VIOLET

4.5 mm A00720 ROYAL BLUE
3.0 mm C01212 ROYAL BLUE

4.5 mm A00721 ELECTRIC BLUE

4.5 mm A00722 AQUA

4.5 mm A00723 KELLY GREEN

4.5 mm A00724 TURQUOISE
3.0 mm C01214 TURQUOISE

4.5 mm A00725 DARK GREEN

4.5 mm A00726 PEBBLE

4.5 mm A00727 SAND

Specifications

Product Number
4.5 mm A007; 3.0 mm C012

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 - 2022 Level 1

Full product specification on interface.com

Installation Methods

ASHLAR

HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

CARPET TILE

Our modular carpet has the comfort and style you love about soft flooring with the flexibility of tile. We've been perfecting it for more than 50 years.



ARCHITECT/DESIGN: BWBR ARCHITECTS
PHOTO: ©2018 FARM KID STUDIOS, INC.



ARCHITECT/DESIGN: BWBR ARCHITECTS
PHOTO: ©2018 FARM KID STUDIOS, INC.

MADE FOR PATIENTS & CAREGIVERS

- **Design Flexibility:** Extensive selection of patterns, colors, and sizes providing ideal solutions to address both current and future needs regardless of the space, all while staying within your budget


MADE FOR OPERATIONAL EFFICIENCIES

- **Stable Backing System:** keeps tiles in place and flat on the floor
- **Durable Construction:** premium recycled content nylon fiber withstands heavy traffic
- **Resistant Fibers:** solution-dyed to endure harsh substances like bleach or hand sanitizers
- **Intersept™ Technology:** our proprietary preservative, permanently incorporated into the backing to protect carpet tiles against mold growth and odor—even at the seams
- **Eases Installation & Replacement:** glue-free TacTile® installation system for most backings, with full-spread adhesive recommended for areas with heavy rolling loads
- **Selective Replacement:** i2™ styles with mergeable dye lots for easy and selective tile replacement
- **Moisture Resistance:** backing systems, including adhesives, available



ARCHITECT/DESIGN: CPL
PHOTO: © HOMMATI 102

MADE FOR REDUCING YOUR IMPACT



CQUEST™ BACKINGS

Our innovative CQuest™ backings offer superior performance and a low carbon footprint, and Interface modular carpet on CQuest backings meet the USDA Certified Biobased Content Federal Purchasing Requirements for carpet.

CQUEST™BIO & CQUEST™BIOX

Incorporate biobased and recycled content and are free of PVC and antimicrobials

Interface modular carpet on these backings is Cradle to Cradle Certified® Silver.

USDA CERTIFIED BIOBASED PRODUCT PRODUCT 74%

MODULAR CARPET ON CQUEST™BIOX

USDA CERTIFIED BIOBASED PRODUCT PRODUCT 47%

MODULAR CARPET ON CQUEST™BIO



RECYCLABLE

GlasBac backing is GreenCircle® certified recyclable through our ReEntry™ program

LOW CARBON FOOTPRINT

Interface carpet tile has the lowest carbon footprint in the commercial flooring industry, before any offsets.

GREENHEALTH APPROVED™

Addresses priority chemicals of concern





© CHRISTOPHER PAYNE / ESTO



ARCHITECT/DESIGN: GBBN
PHOTO: © BRAD FEINKNOPFF/OTTO

PRODUCT AE311 **COLOR** FOG **PRODUCT** AE315 **COLOR** MIST/AQUAMARINE
PRODUCT AE317 **COLOR** AZURE **INSTALLED** ASHLAR

Aerial™ Collection | **AE311™**


104668 MIST


104669 FOG


104670 TAUPE


104671 CHESTNUT


104672 GREIGE


104673 IRON


104674 SMOKE


104675 INK


105803 MUSHROOM


105804 LOAM


105805 GRANITE


105806 TOPAZ


105807 BISCUIT

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
13883
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.097 in, 2.5 mm
Pile Density
5,567 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
73%
Indoor Air Quality
Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT DECKLED **COLOUR** FELSITE **INSTALLED** ASHLAR

Artisan Papers™ Collection | **Deckled™**



108357 AZURITE



108358 OCHRE



108359 LAPIS



108360 HEMITITE



108361 FELSITE



108362 BONE



108363 PHTHALO



108364 INDANTHRONE

Specifications

Modular, 25 cm x 1 m
12622
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.093 in, 2.4 mm
Pile Density
8,400 oz/yd³
Traffic Classification
Severe
Total Recycled Content
74%
Indoor Air Quality
Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE


Scan For More

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT GOSSAMER **COLOUR** TITANIUM GREY **INSTALLED** NON DIRECTIONAL
LVT PRODUCT ON GRAIN **COLOUR** SMOKEY ASH **INSTALLED** ASHLAR

Artisan Papers™ Collection | **Gossamer™**




108345 RAW SIENNA



108346 TITANIUM GREY



108347 NEUTRAL TINT



108348 PAYNE'S GREY

Specifications

Modular, 50 cm x 50 cm
14075
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Engaged Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.112 in, 2.8 mm
Pile Density
8,357 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
75%
Indoor Air Quality
Green Label Plus #GL0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method



NON DIRECTIONAL

Scan For More



BROWSE IMAGES
ORDER SAMPLES




ARCHITECT/DESIGN: GRANT INTERIOR DESIGN LAB
PHOTO: RYAN DUGGER AT CREATIVE REVOLVER

PRODUCT BREAKOUT **COLOUR** THATCH **INSTALLED** NON DIRECTIONAL


Breakout™



103137 ECRU



103138 MERINGUE


103139 SCULPT



103140 THATCH



103142 FOLIAGE



103143 INKWELL



103144 OVERCAST


103145 GOSSAMER


103146 NEWSPRINT


103147 MERLE


103148 INCOGNITO


103149 RAVEN

Specifications

Modular, 50 cm x 50 cm
12386
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.126 in, 3.2 mm
Pile Density
6,000 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
74%
Indoor Air Quality
Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


NON DIRECTIONAL


QUARTER-TURN

Scan For More

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT EE711 **COLOUR** CLAY
LVT PRODUCT HEARTH **COLOUR** GRIS **INSTALLED** MONOLITHIC


Etched Earth™ Collection | **EE711™**


103457 BASALT


103458 GLACIER


103459 PEAT


103460 STONE


103461 STRATA


103462 FOSSIL


103463 EARTH


103464 CLAY

Specifications

Modular, 50 cm x 50 cm
12585
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Engaged Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.088 in, 2.2 mm
Pile Density
11,045 oz/yd³
Traffic Classification
Severe
Total Recycled Content
76%
Indoor Air Quality
Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT SPRUCE IT UP **COLOURS** MAPLE & GINKGO **INSTALLED** ASHLAR

Forest Within™ Collection | **First Light™**


108761 CONCRETE


108762 SAWGRASS


108763 BUCKWHEAT


108764 BURLAP


108765 TRAVERTINE


108766 OAT


108767 NATURAL


108768 CHARCOAL

Forest Within™ Collection | **Spruce It Up™**


108769 BLUE CEDAR


108770 HEMLOCK


108771 WILLOW


108772 GINKGO


108773 MAPLE


108774 REDWOOD


108775 MAHOGANY


108776 BLACK WALNUT

Specifications

Modular, 50 cm x 50 cm
First Light 12632; Spruce It Up 12633
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2®
Pile Thickness
First Light 0.11 in, 2.8 mm
Spruce It Up 0.101 in, 2.6 mm
Pile Density
First Light 6,545 oz/yd³; Spruce It Up 7,129 oz/yd³
Traffic Classification
First Light Severe; Spruce It Up Heavy
Total Recycled Content
74%
Indoor Air Quality
Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


ASHLAR

Scan For More

First Light

BROWSE IMAGES
ORDER SAMPLES

Spruce It Up

BROWSE IMAGES
ORDER SAMPLES




PRODUCT STUNT DOUBLE **COLOURS** VELLUM & RUBYLITH **INSTALLED** MONOLITHIC

HiFi™ Collection | **Stunt Double™**


107645 MONOTYPE



107646 SILKSCREEN


107647 VELLUM


107648 METAL LEAF


107649 ANTIQUING


107650 RUBYLITH


107651 WOODCUT



107652 DUOTONE


107653 ETCHING


107654 GRAYSCALE


107655 HALFTONE


107656 MEZZOTINT


107657 CYANOTYPE

Specifications

Modular, 50 cm x 50 cm
16804

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
0.116 in, 2.9 mm

Pile Density
7,138 oz/yd³

Traffic Classification
Severe

Total Recycled Content
75%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods



Scan For More


BROWSE IMAGES
ORDER SAMPLES




SUNY OPTICAL
ARCHITECT/DESIGN: NK ARCHITECTS PHOTO: © INES LEONG L-INES PHOTO

PRODUCT ICE BREAKER **COLOR** QUARRY **INSTALLED** NON DIRECTIONAL

Ice Breaker™


105770 CONCRETE


105771 GRANITE


105772 BLUESTONE



105773 JETMIST



105775 QUARRY


105776 AGATE


105778 MAGMA


105779 GRAYFOX



105780 BROWNSTONE


105782 CORNERSTONE


105784 WARM ROCK


105785 RARE EARTH



106576 CORAL



106577 AQUAMARINE


106192 CHARIOTE


106193 LAZULI


106194 LARIMAR


106195 PERIDOT


106196 GARNET


106197 CARNELIAN


106198 SILICA


Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
14730
Yarn Manufacturer
Universal
Yarn System
Post-Consumer Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2®
Pile Thickness
0.07 in, 1.8 mm
Pile Density
8,620 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
69%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


NON DIRECTIONAL MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT LIGHT PLAY **COLOUR** LINDEN **INSTALLED** NON DIRECTIONAL

Material Impressions™ Collection | **Light Play™**


108306 TRAVERTINE


108307 CAMEL


108308 SAHARA


108309 MICA


108310 SAGE


108311 FOREST


108312 GRAPHITE


108313 LAPIS


108314 DUSK


108315 LINDEN


108316 IRIS


108317 FELDSPAR

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
12389
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.098 in, 2.5 mm
Pile Density
6,612 oz/yd³
Traffic Classification
Severe
Total Recycled Content
74%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


NON DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT EFFERVESCENT **COLOUR** SAHARA **INSTALLED** ASHLAR

Material Impressions™ Collection | **Effervescent™**



108282 TRAVERTINE



108283 CAMEL



108284 SAHARA



108285 MICA



108286 SAGE



108287 FOREST



108288 GRAPHITE



108289 LAPIS



108290 DUSK



108291 LINDEN



108292 IRIS



108293 FELDSPAR

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
12387
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.103 in, 2.6 mm
Pile Density
6,641 oz/yd³
Traffic Classification
Severe
Total Recycled Content
74%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT MOVING TINTS, **COLOUR** SAGE, **INSTALLED** ASHLAR

Material Impressions™ Collection | **Moving Tints™**



108294 TRAVERTINE



108295 CAMEL



108296 SAHARA



108297 MICA



108298 SAGE



108299 FOREST



108300 GRAPHITE




108301 LAPIS



108302 DUSK



108303 LINDEN



108304 IRIS



108305 FELDSPAR

Specifications

Modular, 25 cm x 1 m
12388
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.088 in, 2.2 mm
Pile Density
7,773 oz/yd³
Traffic Classification
Severe
Total Recycled Content
74%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT OPEN AIR 401 **COLOUR** BURLAP **INSTALLED** ASHLAR

Open Air™ Collection | **Open Air™ 401**

106772 BLACK

106773 IRON

106774 FLANNEL

106775 CHARCOAL

106776 NATURAL

106777 NICKEL

106778 GRANITE

106779 STONE

106780 LINEN

107683 MIST

107684 NAVY

107685 EBONY

107686 OAT

107687 BROWN

107688 SHELL

107689 AMBER

108855 BURLAP

108856 BUCKWHEAT

108857 RAFFIA

108858 SAWGRASS

108859 GYPSUM

108860 CONCRETE

108861 TRAVERTINE

108862 BARLEY

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
16336

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
0.076 in, 1.9 mm

Pile Density
8,526 oz/yd³

Traffic Classification
Severe

Total Recycled Content
74%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

ASHLAR

HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT OPEN AIR 404 **COLOUR** SAWGRASS **INSTALLED** NON DIRECTIONAL

Open Air™ Collection | **Open Air™ 404**


106745 BLACK


106746 IRON


106747 FLANNEL


106748 CHARCOAL


106749 NATURAL


106750 NICKEL


106751 GRANITE


106752 STONE



106753 LINEN


107704 MIST


107705 NAVY


107706 EBONY


107707 OAT


107708 BROWN


107709 SHELL


107710 AMBER


108879 BURLAP


108880 BUCKWHEAT


108881 RAFFIA


108882 SAWGRASS


108883 GYPSUM


108884 CONCRETE


108885 TRAVERTINE


108886 BARLEY

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
16333
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2®
Pile Thickness
0.07 in, 1.8 mm
Pile Density
9,771 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
74%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


NON DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT OPEN AIR 418 **COLOUR** BUCKWHEAT **INSTALLED** MONOLITHIC

Open Air™ Collection | **Open Air™ 418**


107039 BLACK


107040 IRON


107041 FLANNEL


107042 CHARCOAL


107043 NATURAL


107044 NICKEL


107045 GRANITE


107046 STONE


107047 LINEN


107795 MIST


107796 NAVY


107797 EBONY


107798 OAT


107799 BROWN


107800 SHELL


107801 AMBER


108951 BURLAP


108952 BUCKWHEAT


108953 RAFFIA


108954 SAWGRASS


108955 GYPSUM


108956 CONCRETE


108957 TRAVERTINE


108958 BARLEY

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
14752
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt™
Pile Thickness
0.08 in, 2.1 mm
Pile Density
7,650 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
73%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT COME AND GO **COLOURS** IRON & NAVY **INSTALLED** NON DIRECTIONAL

Open Road™ Collection | **Come and Go™**


108407 GRANITE


108408 HICKORY


108409 AMBER



108410 SHELL


108411 EBONY


108412 NATURAL


108413 OAT


108414 STONE


108415 BLACK



108416 FLANNEL


108417 NICKEL



108418 LINEN


108419 NAVY


108420 IRON


108421 CHARCOAL


108422 MIST



108423 INDIGO


108424 TURQUOISE


108425 PINE


108426 SPRUCE


108427 AMETHYST


108428 BORDEAUX


108429 CAYENNE


108430 BRICK

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
12624
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2™
Pile Thickness
0.086 in, 2.2 mm
Pile Density
7,953 oz/yd³
Traffic Classification
Severe
Total Recycled Content
74%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method

NON DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT FREE REIGN **COLOUR** STONE **INSTALLED** ASHLAR

Open Road™ Collection | **Free Reign™**


108383 GRANITE


108384 HICKORY


108385 AMBER


108386 SHELL


108387 EBONY


108388 NATURAL


108389 OAT


108390 STONE


108391 BLACK


108392 FLANNEL


108393 NICKEL


108394 LINEN


108395 NAVY


108396 IRON


108397 CHARCOAL


108398 MIST


108399 INDIGO



108400 TURQUOISE


108401 PINE


108402 SPRUCE


108403 AMETHYST


108404 BORDEAUX


108405 CAYENNE


108406 BRICK

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
12623
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2®
Pile Thickness
0.08 in, 2 mm
Pile Density
8,550 oz/yd³
Traffic Classification
Severe
Total Recycled Content
74%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT LINE LEADER **COLOUR** ESPRESSO **INSTALLED** NON DIRECTIONAL

Sandbox™ Collection | **Line Leader™**



108829 BLACK



108830 WHEAT



108831 MARSH



108832 OLIVE



108833 PURPLE



108834 INDIGO



108835 OCEAN



108836 TEAL



108837 EMERALD



108838 GRASS



108839 MAIZE



108840 ORANGE



108841 ESPRESSO



108842 RUST



108843 RED



108844 MAROON

Specifications

Modular, 50 cm x 50 cm
12637
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2™
Pile Thickness
0.080 in, 2.0 mm
Pile Density
7,200 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
73%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method



NON DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT OUT OF BOUNDS **COLOUR** OLIVE **INSTALLED** NON DIRECTIONAL

Sandbox™ Collection | **Out Of Bounds™**


108813 BLACK


108814 WHEAT


108815 MARSH


108816 OLIVE


108817 PURPLE


108818 INDIGO


108819 OCEAN


108820 TEAL


108821 EMERALD


108838 GRASS


108823 MAIZE


108824 ORANGE


108825 ESPRESSO


108826 RUST


108827 RED


108844 MAROON


108850 GREY

Specifications

Modular, 50 cm x 50 cm
12636
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.087 in, 2.2 mm
Pile Density
7,034 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
73%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


NON DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT ANOTHER ANGLE · **COLOUR** SLATE · **INSTALLED** ASHLAR

Twist & Texture™ Collection | **Another Angle™**


109139 CAMEL


109140 MUSHROOM


109141 PUTTY


109142 BONE


109143 LINEN


109144 GREIGE


109145 CHARCOAL


109146 SLATE


109147 DUSK


109148 CAMEL/PINE



109149 MUSHROOM/AMETHYST



109150 PUTTY/BLUE SAGE


109151 BONE/SLATE


109152 LINEN/LAPIS


109153 GREIGE/PINE


109154 CHARCOAL/CAYENNE


109155 SLATE/CURRY


109156 DUSK/OLIVE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
15062

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2™

Pile Thickness
0.113 in, 2.9 mm

Pile Density
5,416 oz/yd³

Traffic Classification
Severe

Total Recycled Content
73%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT FRINGE BENEFITS **COLOUR** PUTTY **INSTALLED** ASHLAR

Twist & Texture™ Collection | **Fringe Benefits™**


109085 CAMEL


109086 MUSHROOM


109087 PUTTY


109088 BONE


109089 LINEN


109090 GREIGE


109091 CHARCOAL


109092 SLATE


109093 DUSK


109094 CAMEL/PINE


109095 MUSHROOM/AMETHYST


109096 PUTTY/BLUE SAGE


109097 BONE/SLATE


109098 LINEN/LAPIS


109099 GREIGE/PINE


109100 CHARCOAL/CAYENNE


109101 SLATE/CURRY


109102 DUSK/OLIVE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
15059

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®*

Pile Thickness
0.099 in, 2.5 mm

Pile Density
6,182 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
73%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT IN THE FOLD **COLOUR** CHARCOAL/CAYENNE **INSTALLED** ASHLAR
STAIRTREAD PRODUCT NORAMENT CASTELLO **COLOUR** DOMUS

Twist & Texture™ Collection | **In The Fold™**


109067 CAMEL



109068 MUSHROOM


109069 PUTTY


109070 BONE


109071 LINEN


109072 GREIGE


109073 CHARCOAL


109074 SLATE



109075 DUSK



109076 CAMEL/PINE



109077 MUSHROOM/AMETHYST


109078 PUTTY/BLUE SAGE


109079 BONE/SLATE


109080 LINEN/LAPIS


109081 GREIGE/PINE


109082 CHARCOAL/CAYENNE


109083 SLATE/CURRY


109084 DUSK/OLIVE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
15058
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2™
Pile Thickness
0.099 in, 2.5 mm
Pile Density
6,182 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
73%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT KNIT INTENT **COLOR** GREIGE/PINE
LVT PRODUCT STEADY STRIDE **COLOR** ELM **INSTALLED** ASHLAR

Twist & Texture™ Collection | **Knit Intent™**


109049 CAMEL


109050 MUSHROOM


109051 PUTTY


109052 BONE


109053 LINEN


109054 GREIGE


109055 CHARCOAL


109056 SLATE


109057 DUSK


109058 CAMEL/PINE



109059 MUSHROOM/ AMETHYST


109060 PUTTY/ BLUE SAGE


109061 BONE/SLATE


109062 LINEN/LAPIS


109063 GREIGE/PINE


109064 CHARCOAL/ CAYENNE


109065 SLATE/CURRY


109066 DUSK/OLIVE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
15057
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.096 in, 2.4 mm
Pile Density
6,375 oz/yd³
Traffic Classification
Severe
Total Recycled Content
73%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods




Scan For More


BROWSE IMAGES
ORDER SAMPLES





CARPET PRODUCT KNITSTITCH | **COLOR** SLATE | **INSTALLED** MONOLITHIC
LVT PRODUCT NATURAL WOODGRAINS | **COLOR** SAND DUNE | **INSTALLED** ASHLAR

Twist & Texture™ Collection | **Knitstitch™**



103332 MUSHROOM


103333 LINEN


103334 CHARCOAL



103335 SLATE



103336 DUSK


109054 GREIGE



103338 MUSHROOM/ AMETHYST



103339 LINEN/LAPIS



103340 CHARCOAL/ CAYENNE


103341 SLATE/CURRY



103342 DUSK/OLIVE



103343 GREIGE/PINE


109043 CAMEL


109044 PUTTY


109045 BONE


109046 CAMEL/PINE


109047 PUTTY/ BLUE SAGE


109048 BONE/SLATE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
14060

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
0.112 in, 2.8 mm

Pile Density
5,464 oz/yd³

Traffic Classification
Severe

Total Recycled Content
73%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


BRICK


QUARTER-TURN


MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT LINE OF THOUGHT **COLOUR** CAMEL **INSTALLED** ASHLAR

Twist & Texture™ Collection | **Line Of Thought™**


109103 CAMEL



109104 MUSHROOM



109105 PUTTY


109106 BONE


109107 LINEN


109108 GREIGE


109109 CHARCOAL


109110 SLATE


109111 DUSK


109112 CAMEL/PINE


109113 MUSHROOM/AMETHYST


109114 PUTTY/BLUE SAGE


109115 BONE/SLATE


109116 LINEN/LAPIS


109117 GREIGE/PINE


109118 CHARCOAL/CAYENNE


109119 SLATE/CURRY


109120 DUSK/OLIVE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
15060
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2™
Pile Thickness
0.123 in, 3.1 mm
Pile Density
4,976 oz/yd³
Traffic Classification
Severe
Total Recycled Content
73%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT ON AN ANGLE · **COLOUR** GREIGE · **INSTALLED** ASHLAR
LVT PRODUCT IN THE MIX · **COLOUR** KEYSTONE · **INSTALLED** MONOLITHIC

Twist & Texture™ Collection | **On An Angle™**


109121 CAMEL


109122 MUSHROOM


109123 PUTTY


109124 BONE


109125 LINEN


109126 GREIGE


109127 CHARCOAL


109128 SLATE


109129 DUSK


109130 CAMEL/PINE



109131 MUSHROOM/AMETHYST


109132 PUTTY/BLUE SAGE


109133 BONE/SLATE


109134 LINEN/LAPIS


109135 GREIGE/PINE


109136 CHARCOAL/CAYENNE


109137 SLATE/CURRY


109138 DUSK/OLIVE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
15061
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2™
Pile Thickness
0.090 in, 2.3 mm
Pile Density
6,400 oz/yd³
Traffic Classification
Severe
Total Recycled Content
73%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES




PRODUCT WG100 **COLORS** AMBER & LINEN
PRODUCT WG200 **COLOR** LINEN/AMBER **INSTALLED** MONOLITHIC

Woven Gradience™ Collection | **WG100**


108048 LINEN


108049 GREIGE


108050 VOLCANIC


108051 ONYX


108052 UMBER


108053 ASH


108054 WILD CURRANT


108055 CLAY


108056 AMBER


108057 BLUE SAGE


108058 PINE


108059 CARIBBEAN


108060 SLATE


108061 NAVY

Specifications

Modular, 50 cm x 50 cm
13127
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.095 in, 2.4 mm
Pile Density
8,716 oz/yd³
Traffic Classification
Severe
Total Recycled Content
75%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


BRICK


MONOLITHIC


Scan For More

BROWSE IMAGES
ORDER SAMPLES

FLOORING EXTRAS

FROM ENTRYWAYS TO PATIENT ROOMS & MORE





When we say we have an integrated system of products for EVERY space, we mean it. That includes walk-off products for entryways, nora® stairwell solutions, and a range of accessories for norament® and noraplan® floor coverings to complete the perfect floor.

INTERFACE WALK-OFF CARPET

- Unlike most walk-offs, ours can be cleaned just like carpet, making it ideal for entryways and high-traffic areas
- Stiff fibers in our Step Repeat™ Collection grab dirt and debris before it's tracked inside, trapping it until it can be vacuumed later
- Interiors stay fresher, creating a better indoor environment with reduced maintenance

NORA STAIRWELL SOLUTIONS

- Fast installation with decades-long endurance against heavy traffic
- norament® stairtreads offer a pre-shaped stair nosing, riser and tread all-in-one piece
- nora® stair nosings have a slide-in lip to lock in noraplan and norament floor coverings for installation on all types of staircases
- nora® visually impaired strips offer added safety and accessibility with a photoluminescent option available on request

Find more finishing details for your floor, including coordinating cove and sanitary base, weld options, and installation materials on interface.com.




ARCHITECT/DESIGN: CPL
PHOTO: © HOMMATI 102



PRODUCT SR899 **COLOR** IRON **INSTALLED** MONOLITHIC

Step Repeat™ Collection | **SR699**


104930 SMOKE


104931 GRANITE


104932 IRON


104933 ONYX


104911 KHAKI


104912 SABLE


104913 DARK BROWN


104914 MIDNIGHT

Step Repeat™ Collection | **SR799**


104934 SMOKE


104935 GRANITE


104936 IRON


104937 ONYX


104915 KHAKI


104916 SABLE


104917 DARK BROWN



104918 MIDNIGHT

Step Repeat™ Collection | **SR899**


104938 SMOKE


104939 GRANITE



104940 IRON


104941 ONYX



104919 KHAKI


104920 SABLE


104921 DARK BROWN


104922 MIDNIGHT

Step Repeat™ Collection | **SR999**


104942 SMOKE


104943 GRANITE



104944 IRON


104945 ONYX


104923 KHAKI


104924 SABLE


104925 DARK BROWN


104926 MIDNIGHT

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
SR699 13884; SR799 13885;
SR899 13886; SR999 13887

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2m

Pile Thickness
SR699 0.15 in, 3.7 mm
SR799 & SR899 0.14 in, 3.6 mm
SR999 0.13in, 3.2 mm

Pile Density
SR699 6,612 oz/yd³; SR799 6,686 oz/yd³;
SR899 6,545 oz/yd³; SR999 7,654 oz/yd³;

Traffic Classification
Severe

Total Recycled Content
SR699 & SR999 76%
SR799 & SR899 75%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method

SR699 & SR799

QUARTER-TURN

SR899

MONOLITHIC

SR999

NON DIRECTIONAL

Scan For More

SR699

BROWSE IMAGES
ORDER SAMPLES

SR799

BROWSE IMAGES
ORDER SAMPLES

SR899

BROWSE IMAGES
ORDER SAMPLES

SR999

BROWSE IMAGES
ORDER SAMPLES



© NORA

PRODUCT NORAMENT GRANO STAIRTREADS **COLOR** BERGAMOT

Made for Fast Delivery.
See interface.com/quickship for program details.

norament® 920 stairtreads (Class A fire-rated) 🔥



0884
DUST GREY



0749
STONE GREY



0702
BLACK



0862
AZURE BLUE

Art. 465 — width 1285 mm (~50.59 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

norament® arago™ stairtreads



5171
FORTITUDE



5172
STAMINA



5175
UNITY



5177
BALANCE



5178
CALM



5179
TRANQUIL

Art. 3170 — width 1285 mm (~50.59 in)
Art. 3171 — width 1614 mm (~63.54 in)
Art. 3172 — width 2004 mm (~78.89 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

norament® grano™ stairtreads



5313
MARJORAM



5314
HENNA



5315
CEDARWOOD



5301
WHITE FIR



5302
ANGELICA ROOT



5303
FRANKINCENSE



5329
BERGAMOT



5304 BLACK
PEPPER



5308
MYRRH



5325
BALSAM



5317
AGAPANTHUS



5318
BLUE TANSY

Art. 479 — width 1285 mm (~50.59 in)
Art. 468 — width 1614 mm (~63.54 in)
Art. 469 — width 2004 mm (~78.89 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

View details and full product specifications at interface.com.

Made for Fast Delivery.
See interface.com/quickship for program details.

norament® 926 hammered stairtreads



5336 RHINO | 0884 DUST GREY | 5337 ASH
0007 ALUMINUM | 0882 PLATINUM GREY | 0702 BLACK
0749 STONE GREY | 0716 SLATE GREY | 5343 EVERGREEN
0319 SLATE BLUE | 0733 STEEL BLUE

Art. 479 — width 1285 mm (~50.59 in)
Art. 468 — width 1614 mm (~63.54 in)
Art. 469 — width 2004 mm (~78.89 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

norament® 926 round stairtreads



5336 RHINO | 0884 DUST GREY | 5337 ASH
0007 ALUMINUM | 0882 PLATINUM GREY | 0702 BLACK
0749 STONE GREY | 0716 SLATE GREY | 5343 EVERGREEN
0319 SLATE BLUE | 0733 STEEL BLUE

Art. 465 — width 1285 mm (~50.59 in)
Art. 466 — width 1614 mm (~63.54 in)
Art. 467 — width 2004 mm (~78.89 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

norament® satura™ stairtreads



5102 GRUS | 5110 ARA | 5107 CALLISTO
5114 CIRCINUS | 5115 HERCULES | 5116 ARCTURUS
5127 VELA | 5273 DORADO

Art. 479 — width 1285 mm (~50.59 in)
Art. 468 — width 1614 mm (~63.54 in)
Art. 469 — width 2004 mm (~78.89 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

View details and full product specifications at interface.com.

nora® sanitary base

Our rubber sanitary cove base is easy to clean and suitable for areas with stringent hygienic requirements. It is impact and shock resistant, does not contain phthalate plasticizers and retains its functional reliability for many years.

Art. 817 — S 3019 D
Piece Length: 10 m (~32.81 ft)


*Conforms to ASTM-F-1861— Standard Specification for Resilient Wall Base, Type TP: Thermoplastic Rubber, Group 1

2409	5111	6504	7036
2780	5303	6505	7040
2787	5304	6506	7041
2930	5306	6509	7046
2944	5309	6524	7049
2945	5310	6528	7052
2963	5319	7035	7062

Scan For More

BROWSE IMAGES
ORDER SAMPLES





For floor covering thicknesses from 3 to 3.5mm (~.12 in to .14 in)

INSTALLED IN HOURS.



Disruption isn't an option. For busy clinical settings, choose from two proven installation routes that cut downtime. The floor is laid quickly, simply—and stays in place for years.

nora® nTx™

The quick-install system that's ready to install over floor coverings, on concrete or cement screed, and in conditions with residual moisture. The adhesive backing means it's down in a few simple steps, without special preparation of the subfloor. Perfect for new builds and renovations.

nora dryfix™ 750 and nora dryfix™ ed

Cut downtime, with a floor that is laid quickly, simply—and stays in place for years. Our double-sided adhesive system for direct dry bonding installs quickly on any subfloor-or even floor-on-floor. Installing electrostatically dissipative or conductive flooring? nora dryfix™ ed is our conductive version with all the same benefits.



DOWN FOR DECADES.

nora®, norament®, noraplan®, and noravant™ are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. Other labels used here are trademarks of their respective owners.

Interface reserves the right to change or modify specifications. Please see website for latest specifications. We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

MADE FOR



MORE

interface.com

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

CIM #IFS01010 10/2026