Interface®

Healthcare

PRODUCT CATALOG

NORA® RUBBER - VINYL SHEET - LVT - CARPET TILE - FLOORING EXTRAS

interface.com


United States Headquarters 1280 West Peachtree Street NW Atlanta, GA 30309 1.800.634.6032

Canadian Headquarters 233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

Latin American Headquarters
Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+52.55.2791.6812



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.






GET CONNECTED

GET TO KNOW INTERFACE. YOUR SINGLE SOURCE PROVIDER WITH THE RIGHT-SIZE SOLUTION.

A healthcare facility is far more than a well designed structure. It's a destination for healing. And, Interface understands the demanding challenges that flooring encounters in healthcare environments, the urgency of keeping an emergency department running 24/7, or ensuring that an operating room is operational on-demand. Our flooring solutions are designed with the highest standards of safety, while providing ease of maintenance and minimal downtime. Whether in a high function space or a private waiting room, Interface knows the importance of selecting product that meets your needs. That's why all our options—nora® rubber, vinyl sheet, LVT, and carpet tile—are durable, reduce the incidence of slip, trips, falls, offer stain resistance and comfort under foot, and reduce unwanted noise—all with sustainability in mind.

From the initial planning and design phase through the floor's reclamation process, Interface is with you every step of the way. Interface is truly your partner in creating an experience that positively impacts the lives of both patients and providers.






SCAN FOR MORE CONTENT

Scan the QR code to learn more about how Interface flooring can help you create beautiful, more sustainable healthcare spaces.

YOUR PARTNER FOR ALL YOUR HEALTHCARE FLOORING NEEDS

Interface is your partner for space specific solutions from the slab up with initial design, technical support, consultative maintenance services, and more. We deliver an holistic approach that guides each project every step of the way balancing design and function with an eye towards sustainability.



Interface® for healthcare

Interface and nora Technical Services

Our unmatched product and technical support programs help healthcare clients mitigate risks of flooring failures and costly delays by consulting with you at any stage of the process. We can help guide you on selecting products that work beautifully together as a system. We also provide continuous training with key personnel for the care and maintenance of your flooring to ensure best practices and longevity of flooring systems.


Our experts are available for consultations before, during, and after flooring installation for projects of any size. Plus, we can help develop a comprehensive maintenance plan to deliver a greater return on investment and a lower total cost of ownership.

Interface Design Studio (IDS)

The foundation of every design project is directly under foot. Our team of design experts is trained to focus on floors to create beautiful interiors, matching space specific solutions with design and budget. Interface understands the challenges of each distinct space and can help to support the patient and caregiver experience.


Reclamation Programs

We also look at products throughout their life cycle. Our reclamation programs include Interface's ReEntry™ Program to help you responsibly dispose of used flooring and installation waste and nora's Construction Waste Take-Back Program allows for the return of NEW waste and scrap material from installation
















NORA RUBBER VINYL CARPET FLOORING EXTRAS


YOUR DESIGN PARTNER

We make finding design solutions easier with Interface Design Studio. These expert designers know Interface products inside and out and their services are complimentary. From concept to completion, they can work closely with you to create distinct designs that meet your vision and budget no matter how large or small the project. Plus, the to-scale floor plan layouts can project overall waste and act as an installation guide for the flooring contractor. Just contact your sales rep to get started.










A SOFTER

HARD SURFACE

Flooring that's so durable it can last for decades—and still look good—is a must-have for any healthcare environment. nora rubber does just that and more.


- Works together with LVT, carpet tile, and vinyl sheet for a flooring system that performs in virtually any healthcare environment
- Reduces incidence of slips, trips and falls
- Ease of maintenance and repairability
- Help combat staff fatigue by providing comfort under foot
- Dimensionally stable
- Non-porous, highly dense surface of nora rubber creates a long-lasting floor that cleans easily with little more than water
- Doesn't require coatings, and scratches can be remediated
- Highly resistant to chemicals and stains
- Offers impact sound reduction of up to Δ IIC 21
- Contributes to better indoor air quality
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program
- nora® nTx™ floor covering with self-adhesive backing is easily installed as a part of renovation or new construction, even in areas of high level residual moisture






Fast, when you need it. See nora.com/QuickShip for QS program details.

noraplan **ENVIRONCARE™**









Snowball Fight



7056 Champagne Toast



7059 Candlelight Dinner 7060 Garden Party





7037 Fun Run

Whale Watch

7045

7049

7057

Farmers Market

QS

Ice Skating



7038 Hide-n-Seek

7034 Fireworks



Star Gazing



7046 Drive-In




7050 Petting Zoo Summer Camp



7054 Book Club







noraplan **ENVIRONCARE**

Article Number: Sheet 1463 Article Number: Tile

2463 **Product Construction**

Homogeneous Rubber Sheet & Tile

Class: Sheet / ASTM F1859

Class: Tile / ASTM F1344

Type I, Grade 1 Total Thickness

3 mm (also available in 2 mm)

Surface Type Smooth

Nominal Dimensions: Sheet 12.0 m x 1.22 m (39.37 in x 48 in)

Nominal Dimensions: Tile 610 mm x 610 mm (24.015 in x 24.015 in)

Indoor Air Quality

GREENGUARD Gold, CDPH 01350 Compliant

Installation Method Directional

Sheet also available as noraplan environcare™ nTx™. View details and the full product specification at nora.com.






7071

7075

Food Coma

Corn Maze





7072

7076

County Fair







7065 Pool Party







7066 Parade





noraplan **LINEE™**



7307 Jadeite



7311 Malachite

7306 Celadon

noraplan **LINEE**

Article Number: Sheet 2 mm

160E

Article Number: Sheet 3 mm

161E

Product Construction
Homogeneous Rubber Sheet

Class: Sheet / ASTM D2240

Туре А

Total Thickness

3 mm (also available in 2 mm)

Surface Type

Striated

Nominal Dimensions: Sheet 2mm 15.0 m x 1.22 m (49.21 ft x 48 in)


Nominal Dimensions: Sheet 3mm 12.0 m x 1.22 m (39.37 ft x 48 in)


Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Sheet also available as noraplan linee™ nTx™. Contact your sales representative for details or view the full product specification at nora.com.





noraplan® **SENTICA™**

6528 Ice Cube 6529 Surf



6531 Regatta


6530 Waterfall

noraplan **SENTICA** Article Number: Sheet Article Number: Tile 2701 **Product Construction** Homogeneous Rubber Sheet & Tile Class: Sheet / ASTM F1859 Class: Tile / ASTM F1344 Type I, Grade 1 Total Thickness 3 mm (also available in 2 mm) Surface Type Smooth Nominal Dimensions: Sheet 12.0 m x 1.22 m (39.37 in x 48 in) Nominal Dimensions: Tile 610 mm x 610 mm (24.015 in x 24.015 in) Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Sheet also available as noraplan® sentica™ nTx.™ View details and

Installation Method
Directional

the full product specification at nora.com.



NORA RUBBER . VINYL SHEET

CARPET

FLOORING

noraplan® **VALUA™**

6728 Sunlight 6729 Honey Comb 6730 Apricot 6731 Persimmon



noraplan **VALUA** Article Number: Sheet Article Number: Plank 275A / 276A / 277A Product Construction Homogeneous Rubber Sheet & Tile Class: Sheet / ASTM F1859 Type I Class: Plank / ASTM F1344 Type I, Grade 1 Total Thickness 3 mm (also available in 2 mm) Surface Type Striated Nominal Dimensions: Sheet 12.0 m x 1.22 m (39.37 in x 48 in) Nominal Dimensions: Plank 275A 610 mm x 205 mm (24.015 in x 8.07 in) Nominal Dimensions: Plank 276A 610 mm x 305 mm (24.015 in x 12 in) Nominal Dimensions: Plank 277A 1220 mm x 405 mm (48.03 in x 15.94 in) Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant Installation Method Directional Also available as noraplan® valua™ nTx™. Contact your sales

representative for details or view the full product specification



EXTRAS

norament® **ARAGO™**



5170 Strength











5172 Stamina

5176 Peace







5181 Comfort

norament **ARAGO**

Article Number

Product Construction Homogeneous Rubber Tile

Class / ASTM F1344 Type IB and Grade 2

Total Thickness

3.5 mm

Surface Type Relief Structure

Nominal Dimensions 1004 mm x 502 mm (39.53 in x 19.76 in)


Indoor Air Quality GREENGUARD Gold; CDPH 01350 Compliant

Installation Method

Directional

Also available as norament® arago™ with beveled edges and as norament® arago™ nTx™. View details and the full product specification at nora.com.

For stair treads that coordinate with norament arago, norament grano, and norament satura products, reference pages 133–135.



norament **CASTELLO™**



5355 Palazzo

















5354 Manor

norament CASTELLO

Article Number 3167

Product Construction Homogeneous Rubber Tile

Class / ASTM F1344

Type IB and Grade 2

Total Thickness 3.5 mm

Surface Type Two-Tone


Nominal Dimensions 1004 mm x 1004 mm (39.53 in x 39.53 in)


Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament castello™ nTx™. View details and the full product specification at nora.com.





norament® **GRANO™**



5330 Cassia

5329 Bergamot 5331 Neroli

5332 Geranium

norament **GRANO**

Article Number

1880

Product Construction Homogeneous Rubber Tile

Class / ASTM F1344
Type IB and Grade 2

Total Thickness

3.5 mm

Surface Type Hammered

Nominal Dimensions 1004 mm x 1004 mm (39.53 in x 39.53 in)

Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament® grano™ nTx™. View details and the full product specification at nora.com.

For stair treads that coordinate with norament arago, norament grano, and norament satura products, reference pages 133–135.



EXTRAS


FLOORING

norament **PADO™**



5501 Natural



















5504 Coronet

5508 Windsor







Forest

5516 Galaxy

norament **PADO**

Article Number 3167

Product Construction Homogeneous Rubber Tile

Class / ASTM F1344 Type IB and Grade 2

Total Thickness 3.5 mm

Surface Type

Two-Tone


Nominal Dimensions 1004 mm x 1004 mm (39.53 in x 39.53 in)

Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament pado™ nTx™. Contact your sales representative for details or view the full product specification at nora.com.




CARPET TILE

Fast, when you need it. See nora.com/QuickShip for QS program details.

norament® **SATURA™**



5101 Andromeda




5105 Cygnus 5106 Vulpecula



5109 Orion



5113 Sagitta



5114 Circinus

























5103 Mercury

5107 Callisto

5115 Hercules

5119 Mars

Q5



5108 Indus

















norament **SATURA**

Article Number

1880

Product Construction
Homogeneous Rubber Tile

Class / ASTM F1344

Type IB and Grade 2 Total Thickness

3.5 mm

Surface Type Hammered

Nominal Dimensions 1004 mm x 1004 mm (39.53 in x 39.53 in)

Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament® satura™ nTx™. View details and the full product specification at nora.com.

For stair treads that coordinate with norament arago, norament grano, and norament satura products, reference pages 133–135.



norament® **xp™**



5309 Jasmine



5102 Grus









5109 Orion

5110

Q**S**






5106 Vulpecula







5306 Camphor



Mars

5319 Spikenard

norament **xp**

Article Number

1880

Product Construction Homogeneous Rubber Tile

Class / ASTM D2240

Type IB and Grade 1

Total Thickness

3.5 mm

Surface Type Hammered

Nominal Dimensions 1004 mm x 1004 mm (39.53 in x 39.53 in)


Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant


Installation Method

Directional

Also available as norament® $xp^{m} nTx^{m}$. View details and the full product specification at nora.com.

For stair treads that coordinate with norament arago, norament grano, and norament satura products, reference pages 133–135.






DURABILITY

MEETS AFFORDABILITY

Engineered for design and budget flexibility with the durability to stand up to the rigors of the busy healthcare environment.

- Works together with nora[®] rubber, LVT, and carpet tile for a flooring system that performs in virtually any healthcare environment
- Ceramor™ coating provides a durable finish that resists scuffs and scratches
- Offers stain and slip resistance
- Ease of installation and maintenance with less facility downtime
- Visually seamless thanks to monolithic installation with coordinating heat welds
- Heterogeneous construction for increased design flexibility
- Reduces noise from wheel and foot traffic
- Applicable in a variety of healthcare spaces—including patient rooms, corridors, exam rooms and more
- 25% pre-consumer recycled content
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program







CONTINUAL WOODGRAINS™



A04001 White Oak

A04004 Blonde Oak

A04007 Warm Grey Oak



A04002 Silver Oak



A04003 Cool Grey Oak

A04006 Smokey Oak





A04008 Ebony Oak

CONTINUAL WOODGRAINS

Product Number A04

Product Construction Heterogeneous Vinyl Sheet

Class / ASTM F1303 Type I, Grade 1

Wear Layer Thickness 28 mil

Total Thickness 2.5 mm

Backing Class Class B

Finish

Ceramor™ Coating

Nominal Dimensions 1.83 m x 18 m (6 ft x 59.06 ft)

Indoor Air Quality
Floorscore® SCS-FS-06645, CDPH 01350 Compliant,

GREENGUARD Gold Installation Method

Directional

Full product specification on interface.com






FLOORING

EXTRAS

CROSSED™ | INTERLACED™ COLLECTION



A02002







Taupe





A02004 Greige



Celery

CROSSED

Product Number A02

Product Construction Heterogeneous Vinyl Sheet

Class / ASTM F1303 Type I, Grade 1

Wear Layer Thickness 28 mil

Total Thickness 2.5 mm

Backing Class

Class B

Finish Ceramor™ Coating

Nominal Dimensions 1.83 m x 18 m (6 ft x 59.06 ft)

Indoor Air Quality
Floorscore® SCS-FS-06645, CDPH 01350 Compliant, GREENGUARD Gold

Installation Methods

Directional

Full product specification on interface.com



LOOPED™ | INTERLACED™ COLLECTION



















LOOPED

Product	Number
A O 1	

Product Construction

Heterogeneous Vinyl Sheet Class / ASTM F1303

Type I, Grade 1

Wear Layer Thickness 28 mil Total Thickness

2.5 mm **Backing Class**

Class B

Finish Ceramor™ Coating

Nominal Dimensions 1.83 m x 18 m (6 ft x 59.06 ft)

Indoor Air Quality
Floorscore® SCS-FS-06645, CDPH 01350 Compliant,

GREENGUARD Gold Installation Methods

Directional Full product specification on interface.com



MESHED™ | INTERLACED™ COLLECTION



A03007 Sage



A03003

A03006

A03008

Celery

MESHED

Product Number A03

Product Construction Heterogeneous Vinyl Sheet

Class / ASTM F1303

Type I, Grade 1

Wear Layer Thickness

28 mil

Total Thickness 2.5 mm

Backing Class

Class B

Finish Ceramor™ Coating

Nominal Dimensions 1.83 m x 18 m (6 ft x 59.06 ft)

Indoor Air Quality
Floorscore® SCS-FS-06645, CDPH 01350 Compliant, GREENGUARD Gold

Installation Methods

Directional

Full product specification on interface.com



FLOORING

EXTRAS







BLOOM WITH A VIEW™ | DESERT SCAPES™ COLLECTION



A09004 Yucca







BLOOM WITH A VIEW

BLOOM WITH A VIEW	
Product Number A09	
Product Construction Heterogeneous Vinyl Sheet	
Class / ASTM F1303 Type I, Grade 1	
Wear Layer Thickness 28 mil	
Total Thickness 2.5 mm	
Backing Class Class B	
Finish Ceramor™ Coating	
Nominal Dimensions 1.83 m x 18 m (6 ft x 59.06 ft)	

Indoor Air Quality
Floorscore® SCS-FS-06645, CDPH 01350 Compliant,



GREENGUARD Gold

Installation Methods Directional

SPIKE-TACULAR™ | DESERT SCAPES™ COLLECTION



Product A10	Number
	Construction neous Vinyl Sheet
Class / Type I, G	ASTM F1303 ade 1
Wear La 28 mil	er Thickness
Total Th 2.5 mm	ckness
Backing Class B	Class
Finish Ceramor	[™] Coating
	Dimensions 18 m (6 ft x 59.06 ft)
Floorsco	ir Quality e* SCS-FS-06645, CDPH 01350 Compliant, GUARD Gold



Directional

Installation Methods

FLOORING EXTRAS





HARD ON TRAFFIC

SOFT ON NOISE


Designed to work as a system with our nora rubber, carpet tile, and vinyl sheet, our LVT options—Sound Choice 4.5 mm and Criterion 3 mm—make it even easier to specify the right flooring for each area of your facility.

Sound Choice™ 4.5 mm

- Available in 25 cm x 1 m planks and 50 cm x 50 cm square
- Ceramor™ coating provides a durable finish that resists scuffs and scratche
- Slip resistance and durabilit
- Greater impact sound reduction of IIC 6
- Optimal dimensional stability and flexibility thanks to an incorporated fiberglass layer
- Offers ease of installation and maintenance
- Minimum of 39% pre-consumer recycled content
- Recyclable through our ReEntry[™] program
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program

Criterion 3 mm

- Available in 12.5 cm x 1 m planks and 50 cm x 50 cm squares
- Ceramor™ coating provides a durable finish that resists scuffs and scratches
- Slip resistance and durability
- Impact sound reduction of IIC 56
- Optimal dimensional stability and flexibility
- Offers ease of installation and maintenance
- Minimum of 39% recycled content
- Third-party verified carbon neutral across the full product life cycle through ou Carbon Neutral Floors™ program







CRITERION CLASSIC WOODGRAINS™ | CRITERION CLASSIC™ COLLECTION



C00101 Madagascar



C00103 Sand Dune



C00105 Cedar



C00107 Antique Gray Oak



C00102 Chestnut



C00104 Washed Maple



C00106 Antique Light Oak



C00108 Mushroom

CRITERION CLASSIC WOODGRAINS

Product Number

C001

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness

Backing Class

Finish

Ceramor™ Coating

Nominal Dimensions 12.5 cm x 1 m (4.923 in x 39.38 in)


Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,


CDPH 01350 Compliant

Installation Methods Ashlar, Herringbone

Full product specification on interface.com







NATURAL WOODGRAINS™ | LEVEL SET™ COLLECTION



A00201 Black Walnut



A00203 Chestnut



A00205 Storm



A00207 Washed Wheat



A00209 Mahogany



A00211 Washed Maple



A00214 Bamboo

A00202 Madagascar



A00204 Beech



A00206 Winter Grey



A00208 Sand Dune



A00210 Teak



A00212 Cedar

NATURAL WOODGRAINS

Product Number A002

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness

Backing Class

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant

Installation Methods Ashlar, Herringbone

Full product specification on interface.com





TEXTURED WOODGRAINS™ | LEVEL SET™ COLLECTION



A00401 Distressed Walnut



A00403 Distressed Hickory



A00405 Grey Dune



A00407 White Wash



A00409 Ash Walnut



A00411 Dark Walnut



A00415 Antique Oak



A00417 Silver Dune



A00420 Rustic Cashew



A00423 Rustic Ash



A00426 Sugarpine



A00429 Greywood



A00402 Distressed Cashew



A00404 Distressed Black Walnut



A00406 Antique Light Oak



A00408 Antique Gray Oak



A00410 Silver Walnut



A00412 Reclaimed Hickory



A00416 Antique Dark Oak



A00418 Charcoal Dune



A00421 Rustic Oak



A00424 Rustic Birch



A00427 Hemlock



A00430 Gunmetal Elm

TEXTURED WOODGRAINS

Product Number A004

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil **Total Thickness**

Backing Class

Commercial Grade Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant Installation Methods

Ashlar, Herringbone

Full product specification on interface.com










A00428 Grey Alder




A00431 Ironbark




NORA RUBBER



STUDIO SET™







A01801 Yellow



A01806 Violet










Chartreuse

A01807

Royal Blue

Dark Green



A01808 Electric Blue

A01803



Pebble

A01818

Orange

A01708

Electric Blue



A01809

Mushroom

Aqua

A01804 Red A01805 Deep Fuchsia





Kelly Green

Sand



ARIES

Product Number A018

Product Construction

High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinvl Plank

Wear Layer Thickness

22 mil Total Thickness

4.5 mm

Backing Class Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions 50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant

Installation Methods Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on interface.com













SCORPIO™ | STARGAZING™ COLLECTION





A01716

Silverlight








Pewter

Chartreuse

A01707

Royal Blue















A01714 Mushroom







A01715 Sand

A01705

SCORPIO

Product Number

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil **Total Thickness** 4.5 mm

Backing Class Commercial Grade

Finish Ceramor™ Coating

Nominal Dimensions

50 cm x 50 cm (19.69 in x 19.69 in) Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant Installation Methods

Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn














EXTRAS

RUBBER

SHE

F

CARPET

FLOORING

NATIVE FABRIC™







A00802 Seagrass



A00804 Straw



A00805 Linen A00806



A00807 80800A Bluegrass

NATIVE FABRIC

Product Number A008

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness

Backing Class Commercial Grade

Finish Ceramor™ Coating

Nominal Dimensions 50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn











NORA RUBBER VINYL SHEET

BRUSHED LINES™



A01602 Alabaster



A01605 Graphite



A01608 Sandalwood



A016011 Mousse



A01613 Blush



A01615 Henna



A01618 Celadon



A01620 Teal Oxide



A01604 Galena



A01606 Kohl



A01609 Paraffin



A01612 Soft Shadow



A01614 Honey



A01616 Rouge



A01619 Eucalyptus



A01622 Deep Cobalt

BRUSHED LINES

Product Number A016

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness 22 mil

Total Thickness 4.5 mm

Backing Class

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® SCS-FS-04366,

CDPH 01350 compliant

Installation Methods Ashlar, Herringbone


Full product specification on interface.com





PLANT-ASTIC™ | DESERT SCAPES™ COLLECTION







A02203 Fossil



A02205 Aloe Vera



A02202 Dune Dust



A02204 Yucca



A02206 Oasis

PLANT-ASTIC

Product Number A022

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness

4.5 mm

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant

Installation Methods

Ashlar, Herringbone





CACTUS MAKES PERFECT™ | DESERT SCAPES™ COLLECTION



A02101 Desert Sand



A02103 Fossil



A02105 Aloe Vera



A02102 Dune Dust



A02104 Yucca



A02106 Oasis

CACTUS MAKES PERFECT

Product Number A021 Product Construction
High Performance Luxury Vinyl Tile Class / ASTM F1700 Class III Printed Vinyl Plank Wear Layer Thickness

Total Thickness

22 mil

4.5 mm

Backing Class Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)


Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,
CDPH 01350 Compliant

Installation Methods

Ashlar, Herringbone







THE SOFTER SIDE

OF HIGH PERFORMANCE

Our modular carpet is everything you love about soft flooring with the flexibility of tile We've been perfecting it for more than 40 years.


- Extensive selection of patterns, colors and sizes that work as a system with our nora rubber, LVT and vinyl sheet products
- Structured, dimensionally stable backing system keeps tiles in place an flat on the floor
- Dense construction with premium nylon fibers holds up to heavy traffic
- Solution dyed fibers withstand harsh substances like bleach or hand sanitizers
- Ease of installation and replacement with our glue-free TacTiles™ installation system. Use full-spread adhesive in areas where there are heavy rolling loads.
- Intersept[™], our proprietary preservative, is permanently incorporated into the backing to protect carpet tiles against mold growth and odor—even at the seams
- Interface's i2[™] styles have mergeable dye lots that facilitate selective replacement
- Interface Modular Carpet on CQuest™GB, CQuest™Bio, and CQuest™BioX meet the USDA Certified Biobased Product Federal Purchasing Requirements
- Interface Modular Carpet on CQuest™Bio is Greenhealth Approved
- The innovative CQuest™ backings offer superior performance with a low carbon footprint. CQuest™GB is made with post-consumer carpet tiles, bio-based additives and pre-consumer recycled materials. CQuest™Bio, which also contains biobased and recycled content, is free of PVC and antimicrobials, and Greenhealth Approved.
- Recyclable through our ReEntry[™] program
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program





SCAN FOR MORE CONTENT

Scan the QR code to learn more about our high performance backings







i2

i2

104668 Mist



104670 Taupe



104672 Greige



104674 Smoke



105803 Mushroom



105805 Granite



104669 Fog



104671 Chestnut



104673 Iron



104675 Ink



105804 Loam



105806 Topaz



Style: 13883

AE311

Yarn Manufacturer

Yarn System

100% Recycled Content Nylon

Color System
100% Solution Dyed Construction

Tufted Textured Loop

Preservative Protection Intersept®

Soil/Stain Protection

Pile Thickness

2.5 mm (0.097 in) Pile Density

Total Recycled Content

up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com





105807 Biscuit

AE315 | AERIAL™ COLLECTION



105808 Mushroom/Grass



105810 Chestnut/Marigold



105812 Loam/Poppy



105814 Ink/Magenta



105816 Granite/Azure



105818 Topaz/Emerald



105809 Fog/Citron



105811 Greige/Persimmon



105813 Iron/Berry



105815 Smoke/Iris



105817 Mist/Aquamarine



105819 Taupe/Leaf





Yarn Manufacturer

Aquafil

Yarn System 100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction Tufted Textured Loop Preservative Protection

Intersept® Soil/Stain Protection

Protekt2® Pile Thickness 2.3 mm (0.09 in) Pile Density

6,400 **Total Recycled Content**

up to 83% Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods Ashlar, Herringbone


Full product specification on interface.com







105820 Biscuit/Eucalyptus



NORA RUBBER

SHEET

NEIGHBORHOOD™ SMOOTH | AERIAL™ COLLECTION



105628 Ink/Smooth



105631 Fog/Smooth



105635 Taupe/Smooth



105637 Caribbean/Smooth



105639 Dijon/Smooth



105304 Greige/Smooth



106572 Mushroom/Smooth



105629 Smoke/Smooth



105634 Iron/Smooth



105636 Indigo/Smooth



105638 Greenery/Smooth



105641 Dru Red/Smooth



105305 Persimmon/Smooth



106573 Topaz/Smooth

NEIGHBORHOOD SMOOTH 12

Modular, 25 cm x 1 m Style: 163260

Yarn Manufacturer

Aquafil

Yarn System
100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Protekt^{2®}

Pile Thickness 2.1 mm (0.084 in)

Pile Density

Total Recycled Content

up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone





JUST DESERTS™ | DESERT SCAPES™ COLLECTION



107426 Sand



107428 Fossil



107430 Aloe



107427 Dune



107429 Yucca



107431 Oasis

JUST DESERTS

Modular, 25 cm x 1 m Style: 125230

Yarn Manufacturer Aquafil

Yarn System

100% Recycled Content Nylon Color System

100% Solution Dyed Construction

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Protekt2® Pile Thickness

3.2 mm (0.126 in)

Pile Density 8,286

Total Recycled Content

Full product specification on interface.com

up to 85%

Indoor Air Quality Green Label Plus #GLP0820

Installation Methods

Ashlar, Herringbone



CACTUS GROOVES™ | DESERT SCAPES™ COLLECTION



107414 Sand



107416 Fossil



107418 Aloe



107415 Dune



107417 Yucca



107419 Oasis

CACTUS GROOVES

Modular, 25 cm x 1 m Style: 131030

Yarn Manufacturer

Aquafil

100% Recycled Content Nylon

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection Protekt^{2®}

Pile Thickness

2.8 mm (0.111 in)

Pile Density

Total Recycled Content up to 84%

Indoor Air Quality

Green Label Plus #GLP082

Installation Methods Ashlar, Herringbone

Full product specification on interface.com



PRICKLY AS A PEAR™ | DESERT SCAPES™ COLLECTION



107420 Sand



107422 Fossil



107424 Aloe



107421 Dune



107423 Yucca



107425 Oasis

PRICKLY AS A PEAR

Modular, 25 cm x 1 m

Style: 131120 Yarn Manufacturer

Aquafil

Yarn System 100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Protekt2® Pile Thickness 2.2 mm (0.085 in)

Pile Density 7,200

Total Recycled Content

up to 83%

Indoor Air Quality Green Label Plus #GLP0820


Installation Methods

Ashlar, Herringbone

Full product specification on interface.com









104039 Cobalt





104041 Iceberg





104043 Gravel 104044 Pewter





104046 Mesquite





104048 Driftwood

104042 Iron


104045 Laurel

104049 Prairie

104050 Flax

104047 Gull

GROUND WAVES™ | HARMONIZE™ AND GROUND WAVES™ COLLECTION



GROUND WAVES VERSE™ | HARMONIZE™ AND GROUND WAVES™ COLLECTION







TILE

FLOORING





HEARTTHROB™ | HEARTBEATS™ COLLECTION








107503 Illustrious

107509 Haiku

107502 Paramour



107505 Poetry



107508 Aerie







107507 Sonnet



107510 Mysterious

HEARTTHROB



Modular, 50 cm x 50 cm Style: 131240

Yarn Manufacturer

Aquafil

Yarn System 100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction

Tufted Textured Loop Preservative Protection

Soil/Stain Protection Protekt^{2®}

Pile Thickness 3.4 mm (0.135 in)

Pile Density 6,400

Total Recycled Content

up to 84%


Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Non Directional







NATURE'S COURSE™







105861 Marble



105863 Mica



105865 Sandstone



105860 Graphite



105862 Granite



105864 Mineral



105866 Pebble

NATURE'S COURSE



Modular, 25 cm x 1 m Style: 128990

Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Protekt^{2®}

Pile Thickness 2.2 mm (0.087 in)

Pile Density 7,448

Total Recycled Content


up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone





OPEN AIR™ 403 | OPEN AIR™ COLLECTION



106727



106728



106729



106730 Charcoal



Natural



106732 Nickel



106733 Granite



106734 Stone



106735 Linen

OPEN AIR 403



Modular, 50 cm x 50 cm

Style: 16331

Yarn Manufacturer Aquafil

Yarn System

100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction Tufted Textured Loop

Preservative Protection

Soil/Stain Protection Protekt2®

Pile Thickness 2.1 mm (0.083 in)

Pile Density

8,241

Total Recycled Content

Up to 83%

Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Non Directional

Full product specification on interface.com



OPEN AIR™ 404 | OPEN AIR™ COLLECTION



106745



106746



106747



106748 Charcoal



106751 Granite



Natural



106752 Stone



106753 Linen

OPEN AIR 404



Modular, 50 cm x 50 cm Style: 16333

Yarn Manufacturer

Aquafil

Yarn System 100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction

Tufted Textured Loop Preservative Protection

Intersept® Soil/Stain Protection

Protekt^{2®} Pile Thickness 1.8 mm (0.07 in)

Pile Density 9,771

Total Recycled Content Up to 83%


Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Full product specification on interface.com





NORA

RUBBER

SHEET

PRAIRIE GRASS™ | BIODIVERSITY™ COLLECTION

9308 Plateau



9306 Delta



9311 Prairie 9312





9318



9322 Serengeti



106220 Sterling



106223



9307 Moorland



9313 Pampas





106218 Mushroom

106221 Topaz

106224

9321



106219 Granite



106222 Mouse



106225 Dove

PRAIRIE GRASS

Modular, 50 cm x 50 cm Style: 123490

Yarn Manufacturer

Universal

Yarn System
Post-Consumer Content Nylon

Color System 100% Solution Dyed

Construction Tufted Cut & Loop

Preservative Protection

Soil/Stain Protection Protekt^{2®}

Pile Thickness 3.6 mm (0.142 in)

Pile Density 5,831

Total Recycled Content

up to 79%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Quarter-Turn





9273 Plateau

Pasture

106226

9271 Delta



9279 Frontier





106230 Mouse



9272 Moorland







106231

Wheat

106233 Dove



9277

9283

Wilderness

106228

Savanna





106227 Granite



9278



9285





Pampas





106229 Topaz

BROADLEAF

Modular, 50 cm x 50 cm Style: 123470

Yarn Manufacturer Universal

Yarn System Post-Consumer Content Nylon

Color System 100% Solution Dyed

Construction

Tufted Cut & Loop

Preservative Protection

Soil/Stain Protection

Protekt^{2®} Pile Thickness

3 mm (0.118 in) Pile Density

6.712

Total Recycled Content up to 79%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Quarter-Turn

Full product specification on interface.com



FARMLAND™ | BIODIVERSITY™ COLLECTION



Delta



9297



9304 Steppe



Mouse

106239 Wheat



9298

9305

Serengeti



Mushroom

106241

9299 Pasture









9300 Plains









Sterling

9301







Topaz

FARMLAND

Modular, 50 cm x 50 cm Style: 123480

Color System 100% Solution Dyed

Tufted Cut & Loop

Protekt^{2®}



9303

Construction

Intersept® Soil/Stain Protection



Yarn Manufacturer Universal

Yarn System



Post-Consumer Content Nylon



Preservative Protection

Pile Thickness 3 mm (0.12 in) Pile Density **Total Recycled Content**

up to 64% Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods



Ashlar, Quarter-Turn Full product specification on interface.com



ANGLE UP™ | RISING SIGNS™ COLLECTION



107204 Sulfur



107206 Selenium



107208 Nitrogen



107205 Oxygen



107207 Phosphorus



107209 Carbon

ANGLE UP

Modular, 25 cm x 1 m Style: 147600

Yarn Manufacturer Aquafil

Yarn System
100% Recycled Content Nylon

Color System

100% Solution Dyed Construction

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Protekt^{2®}

Pile Thickness 2.4 mm (0.095 in)

Pile Density

6,821

Total Recycled Content up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com



UP AT DAWN™ | RISING SIGNS™ COLLECTION



107163 Sulfur



107165 Selenium



107167 Nitrogen



107169 Rhodium



107171 Gold



107173 Chromium



107164 Oxygen



107166 Phosphorus



107168 Carbon



107170 Titanium



107172 Beryllium



107174 Cobalt

UP AT DAWN

Modular, 25 cm x 1 m Style: 139350

Yarn Manufacturer

Aquafil

Yarn System
100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Engaged Tufted Sheared

Preservative Protection

Soil/Stain Protection

Protekt^{2®} Pile Thickness 2.1 mm (0.082 in)

Pile Density

11,854

Total Recycled Content up to 84%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods


Ashlar, Herringbone

Full product specification on interface.com



FLOORING EXTRAS

TILE





BINARY CODE™ | RISING SIGNS™ COLLECTION



107216 Sulfur



107218 Beryllium



107220 Cobalt



107217 Oxygen



107219 Chromium



107221 Carbon

BINARY CODE

Modular, 25 cm x 1 m Style: 125410

Yarn Manufacturer Aquafil

Yarn System
100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction

Tufted Textured Loop Preservative Protection

Soil/Stain Protection Protekt^{2®}

Pile Thickness

2 mm (0.079 in)

Pile Density 8,658

Total Recycled Content

up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com



PLAY THE ANGLE™ | RISING SIGNS™ COLLECTION



107186 Sulfur



107188 Selenium



107190 Nitrogen



107192 Rhodium



107194 Gold



107196 Chromium



107198 Helium



107200 Halogen



107202 Cupric



107187 Oxygen



107189 Phosphorus



107191 Carbon



107193 Titanium



107195 Beryllium



107197 Cobalt



107199 Xenon



107201 Krypton



107203 Indium

PLAY THE ANGLE

Modular, 25 cm x 1 m Style: 147590

Yarn Manufacturer

Aquafil

Yarn System
100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop Preservative Protection

Soil/Stain Protection Protekt^{2®}

Pile Thickness 2.9 mm (0.116 in)

Pile Density

Total Recycled Content up to 84%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods Ashlar, Herringbone

Full product specification on interface.com



TILE

FLOORING








106656

Abode





106657 Refresh



106655



106658 Unwind

MEADOWLAND

Modular, 50 cm x 50 cm Style: 161830

Yarn Manufacturer Aquafil

Yarn System

100% Recycled Content Nylon Color System 100% Solution Dyed

Construction Engaged Tufted Sheared

Preservative Protection

Soil/Stain Protection Protekt2®

Pile Thickness 2 mm (0.079 in)

Pile Density 10,025

Total Recycled Content up to 84%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Brick

Full product specification on interface.com



VILLA SCROLL™ | SUITE SERENITY™ COLLECTION



106671 Tranquil



106674 Abode



106672 Repose



106675



106673



VILLA SCROLL

Modular, 50 cm x 50 cm

Style: 125730 Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction

Tufted Loop Cut Loop

Preservative Protection Intersept®

Soil/Stain Protection

Protekt2®

Pile Thickness 2.4 mm (0.094 in)

Pile Density 7660

Total Recycled Content

Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Brick

Full product specification on interface.com





BOUQUET™ | SUITE SERENITY™ COLLECTION



106647 Tranquil



106650 Abode



106648 Repose



106651 Refresh



106649 Bliss



106652 Unwind

DIAMOND DREAM™ | SUITE SERENITY™ COLLECTION



106659 Tranquil

106662 Abode





106660 Repose



106663 Refresh



106661 Bliss



106664 Unwind

MIRANO™ | SUITE SERENITY™ COLLECTION



106665 Tranquil



106668 Abode

BOUQUET

Style: 161810

Yarn System

Color System

Construction

Intersept®

Protekt2®

Pile Thickness

3 mm (0.118 in)

Pile Density

up to 85%

8542

100% Solution Dyed

Aquafil

Modular, 50 cm x 1 m

100% Recycled Content Nylon

Engaged Tufted Pattern Loop

Preservative Protection

Soil/Stain Protection

Total Recycled Content

Green Label Plus #GLP0820, CDPH 01350


Full product specification on interface.com

Indoor Air Quality

Installation Methods


Ashlar, Herringbone

Yarn Manufacturer





106669 Refresh





106670 Unwind

DIAMOND DREAM

Modular, 25 cm x 1 m Style: 125720 Yarn Manufacturer Aquafil Yarn System

100% Recycled Content Nylon Color System 100% Solution Dyed Construction

Tufted Cut & Loop Preservative Protection Intersept®

Soil/Stain Protection Protekt^{2®} Pile Thickness

2.2 mm (0.086 in) Pile Density 7535

Total Recycled Content up to 83% Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350 Installation Methods Ashlar, Herringbone

Full product specification on interface.com



MIRANO

Modular, 25 cm x 1 m Style: 163300 Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon Color System 100% Solution Dyed

Construction Tufted Textured Loop Preservative Protection

Intersept® Soil/Stain Protection Protekt2®

Pile Thickness 2 mm (0.079 in) Pile Density 8 658

Total Recycled Content

up to 83% Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350


Installation Methods Ashlar, Herringbone

Full product specification on interface.com





FLOORING





GLAZING™ | GLOBAL CHANGE™ COLLECTION







105548 Evening Dusk



105550 Fawn



105547 Desert Shadow



105549 Morning Mist



105551 Eclipse

GLAZING

Modular, 25 cm x 1 m Style: 147260

Yarn Manufacturer Universal

Yarn System 100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Pile Thickness 2.6 mm (0.104 in)

Pile Density 6,577


Total Recycled Content

up to 79%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods Ashlar, Herringbone





CLOUD COVER™ | 5th AVE COLLAB™



106477



106482 Ink



106480



106481 Pepper





106484 Indigo 106517 Titanium



Pewter



Black

CLOUD COVER

Modular, 50 cm x 50 cm Style: 137890

Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction

Tufted Cut & Loop Preservative Protection

Soil/Stain Protection

Protekt^{2®}

Pile Thickness 2 mm (0.079 in)

Pile Density 7,747

Total Recycled Content

Up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Brick, Non Directional, Quarter-Turn

Full product specification on interface.com









CLOUD COVER™ | VIEW FROM ABOVE™ COLLECTION



105707 Meadow

105711


105715 Dark Sky



105716 After Dark







105713




105717 Smoky Ridge



Plum Shadow



105718 Blackout



NORA RUBBER

NIGHT FLIGHT™ | 5TH AVE COLLAB™



106469 Natural


106474



106470 Fog



106475 Black



106472 Pewter



106473 Pepper

NIGHT FLIGHT™ | VIEW FROM ABOVE™ COLLECTION

106476



105695 Meadow



105700 Forest



105701



Lavender Crest



105702



















NIGHT FLIGHT Modular, 50 cm x 50 cm Style: 128720 Yarn Manufacturer

Color System Construction Tufted Pattern Loop Preservative Protection Soil/Stain Protection

Protekt^{2®} Pile Thickness 3.5 mm (0.139 in) Pile Density

up to 84% Indoor Air Quality

Total Recycled Content

Installation Methods Brick, Quarter-Turn

Green Label Plus #GLP0820, CDPH 01350

Full product specification on interface.com

Yarn System 100% Recycled Content Nylon

105706

Blackout

HEAD IN THE CLOUDS™ | VIEW FROM ABOVE™ COLLECTION



105719 Rolling Desert



105720 Tawny Fields



Ocean View



Midnight Landing

Otylo, 120	7100	
Yarn Mar	nufacturer	
Aquafil		
Yarn Sys	tem	
100% Re	cycled Content Nylon	
Color Sy	stem	
100% So	lution Dyed	
Construc	tion	


HEAD IN THE CLOUDS Modular, 50 cm x 50 cm

Aquaiii	
Yarn System 100% Recycled Content Nylon	
Color System	
100% Solution Dyed	
Construction	
Engaged Tufted Sheared	
Preservative Protection Intersept®	
Soil/Stain Protection	
Protekt ^{2®}	
Pile Thickness	
2.6 mm (0.104 in)	
Pile Density 8,308	
Total Recycled Content up to 84%	
Indoor Air Quality	
Green Label Plus #GLP0820, CDPH 01350	
Installation Methods	
Brick, Monolithic, Non Directional	










NORA RUBBER



ALL THE EXTRAS

FROM ENTRYWAYS TO STAIRS AND MORE

When we say we have a system of products for EVERY healthcare space, we mean it That includes walk-off products for entryways, nora stairwell solutions, and a range of accessories for norament® and noraplan® floor coverings to complete the perfect floor

Interface Walk-Off Carpet

- Unlike most walk-offs, ours can be cleaned just like carpet, making it ideal for entryways and high-traffic areas
- Stiff fibers in our Step Repeat™ Collection grab dirt and debris before it's tracked inside, trapping it until it can be vacuumed later
- Interiors stay fresher, creating a better indoor environment with reduced maintenance

nora® Stairwell Solutions

- Fast installation and decades-long endurance against heavy traffic
- norament® stairtreads offer a pre-shaped stair nosing, riser and tread all-in-one piece and fit straight steps with an angled edge
- nora stair nosings use a slide-in lip to lock in smooth or hammered surface noraplan and norament floor coverings for installation on all types of staircases
- nora® visually impaired strips offered in smooth or textured surface, available in different colors, including a photoluminescent option
- norament stairtread options with high fire-retardant properties are ideal for emergency exits and stairwells

nora® Accessorie


- nora® wall base adds that final touch to your installation
- nora® heat weld or nora® cold weld for monolithic installations
- nora® sanitary base for areas with stringent hygienic requirements
- High-quality installation materials tailored to nora[®] rubber



INSTALLATIONS

SCAN FOR MORE CONTENT

Scan the QR code to learn more bout our our installation systems; adhesives, TacTiles™, wall base and welds.






104911 Khaki



104930



104931



104932



104933 Onyx



104919



104938



104920 Sable

SR899 | STEP REPEAT™ COLLECTION



104940



104941

104922 Midnight

Onyx

SR799 | STEP REPEAT™ COLLECTION



104915

104934



104916

104935



104917

Dark Brown

104936

Midnight

104918



104937 Onyx

104939



104923













SR999 | STEP REPEAT™ COLLECTION









104926

Midnight

Onvx

SR699

Modular, 50cm x 50cm Style: 13884 Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon

Color System 100% Solution Dyed Construction

Tufted Textured Loop Preservative Protection

Soil/Stain Protection Protekt^{2®} Pile Thickness

3.7 mm (0.147 in) Pile Density

Total Recycled Content Up to 80%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods Quarter-Turn

Full product specification on interface.com



SR799

Modular, 50cm x 50cm Style: 13885

Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon

Color System 100% Solution Dyed

Construction Tufted Textured Loop Preservative Protection

Soil/Stain Protection Protekt^{2®}

Pile Thickness 3.6 mm (0.14 in) Pile Density

Total Recycled Content <u>Up</u> to 80% Indoor Air Quality
Green Label Plus #GLP0820,

CDPH 01350 Installation Methods Quarter-Turn

Full product specification on interface.com



Modular, 50cm x 50cm Style: 13886

Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon Color System

SR899

100% Solution Dyed Construction Tufted Textured Loop

Preservative Protection Soil/Stain Protection

Protekt^{2®} Pile Thickness 3.6 mm (0.143 in)

Pile Density Total Recycled Content

<u>Up</u> to 80% Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods Monolithic Full product specification on interface.com



SR999

Modular, 50cm x 50cm Style: 13887

Yarn Manufacturer Aquafil

Yarn System

100% Recycled Content Nylon

Color System 100% Solution Dyed Construction

Tufted Textured Loop Preservative Protection

Soil/Stain Protection Protekt^{2®} Pile Thickness

Pile Density **Total Recycled Content**

3.2 mm (0.127 in)

<u>Up</u> to 80% Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350

Installation Methods Non Directional Full product specification on interface.com



Product SR699 | Color 104932 Iron | Installed Quarter-turn | SR899 | Color 104941 Onyx | Installed Monolithic



norament® 920 STAIRTREADS (Class A Fire-Rated)



0702 Black





0884 Dust Grey







Azure Blue

norament® ROUND STAIRTREADS



0214

0007

Dust Grey

Sea Green

0319

Slate Blue

0882 Platinum Grey

Stone Grey



2074 Mocha

Slate Grey



0890







0702 Black

Art. 465 — width ~ 1285 mm (50.59 in)


Art. 465 — width ~1285 mm (50.59 in) Art. 466 — width ~1614 mm (63.54 in) Art. 467 — width ~2004 mm (78.89 in)

norament® **GRANO™ STAIRTREADS**




Art. 479 — width ~1285 mm (50.59 in) Art. 468 — width ~ 1614 mm (63.54 in) Art. 469 — width ~ 2004 mm (78.89 in)

norament® **SATURA™ STAIRTREADS**



Art. 479 — width ~1285 mm (50.59 in) Art. 468 — width ~1614 mm (63.54 in) Art. 469 — width ~2004 mm (78.89 in)



norament® **ARAGO™ STAIRTREADS**



5177 Balance











0882 Platinum Grey

Art. 3170 — width ~1285 mm (50.59 in) Art. 3171 — width ~1614 mm (63.54 in) Art. 3172 — width ~2004 mm (78.89 in)

norament® **HAMMERED STAIRTREADS**




0716 Slate Grey





0884 Dust Grey

Art. 479 — width ~1285 mm (50.59 in) Art. 468 — width ~1614 mm (63.54 in) Art. 469 — width ~2004 mm (78.89 in)



Interface° for healthcare

COMMITTED TO SUSTAINING A HEALTHY ENVIRONMENT— INSIDE AND OUT.

Delivering the lowest carbon footprint in the industry, we are dedicated to running our business in a way that reverses global warming and paving the way for other companies, so together we create a climate fit for life.

BETTER CONTROL OVER YOUR FACILITY'S CARBON CONTRIBUTIONS

 nora rubber, LVT, carpet tile, and vinyl sheet flooring products are carbon neutral across their full product life cycle through our third-party verified Carbon Neutral Floors™ program.

REDUCE WASTE THROUGH OUR RECLAMATION PROGRAMS

- Discarded carpet accounts for five billion pounds of landfill waste in the U.S. each year.
- Interface's reclamation program positions us as the only manufacturer that has a 3rd party certified, closed-loop recycling program, through which we take back Interface carpet tile and Sound Choice™ LVT products.
- Our Construction Waste Take-Back Program also makes it possible
 to return waste and scrap material from new installations of nora
 flooring. That material can be reused in the production of new nora floor
 coverings, down-cycled into other products or used to generate energy.









Creating a Healthier Planet-Together

Our goal is to make products with the lowest carbon footprint possible. Through our innovations working with recycled content and bio-based materials, we're making carpet tiles that store carbon, preventing its release into the atmosphere. And the flooring products that we sell, including carpet tile, LVT and nora rubber, are carbon neutral across their full product life cycle through our third party verified Carbon Neutral Floors™ program. When you purchase our flooring, you're helping create a healthier planet with reduced carbon in our atmosphere.

And with your purchase, we'll give you a Carbon Neutral Floor Certificate acknowledging the amount of carbon offsets you've helped retire from the atmosphere.

Reclamation Programs

As your partner, we can help you navigate options for removal and disposal of your flooring. From our ReEntry™ program, which recycles Interface carpet tile and Sound Choice™ LVT, to our Construction Waste Take-Back Program for the reuse and down-cycling of nora, you can make strides towards your sustainability goals.