Interface®

HEALTHCARE



PRODUCT CATALOG

NORA® RUBBER | LVT | CARPET TILE | FLOORING EXTRAS



MADE FOR CARE

COVER IMAGES:
RENOWN HEALTH IN RENO, NV;
DESIGN: PERKINS&WILL; PHOTO: © GARRETT ROWLAND



ARCHITECT/DESIGN: PERKINS&WILL PHOTO: © DROR BALDINGER, FAIA






© JANDDIMAGES



ARCHITECT/DESIGN: GRESHAM SMITH
PHOTO: © 2019 MCGINN PHOTOGRAPHY

WITHOUT COMPROMISE



CONTENTS

04 Introduction

20 nora® Rubber

46 Luxury Vinyl Tile (LVT)

66 Carpet Tile

134 Walk Off

136 Stair Treads



As your single-source provider for healing environments, Interface understands the importance of healthcare facilities. Our space-specific flooring solutions address the unique demands of the healthcare industry and improve overall satisfaction.



ARCHITECT/DESIGN: DESIGN COLLECTIVE, INC. PHOTO: © 2019 TOM HOLDSWORTH

Made with purpose & without compromise, our products help you get more from your floor. Support positive outcomes and Evidence Based Design principals in healing environments with our space-specific solutions.


ARCHITECT/DESIGN: NBBJ PHOTO: © CHUCK CHOI


PHOTO: © JANDDIMAGES

Our flooring products—nora rubber, LVT, carpet tile, and coordinating accessories—are developed with evidence-based design in mind helping to provide superior performance and a lower total cost of ownership over the life of the products.

From lobbies to patient rooms, every colour, pattern, and detail is the result of innovative design **supporting the needs of patients and staff.**



THAT'S WHY WE'RE MADE FOR MORE™

EXPLORE OUR SOLUTIONS FOR ANY SPACE.

click here



Hospitals and clinics can support the needs of patients, staff and caregivers by thoughtfully choosing products that contribute to positive outcomes.

With the right flooring solution and maintenance protocols, you can lower the costs over the life of the product, reduce harmful noise, and provide added comfort underfoot—all of which contribute to a happier, healthier environment.

MORE THAN



ARCHITECT/DESIGN: INVISION PHOTOS: © WAYNE JOHNSON, MAIN STREET STUDIO



ARCHITECT/DESIGN: GRESHAM SMITH PHOTOS: ©2019 MCGINN PHOTOGRAPHY

- Streamlined installation and maintenance protocols help to lower costs over the life of the product. We educate and consult with clients on how to get the most out of their purchase.
- Flexibility to address both current and future needs with a selection of modular products, all while staying within your budget.
- Improve indoor air quality with products third-party certified for low VOC emissions.
- Reduced noise levels with product solutions designed to absorb sound at the floor level.
- Superior slip resistance to reduce instances of slips, trips, and falls.
- Comfort underfoot with products that reduce staff fatigue.
- Ability to reduce surface contamination without the use of harsh chemicals.

A FLOOR



OUR CARBON PLAN IS SIMPLE

avoid
reduce
store
inspire

Did you know that flooring can be the most significant source of carbon emissions on a campus? Interface is committed to making the world a better place, and our free consultations can help you create and implement your own unique low-carbon design.

When you choose flooring from Interface, you're selecting a single-source solution that will reduce your carbon footprint and contribute to a better-built environment for patients and staff.





LEARN
HOW WE'RE
'ALL IN'

click here

THOUGHTFULLY DESIGNED *& fully transparent*

Sustainability is at the heart of our business. We've been pioneers in sustainability for over 30 years because we know we all benefit from valuing the earth we live, work, and play on.



ARCHITECT/DESIGN: BWBR ARCHITECTS PHOTOS: © 2018 FARM KID STUDIOS, INC.

- Our ReEntry™ Program enables reclamation of used flooring and installation waste.
- Interface flooring products are third-party certified for low VOC emissions through Green Label Plus, GREENGUARD Gold, or FloorScore® and contribute to improved air quality.
- Many Interface products incorporate biophilic design, bringing elements of nature into the built environment creating restorative and healing spaces.

Let's plan for a better world, together

MADE FOR YOUR DEADLINE

QUICKSHIP

When high-function spaces need a fast flooring turnover, Interface QuickShip has you covered. QuickShip includes a range of Interface and nora flooring that meets design and performance needs in healing environments, so you can tackle your fast-paced projects knowing you didn't compromise on style, patient and staff-centered outcomes, or your budget.

For a full list of available products & shipping speeds visit **interface.com/quickship or nora.com/quickship.**



PHOTOS: © ENRIQUE SAMSON




FLOR

As the specialty design brand of Interface, FLOR has been bringing premium rugs to residential and commercial spaces since 2003. FLOR carpet tiles are beautiful, easy to install, and sustainably sourced. Our innovative area rug solution is the perfect design accent to elevate high-profile spaces throughout your facility.

FLOR rugs have all the performance benefits of Interface products and come with a 15-year warranty, so they'll get the job done for years to come. All FLOR products integrate with Interface's flooring system. Bringing together carpet tiles and resilient flooring to create unlimited design options and beautifully considered spaces that deliver a consistent level of performance that you'd expect from Interface.

+ BEAUTIFUL
+ SMART
+ RESPONSIBLE

FLOR.com/commercial
for more information, styles, and colours



Edmond Family Eye Care
Designed: Modern Whimsy Interiors
Architecture: DBG Construction
Photos: © Alexis Austin



Cox & Palmer Office Fit Up
Designed: Design 360 Inc.
Photos: © Chris J. Dickson

YOUR DESIGN PARTNER



WE MAKE FINDING DESIGN SOLUTIONS EASIER WITH INTERFACE DESIGN STUDIO.

FIND YOUR SALES REP TO START

click here

Our expert designers know all our product categories inside and out, and their services are complimentary.

From concept to completion, our designers work closely with you to create distinct designs that meet your vision and budget no matter how large or small the project. The to-scale floor plan layouts can project overall waste and act as an installation guide for the flooring contractor. Plus, they include the embodied carbon calculation, making it easier to design with carbon footprint in mind.




RENOWN HEALTH IN RENO, NV
DESIGN: PERKINS&WILL; PHOTO: © GARRETT ROWLAND PHOTOGRAPHY

AT YOUR SERVICE

Our experts are available for consultations before, during, and after flooring installation. We can even help develop a comprehensive maintenance plan for a greater return on investment, lower total cost of ownership, and minimal downtime in high-function spaces.





ARCHITECT/DESIGN: BWBR ARCHITECTS PHOTO: © 2018 FARM KID STUDIOS, INC.

EVERY STEP OF THE WAY

nora RUBBER

Flooring that's so durable it can last for decades—and still look good—is a must-have for any healthcare environment. nora rubber does just that and more.





ARCHITECT/DESIGN: SKIDMORE, OWINGS & MERRILL
PHOTO: DAVE BURK © SOM

MADE FOR PATIENTS, STAFF & CAREGIVERS

- Reduces incidence of slip, trip, falls
- Combats staff fatigue by providing comfort underfoot
- Offers impact sound reduction of up to Δ IIC 23
- Floor coverings and adhesives are GREENGUARD Gold Certified for low VOC emissions
- norament 926 and noraplan 913 styles are Greenhealth Approved™

MADE FOR EASY OWNERSHIP

Dimensionally stable with a non-porous and highly dense surface for a long-lasting floor that is easy to own.

Maintenance

- Cleans easily with little more than water
- Highly resistant to chemicals and stains
- Scratches can be remediated & larger damage is repairable
- Doesn't require coatings

Installation

- The nora® nTx™ installation system combines standard nora floor coverings with a self-adhesive layer for even easier installation
- Moisture resistant systems, including adhesives, available

MADE FOR ENVIRONMENTAL STEWARDSHIP

- norament 926 and noraplan 913 styles are Cradle to Cradle Certified® Silver



ARCHITECT/DESIGN: SKIDMORE, OWINGS & MERRILL
PHOTO: DAVID KRESSES © MAY ARCHITECTURE



DR. ECKERT AUGENARZTPRAXIS DOCTORS OFFICE, GERMANY

PRODUCT NORAMENT ARAGO **COLOUR** HARMONY

norament® arago™


5170
STRENGTH


5171
FORTITUDE


5172
STAMINA


5173
FERVOR


5174
HARMONY


5175
UNITY


5176
PEACE


5177
BALANCE


5178
CALM


5179
TRANQUIL


5180
SERENE


5181
COMFORT

Specifications

Article Number: Tile
3118

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Relief Structure

Nominal Dimensions: Tile
1004 mm x 502 mm (~39.53 in x 19.76 in)

Indoor Air Quality
GREENGUARD Gold; CDPH 01350 Compliant

Also available as norament® arago™ nTx™. View details and the full product specification at nora.com.

For coordinating stair treads, visit nora.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: PERKINS&WILL PHOTO: © DROR BALDINGER, FAIA

PRODUCT NORAMENT CASTELLO **COLOUR** CITADEL

norament castello™


5351
CHATEAU


5352
CITADEL


5353
CORTEGE


5354
MANOR


5355
PALAZZO


5356
DOMUS


5357
PALAIS


5358
CATHEDRAL

Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Tile
3167

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament castello™ nTx™. View details and the full product specification at nora.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAPLAN CONVIA **COLOURS** STONE KHAKI & PALE GREEN

noraplan convia™

7351 PEARL GREY
7352 LAVA ROCK
7353 BASALT
7354 PITCH
7355 SILVER SAND
7356 SHALE
7357 SMOKEY ASH
7358 WROUGHT IRON
7359 ICED TAUPE
7360 STONE KHAKI
7361 WARM SAND
7362 PUTTY
7363 BUTTERMILK
7364 PALE GREEN
7365 DUSTY MINT
7366 PATINA GREEN
7367 ADOBE
7368 POWDER BLUE
7369 HYDRANGEA
7370 PIGEON BLUE
7371 HONEY
7372 CHARTREUSE
7373 CAROLINA BLUE
7374 LUMINOUS RED
7375 CARMINE RED
7376 BILLIARDS
7377 GRECIAN BLUE
7378 VIOLET BLUE

Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Sheet
170F
Article Number: Tile
270F
Product Construction
Homogeneous Rubber Sheet & Tile
Class: Sheet/ASTM F1859
Type I
Class: Tile/ASTM F1344
Type I and Grade 1
Total Thickness
~2 mm
Surface Type
Smooth
Nominal Dimensions: Sheet
15 m x 1.22 m (~49.21 ft x 48 in)
Nominal Dimensions: Tile
610 mm x 610 mm (~24.015 in x 24.015 in)
Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan convia™ nTx™. View details and the full product specification at nora.com.

Installation Methods

DIRECTIONAL
DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAPLAN DARIVA **COLOURS** PEPPERWOOD, SYCAMORE & HEMLOCK

noraplan dariva™

7161
PINE NUT

7164
HICKORY

7168
ARGAN

7173
RED MAPLE

6716
ALMOND

6718
WALNUT

6715
PECAN

6719
COCOA BEAN

6714
MUSHROOM

6721
SANDBAR

6722
PINECONE

6723
BARK

6713
BIRCH

6709
SMOKE

7169
RIVER BIRCH

6710
CHARCOAL

7162
COTTONWOOD

7165
PEPPERWOOD

7170
ACAI BERRY

7174
BLUEBELL

6708
BEACH WOOD

7166
PALMETTO

7171
BLUE SPRUCE

7175
WISTERIA

7163
PLANTAIN

7167
JUNIPER

7172
SYCAMORE

7176
HEMLOCK

Specifications

Article Number: Sheet
2 mm 160F
3 mm 161F

Product Construction
Homogeneous Rubber Sheet

Class: Sheet/ASTM F1859
Type I

Total Thickness
Available in ~2 mm and ~3 mm

Surface Type
Smooth

Nominal Dimensions: Sheet
2 mm 15 m x 1.22 m (~49.21 ft x 48 in)
3 mm 12 m x 1.22 m (~39.37 ft x 48 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan dariva™ nTx™. View details and the full product specification at nora.com.

Installation Method

DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAPLAN ENVIRONCARE **COLOURS** BASEBALL GAME & TAIL GATING

noraplan environcare™

7031 BASEBALL GAME
7032 SLEIGH RIDE
7033 TAIL GATING
7034 FIREWORKS
7035 SNOW SHOEING
7036 CLAM BAKE
7037 FUN RUN
7038 HIDE-N-SEEK
7039 BABY SHOWER
7040 BIKE RIDE
7041 WHALE WATCH
7042 STAR GAZING
7043 ICE FISHING
7044 EGG HUNT
7045 ICE SKATING
7046 DRIVE-IN
7047 SKIING
7048 PIE CONTEST
7049 SUMMER CAMP
7050 PETTING ZOO
7051 SNOWBALL FIGHT
7052 SLEDDING
7053 POT LUCK
7054 BOOK CLUB
7055 CHAMPAGNE TOAST
7056 ANTIQUING
7057 COOKIE SWAP
7058 BEACH DAY
7059 CANDLELIGHT DINNER
7060 GARDEN PARTY
7061 FARMERS MARKET
7062 FOOTBALL
7063 CAR WASH
7064 WATER PARK
7065 POOL PARTY
7066 PARADE
7067 YARD GAMES
7068 MINI GOLF
7069 LEAP FROG
7070 TENNIS MATCH
7071 CORN MAZE
7072 LEAF PEEPING
7073 APPLE PICKING
7074 MUSIC FESTIVAL
7075 FOOD COMA
7076 COUNTY FAIR
7077 GRADUATION
7078 HAUNTED HOUSE

Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Sheet
1463
Article Number: Tile
2463
Product Construction
Homogeneous Rubber Sheet & Tile
Class: Sheet/ASTM F1859
Type I
Class: Tile/ASTM F1344
Type I and Grade 1
Total Thickness
~3 mm (also available in ~2 mm)
Surface Type
Smooth
Nominal Dimensions: Sheet
12 m x 1.22 m (~39.37 ft x 48 in)
Nominal Dimensions: Tile
610 mm x 610 mm (~24.015 in x 24.015 in)
Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan environcare™ nTx™. View details and the full product specification at nora.com.

Installation Methods

DIRECTIONAL DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAMENT GRANO **COLOURS** ANGELICA ROOT, WHITE FIR & SPIKENARD

norament® grano™

5301 WHITE FIR
5302 ANGELICA ROOT
5303 FRANKINCENSE
5304 BLACK PEPPER
5305 AGAR
5306 CAMPHOR
5307 FENUGREEK
5308 MYRRH
5309 JASMINE
5310 HELICHRYSUM
5311 COPAIBA
5312 VETIVER
5313 MARJORAM
5314 HENNA
5315 CEDARWOOD
5316 SIBERIAN FIR
5317 AGAPANTHUS
5318 BLUE TANSY
5319 SPIKENARD
5320 SASSAFRAS
5321 WINTERGREEN
5322 YLANG-YLANG
5323 PLUMERIA
5324 PATCHOULI
5325 BALSAM
5326 FENNEL SEED
5327 TEA TREE
5328 ARBORVITAE
5329 BERGAMOT
5330 CASSIA
5331 NEROLI
5332 GERANIUM

Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Tile
1880
Product Construction
Homogeneous Rubber Tile
Class: Tile/ASTM F1344
Type IB and Grade 2
Total Thickness
~3.5 mm
Surface Type
Hammered
Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)
Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament® grano™ nTx™. View details and the full product specification at nora.com.

For coordinating stair treads, visit nora.com.

Installation Method

DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAMENT KIVO **COLOUR** FLINT

norament kivo™


5361
PUMICE


5362
FLINT


5363
SHARKSKIN


5364
PEWTER


5365
CEMENT


5366
COBBLESTONE


5367
TITANIUM


5368
GRANITE

Specifications

Article Number: Tile
3166

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~2.7 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

View details and the full product specification at nora.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: PERKINS&WILL. PHOTO: © DROR BALDINGER, FAIA

PRODUCT NORAMENT PADO **COLOUR** CONCRETE

norament pado™


5501
NATURAL


5502
CORAL


5503
EMERALD


5504
CORONET


5505
CONCRETE


5506
MINERAL


5507
SHADOW


5508
WINDSOR


5509
ROSE QUARTZ


5510
BLUFF


5511
MOON MIST


5512
SPEARMINT


5513
NIGHTSHADE


5514
LAUREL


5515
FOREST


5516
GALAXY

Specifications

Article Number: Tile
3167

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Two-Tone

Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as norament pado™ nTx™. View details and the full product specification at nora.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAMENT SATURA **COLOURS** ARA & EARTH
PRODUCT NORAPLAN SENTICA **COLOURS** SNOW DAY & DESTINATION

ARCHITECT/DESIGN: TVS DESIGN PHOTO: © 2020 ENRIQUE SAMSON

norament® satura™

Hammered Surface


5102
GRUS

5105
CYGNUS


5106
VULPECULA


5107
CALLISTO


5109
ORION


5110
ARA


5111
CASTOR


5113
SAGITTA


5114
CIRCINUS


5115
HERCULES


5116
ARCTURUS


5122
EARTH


5127
VELA


5128
DELPHINUS


5189
VIRGO


5270
TUCANA


5271
ARIES


5272
CARINA


5273
DORADO


5274
APUS


5275
LEO


5276
PHOENIX

Two-Tone Surface


5109
ORION


5110
ARA


5111
CASTOR


5115
HERCULES


5272
CARINA


5273
DORADO

Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Tile
1880 Hammered surface
3167 Two-Tone surface

Product Construction
Homogeneous Rubber Tile

Class: Tile/ASTM F1344
Type IB and Grade 2

Total Thickness
~3.5 mm

Surface Type
Hammered, Two-Tone

Nominal Dimensions: Tile
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

View details and the full product specification at nora.com.

For coordinating stair treads, visit nora.com.

Installation Method


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



ARCHITECT/DESIGN: TVS DESIGN PHOTO: © 2020 ENRIQUE SAMSON

PRODUCT NORAPLAN SENTICA **COLOUR** SNOW DAY

noraplan® sentica™


6500 COTTON CANDY


6501 PROM


6502 VACATION


6503 INDULGENCE

6504 DOWN FEATHERS


6505 SILK


6506 CASHMERE


6507 OLD OAK

6508 WOOL


6509 SAND BOX


6510 DINNER ROLLS


6511 CLYDESDALE

6512 SUNRISE


6513 HAYRIDE


6514 HEAT WAVE


6515 BARBEQUE


6516 ALOE


6517 CUT GRASS


6518 FIRST DAY


6519 PICNIC


6520 SNOW DAY


6521 SUNDAY PAPER


6522 EXPEDITION


6523 ROAD TRIP


6524 FROST BITE


6525 OCEAN MIST


6526 MOUNTAIN AIR


6527 DEEP SEA


6528 ICE CUBE


6529 SURF


6530 WATERFALL


6531 REGATTA


6532 ZEST


6533 VALENTINE


6534 CARNIVAL


6535 DESTINATION


6536 WHEAT FIELDS


6537 CAMP FIRE

Made for Fast Delivery.
See nora.com/quickship
for program details.

Specifications

Article Number: Sheet
1701
Article Number: Tile
2701

Product Construction
Homogeneous Rubber Sheet & Tile

Class: Sheet/ASTM F1859
Type I
Class: Tile/ASTM F1344
Type I and Grade 1

Total Thickness
~3 mm (also available in ~2 mm)

Surface Type
Smooth

Nominal Dimensions: Sheet
12 m x 1.22 m (~39.37 ft x 48 in)
Nominal Dimensions: Tile
610 mm x 610 mm (~24.015 in x 24.015 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan® sentica™ nTx™. View details and the full product specification at nora.com.

Installation Methods


DIRECTIONAL


DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT NORAMENT XP **COLOURS** CAMPHOR & SPIKENARD

norament® xp™


5309 JASMINE


5109 ORION


5106 VULPECULA


5306 CAMPHOR


5102 GRUS


5110 ARA


5111 CASTOR


5303 FRANKINCENSE


5310 HELICHRYSUM


5114 CIRCINUS


5107 CALLISTO


5304 BLACK PEPPER


5330 CASSIA*


5127 VELA


5119 MARS*


5319 SPIKENARD

** USE TO IDENTIFY STERILE OR RESTRICTED AREAS.*

Specifications

Article Number
1880

Product Construction
Homogeneous Rubber Tile

Class / ASTM D2240
Type IB and Grade 1

Total Thickness
~3.5 mm

Surface Type
Hammered

Nominal Dimensions
1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Also available as noraplan environcare™ nTx™. View details and the full product specification at nora.com.

Installation Method


DIRECTIONAL


Scan For More

BROWSE IMAGES
ORDER SAMPLES

LUXURY VINYL TILE

With Interface 3.0 mm LVT or 4.5 mm Sound Choice™ LVT, it's easier to choose the right flooring for different areas of your healthcare facility.

To ease installation and maintenance, both options have Ceramor™, a durable UV-stabilized ceramic bead finish, and provide options for no transition strips when paired with our carpet tile or nora rubber. Choose from a variety of planks and squares to see the design vision for your space come to life.



	4.5 MM SOUND CHOICE	3.0 MM
MADE FOR HEALING ENVIRONMENTS		
Impact sound reduction	IIC 64	IIC 56
Slip-resistant finish	X	X
MADE FOR DURABILITY		
Ceramor™ coating resists scuffs and scratches	X	X
Core sheet offers dimensional stability and reduced telegraphing	X	X
Fibreglass layer adds stability and controlled flexibility	X	
MADE FOR CIRCULARITY		
39% pre-consumer recycled content	X	X
GreenCircle™ certified Recyclable through our ReEntry™ program	X	



ARTCHITECT/DESIGN: GRESHAM SMITH
PHOTO: © 2019 MCGINN PHOTOGRAPHY



PRODUCT BRUSHED LINES **COLOURS** CELADON & TEAL OXIDE **INSTALLED** ASHLAR

Brushed Lines™

4.5 MM A01602 ALABASTER

4.5 MM A01604 GALENA
3.0 MM C00701 GALENA

4.5 MM A01605 GRAPHITE
3.0 MM C00702 GRAPHITE

4.5 MM A01606 KOHL

4.5 MM A01608 SANDALWOOD
3.0 MM C00705 SANDALWOOD

4.5 MM A01609 PARAFFIN
3.0 MM C00704 PARAFFIN

4.5 MM A01611 MOUSSE
3.0 MM C00703 MOUSSE

4.5 MM A01612 SOFT SHADOW

4.5 MM A01616 ROUGE

4.5 MM A01618 CELADON
3.0 MM C00706 CELADON

4.5 MM A01619 EUCALYPTUS

4.5 MM A01620 TEAL OXIDE
3.0 MM C00708 TEAL OXIDE

4.5 MM A01622 DEEP COBALT
3.0 MM C00707 DEEP COBALT

Specifications

Product Number
4.5 mm A016; 3.0 mm C007

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods

ASHLAR

HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT HEARTH **COLOUR** GRIS
PRODUCT E611 **COLOUR** MARBLE **INSTALLED** ASHLAR

Earthen Forms™ Collection | **Crossroads™**



4.5 MM A03401 CORNERSTONE



4.5 MM A03402 MATERIA



4.5 MM A03403 STEPPING STONE



4.5 MM A03404 STRATA

Earthen Forms™ Collection | **On Grain™**



4.5 MM A03301 WHITE OAK VENEER



4.5 MM A03302 EUROPEAN WALNUT



4.5 MM A03303 HONEYED OAK



4.5 MM A03304 OILED WALNUT



4.5 MM A03305 BESPOKE TIMBER



4.5 MM A03306 GOLDEN OAK



4.5 MM A03307 PALE ASH



4.5 MM A03308 SMOKEY ASH

Earthen Forms™ Collection | **Hearth™**



4.5 MM A03501 PETRA



4.5 MM A03502 GRIS



4.5 MM A03503 SANDSTONE



4.5 MM A03504 MARBLE DUST

Specifications

Product Number
4.5 mm Crossroads A034, On Grain A033, Hearth A035

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™+ Coating

Nominal Dimensions
Crossroad & On Grain 25 cm x 1 m (9.845 in x 39.38 in)
Hearth 50 cm x 1 m (19.69 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods



ASHLAR HERRINGBONE

Scan For More

Crossroads
BROWSE IMAGES
ORDER SAMPLES

On Grain
BROWSE IMAGES
ORDER SAMPLES

Hearth
BROWSE IMAGES
ORDER SAMPLES



Fresco Valley™ Collection | **Cliff™**


4.5 MM A02401 LAPIS


4.5 MM A02402 SANDSTONE


4.5 MM A02403 LIMESTONE
3.0 MM C00802 LIMESTONE


4.5 MM A02404 ALABASTER
3.0 MM C00801 ALABASTER


4.5 MM A02405 GRANITE


4.5 MM A02406 IRONSTONE

Scan For More


Cliff 4.5 mm


CHECK AVAILABILITY
ORDER SAMPLES

Cliff 3.0 mm

CHECK AVAILABILITY
ORDER SAMPLES

Fresco Valley™ Collection | **Ridge™**


4.5 MM A02301
PHANTOM


4.5 MM A02302
SHADE


4.5 MM A02303
SAGE


4.5 MM A02304
AGATE


4.5 MM A02305
MUSHROOM


4.5 MM A02306
BOULDER

Fresco Valley™ Collection | **Great Heights™**


4.5 MM A02501 GREY PINE


4.5 MM A02502 HARD MAPLE


4.5 MM A02503 WHITE OAK


4.5 MM A02504 DOUGLAS FIR


4.5 MM A02505 SEQUOIA


4.5 MM A02506 BIRCH

Specifications

Product Number
Cliff 4.5 mm A024; 3.0 mm C008
Ridge 4.5 mm A023, Great Heights A025

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
Cliff 4.5 mm and 3.0 mm options available,
Ridge & Great Heights 4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
Cliff & Great Heights 25 cm x 1 m (9.845 in x 39.38 in)
Ridge 50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified;
CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods

Cliff & Great Heights


ASHLAR


HERRINGBONE

Ridge


ASHLAR


NON-DIRECTIONAL


BRICK


QUARTER-TURN


MONOLITHIC

Scan For More

Ridge

CHECK AVAILABILITY
ORDER SAMPLES

Great Heights

CHECK AVAILABILITY
ORDER SAMPLES



DESIGN: TVS DESIGN PHOTO: © 2020 ENRIQUE SAMSON

PRODUCT NATURAL WOODGRAINS **COLOUR** CEDAR **INSTALLED** HERRINGBONE

Level Set™ Collection | **Natural Woodgrains™**



4.5 MM A00201 BLACK WALNUT



4.5 MM A00202 MADAGASCAR



4.5 MM A00203 CHESTNUT



4.5 MM A00204 BEECH
3.0 MM C00901 BEECH



4.5 MM A00205 STORM



4.5 MM A00206 WINTER GREY



4.5 MM A00207 WASHED WHEAT
3.0 MM C00906 WASHED WHEAT



4.5 MM A00208 SAND DUNE
3.0 MM C00903 SAND DUNE



4.5 MM A00209 MAHOGANY



4.5 MM A00210 TEAK
3.0 MM C00904 TEAK



4.5 MM A00211 WASHED MAPLE
3.0 MM C00905 WASHED MAPLE



4.5 MM A00212 CEDAR
3.0 MM C00902 CEDAR

Specifications

Product Number
4.5 mm A002; 3.0 mm C009

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PHOTO: © DANIEL BROWN

PRODUCT TEXTURED WOODGRAINS **COLOUR** RUSTIC CASHEW **INSTALLED** ASHLAR

Level Set™ Collection | **Textured Woodgrains™**


4.5 MM A00401 DISTRESSED WALNUT


4.5 MM A00402 DISTRESSED CASHEW


4.5 MM A00403 DISTRESSED HICKORY


4.5 MM A00405 GREY DUNE


4.5 MM A00406 ANTIQUE LIGHT OAK
3.0 MM C01402 ANTIQUE LIGHT OAK


4.5 MM A00407 WHITE WASH


4.5 MM A00409 ASH WALNUT


4.5 MM A00415 ANTIQUE OAK


4.5 MM A00416 ANTIQUE DARK OAK
3.0 MM C01401 ANTIQUE DARK OAK


4.5 MM A00417 SILVER DUNE


4.5 MM A00418 CHARCOAL DUNE


4.5 MM A00420 RUSTIC CASHEW


4.5 MM A00421 RUSTIC OAK


4.5 MM A00422 RUSTIC HICKORY


4.5 MM A00423 RUSTIC ASH


4.5 MM A00425 RUSTIC CHARCOAL


4.5 MM A00426 SUGARPINE


4.5 MM A00427 HEMLOCK

Specifications

Product Number
4.5 mm A004; 3.0 mm C014
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
4.5 mm and 3.0 mm options available
Backing Class
Commercial Grade
Finish
Ceramor™ Coating
Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT NORTHERN GRAIN **COLOUR** DARK WASH **INSTALLED** ASHLAR

Northern Grain™

4.5 MM A02601 GLAZED OAK

4.5 MM A02602 CHIFFON OAK

4.5 MM A02603 BARE OAK



4.5 MM A02604 DRIED OAK



4.5 MM A02605 NORDIC WASH



4.5 MM A02606 ANTIQUE WASH
3.0 MM C01101 ANTIQUE WASH



4.5 MM A02607 DARK WASH
3.0 MM C01102 DARK WASH



4.5 MM A02608 GREY WASH

4.5 MM A02609 AGED SATIN



4.5 MM A02610 NATURAL SATIN



4.5 MM A02611 OAK SATIN
3.0 MM C01103 OAK SATIN



4.5 MM A02612 DARK SATIN

Specifications

Product Number
4.5 mm A026; 3.0 mm C011

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods



ASHLAR



HERRINGBONE

Scan For More

4.5 mm LVT



CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT



CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT SCORPIO **COLOURS** SILVERLIGHT & PEWTER **INSTALLED** MONOLITHIC

Scorpio™

4.5 MM A01701
YELLOW

4.5 MM A01702
CHARTREUSE

4.5 MM A01703
ORANGE

4.5 MM A01704
RED

4.5 MM A01705
DEEP FUCHSIA

4.5 MM A01706
VIOLET

4.5 MM A01708
ELECTRIC BLUE

4.5 MM A01709
AQUA

4.5 MM A01712
DARK GREEN

4.5 MM A01713
PEBBLE

4.5 MM A01714
MUSHROOM

4.5 MM A01715
SAND

4.5 MM A01716
SILVERLIGHT

4.5 MM A01717
PEWTER

4.5 MM A01718
SLATE

Specifications

Product Number
4.5 mm A017

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods

ASHLAR NON DIRECTIONAL BRICK QUARTER-TURN MONOLITHIC

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



PRODUCT STEADY STRIDE WOODGRAINS **COLOURS** DRIFTWOOD & MALT **INSTALLED** PATTERN BY TILE

Steady Stride Woodgrains™


3.0 MM B00101 BISCUIT


3.0 MM B00102 BRISTLE


3.0 MM B00103 MALT


3.0 MM B00104 DRIFTWOOD


3.0 MM B00105 NICKEL


3.0 MM B00106 BLONDE


3.0 MM B00107 BARLEY


3.0 MM B00109 ELM


3.0 MM B00110 MOCHA


3.0 MM B00113 GRAPHITE


3.0 MM B00114 STERLING

Specifications

Product Number
3.0 mm B001
Product Construction
High Performance Luxury Vinyl Tile
Class/ASTM F1700
Class III Printed Vinyl Tile
Wear Layer Thickness
22 mil
Total Thickness
3.0 mm
Backing Class
Commercial Grade
Finish
Ceramor™ Coating
Nominal Dimensions
12.5 cm x 1 m (4.923 in x 39.38 in)
Total Recycled Content
39%
Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant
Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES



ARCHITECT/DESIGN: GBBN ARCHITECTS PHOTO: © BRAD FEINKNOPF/OTTO

PRODUCT STUDIO SET **COLOURS** MUSHROOM & TITANIUM
PRODUCT SR899 **COLOUR** SMOKE

Studio Set™

4.5 MM A00701 SILVERLIGHT
3.0 MM C01204 SILVERLIGHT

4.5 MM A00702 PEWTER
3.0 MM C01203 PEWTER

4.5 MM A00703 PEPPER
3.0 MM C01202 PEPPER

4.5 MM A00704 ESPRESSO

4.5 MM A00705 TITANIUM
3.0 MM C01205 TITANIUM

4.5 MM A00706 MUSHROOM
3.0 MM C01201 MUSHROOM

4.5 MM A00708 IRIS
3.0 MM C01207 IRIS

4.5 MM A00709 OCEAN
3.0 MM C01209 OCEAN

4.5 MM A00710 POPPY
3.0 MM C01211 POPPY

4.5 MM A00712 MARIGOLD
3.0 MM C01208 MARIGOLD

4.5 MM A00713 SLATE
3.0 MM C01213 SLATE

4.5 MM A00715 CHARTREUSE
3.0 MM C01206 CHARTREUSE

4.5 MM A00716 ORANGE
3.0 MM C01210 ORANGE

4.5 MM A00717 RED

4.5 MM A00718 DEEP FUCHSIA

4.5 MM A00719 VIOLET

4.5 MM A00720 ROYAL BLUE
3.0 MM C01212 ROYAL BLUE

4.5 MM A00721 ELECTRIC BLUE

4.5 MM A00722 AQUA

4.5 MM A00723 KELLY GREEN

4.5 MM A00724 TURQUOISE
3.0 MM C01214 TURQUOISE

4.5 MM A00725 DARK GREEN

4.5 MM A00726 PEBBLE

4.5 MM A00727 SAND

Specifications

Product Number
4.5 mm A007; 3.0 mm C012

Product Construction
High Performance Luxury Vinyl Tile

Class/ASTM F1700
Class III Printed Vinyl Tile

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm and 3.0 mm options available

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Total Recycled Content
39%

Indoor Air Quality
GREENGUARD Gold; FloorScore® Certified; CDPH 01350 Compliant

Environmental Certifications
NSF/ANSI 332 Silver

Full product specification on interface.com

Installation Methods

ASHLAR HERRINGBONE

Scan For More

4.5 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

3.0 mm LVT

CHECK AVAILABILITY
ORDER SAMPLES

CARPET TILE

Our modular carpet has the comfort and style you love about soft flooring with the flexibility of tile. We've been perfecting it for more than 50 years.



ARCHITECT/DESIGN: BWBR ARCHITECTS
PHOTO: © 2018 FARM KID STUDIOS, INC.



MADE FOR PATIENTS & CAREGIVERS

- **Design Flexibility:** Extensive selection of patterns, colours, and sizes providing ideal solutions to address both current and future needs regardless of the space, all while staying within your budget

MADE FOR OPERATIONAL EFFICIENCIES

- **Stable Backing System:** keeps tiles in place and flat on the floor
- **Durable Construction:** premium recycled content nylon fibre withstands heavy traffic
- **Resistant Fibres:** solution-dyed to endure harsh substances like bleach or hand sanitizers
- **Intersept™ Technology:** our proprietary preservative, permanently incorporated into the backing to protect carpet tiles against mold growth and odour—even at the seams
- **Eases Installation & Replacement:** glue-free TacTile® installation system for most backings, with full-spread adhesive recommended for areas with heavy rolling loads
- **Selective Replacement:** i2™ styles with mergeable dye lots for easy and selective tile replacement
- **Moisture Resistance:** systems, including adhesives, available



ARCHITECT/DESIGN: BWBR ARCHITECTS
PHOTO: © 2018 FARM KID STUDIOS, INC.

MADE FOR REDUCING YOUR IMPACT





RECYCLABLE

GlasBac backing is GreenCircle® certified recyclable through our ReEntry™ program

LOW CARBON FOOTPRINT

Interface carpet tile has the lowest carbon footprint in the commercial flooring industry, before any offsets.

GREENHEALTH APPROVED™

Addresses priority chemicals of concern



CQUEST™ BACKINGS

Our innovative CQuest™ backings offer superior performance and a low carbon footprint, and Interface modular carpet on CQuest backings meet the USDA Certified Biobased Content Federal Purchasing Requirements for carpet.

CQUEST™GB

Made with post-consumer carpet tiles, bio-based additives, and pre-consumer recycled materials

USDA CERTIFIED BIOBASED PRODUCT PRODUCT 42%

MODULAR CARPET ON CQUEST™GB

CQUEST™BIO & CQUEST™BIOX

Incorporate biobased and recycled content and are free of PVC and antimicrobials

Interface modular carpet on these backings is Cradle to Cradle Certified® Silver.

USDA CERTIFIED BIOBASED PRODUCT PRODUCT 74%

MODULAR CARPET ON CQUEST™BIOX


USDA CERTIFIED BIOBASED PRODUCT PRODUCT 47%

MODULAR CARPET ON CQUEST™BIO



CARPET PRODUCT AE310 **COLOUR** GREIGE
LVT PRODUCT TEXTURED STONES **COLOUR** POLISHED CEMENT **INSTALLED** ASHLAR

Aerial™ Collection | **AE310**


104621 MIST


104622 FOG


104623 TAUPE


104624 CHESTNUT


104625 GREIGE


104626 IRON


104627 SMOKE


104628 INK


106574 MUSHROOM


106575 TOPAZ

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
13882
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.10 in, 2.5 mm
Pile Density
5,760 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
67%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


NON DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT AE311 **COLOUR** BISCUIT
PRODUCT AE315 **COLOUR** BISCUIT/EUCALYPTUS
PRODUCT AE317 **COLOUR** EUCALYPTUS **INSTALLED** ASHLAR


Aerial™ Collection | **AE311**


104668 MIST


104669 FOG


104670 TAUPE


104671 CHESTNUT


104672 GREIGE


104673 IRON


104674 SMOKE


104675 INK


105803 MUSHROOM


105804 LOAM


105805 GRANITE


105806 TOPAZ



105807 BISCUIT

Aerial™ Collection | **AE315**



105808 MUSHROOM/GRASS



105809 FOG/CITRON


105810 CHESTNUT/MARIGOLD


105811 GREIGE/PERSIMMON


105812 LOAM/POPPY


105813 IRON/BERRY



105814 INK/MAGENTA



105815 SMOKE/IRIS


105816 GRANITE/AZURE


105817 MIST/AQUAMARINE


105818 TOPAZ/EMERALD


105819 TAUPE/LEAF


105820 BISCUIT/EUCALYPTUS

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
AE311 13883; AE315 16323
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
AE311 0.10 in, 2.5 mm; AE315 0.09 in, 2.3 mm
Pile Density
AE311 5,567 oz/yd³; AE315 6,400 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
67%
Indoor Air Quality
Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

AE311

AE315

BROWSE IMAGES
ORDER SAMPLES

BROWSE IMAGES
ORDER SAMPLES



PRODUCT MESA **COLOUR** UMBER **INSTALLED** HERRINGBONE

Beaumont Range™ Collection | **Mesa™**


107515 FERN



107516 EVERGREEN


107517 CEDAR


107518 UMBER


107519 CLAY


107520 FOG


107521 METAL


107522 SHADOW

Beaumont Range™ Collection | **Eben™**


107535 LICHEN


107536 MOSS


107537 OAK


107538 WALNUT


107539 GREIGE


107540 PEBBLE


107541 SMOKE


107542 LAVA

Specifications

Modular, 25 cm x 1 m
Mesa 13125; Eben 13126

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
Mesa 0.08 in, 2 mm; Eben 0.10 in, 2.5 mm

Pile Density
Mesa 8,550 oz/yd³; Eben 7,273 oz/yd³

Traffic Classification
Severe

Total Recycled Content
Mesa 68%; Eben 69 %

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

Mesa

BROWSE IMAGES
ORDER SAMPLES

Eben

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT FERRIS, **COLOUR** SAGE
LVT PRODUCT RIDGE, **COLOUR** AGATE, **INSTALLED** PATTERN BY TILE

Beaumont Range™ Collection | **Ferris™**


107523 FOREST


107524 SAGE



107525 SIENNA


107526 TRUFFLE


107527 GLACIER


107528 MUSHROOM


107529 VOLCANIC


107530 ASH

Specifications

Modular, 25 cm x 1 m
14829
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Engaged Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.12 in, 3.1 mm
Pile Density
8,488 oz/yd³
Traffic Classification
Severe
Total Recycled Content
71%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE


Scan For More

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT C552 | **COLOUR** BONE
LVT PRODUCT BRUSHED LINES | **COLOUR** SOFT SHADOW | **INSTALLED** ASHLAR

Combined Effect™ Collection | **C551**


103401 PEARL


103402 PINE


103403 BONE


103404 FLINT


103405 WHITE


103406 BLACK


103407 CHALK


103408 NAVY

Combined Effect™ Collection | **C552**


103409 PEARL


103410 PINE


103411 BONE


103412 FLINT


103413 WHITE


103414 BLACK


103415 CHALK


103416 NAVY

Specifications

Modular, 25 cm x 1 m
C551 14070; C552 14071

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
C551 0.15 in, 3.8 mm; C552 0.13 in, 3.3 mm

Pile Density
C551 5,280 oz/yd³; C552 5,771 oz/yd³

Traffic Classification
Severe

Total Recycled Content
C551 70%; C552 69%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR HERRINGBONE

Scan For More

C551

BROWSE IMAGES
ORDER SAMPLES

C552

BROWSE IMAGES
ORDER SAMPLES



PRODUCT CUBIC **COLOUR** BLACK **INSTALLED** NON DIRECTIONAL

Cubic™


004287 SHAPE


004288 GEOMETRY


004289 MATRIX


004851 MEASUREMENT


004853 ANGLE



004855 OPTIC


006385 VERTICAL


006386 HORIZONTAL


006387 DEPTH


106068 SOAR


106069 MERIDIAN


106070 PRINCIPAL


106077 PEAK


106078 SUMMIT



106079 PINNACLE


004290 PERIMETER


004291 SQUARE


004292 AREA


004294 SURFACE


004295 SYMMETRY


004296 TRANSVERSE


004856 STRUCTURE



004857 FUNCTIONAL


004858 FORM


004860 AXIS


006383 BALANCE


006384 COMPOSITION


006389 SUPPORTS


006392 DIMENSION


006393 HEIGHT


006395 CONSTRUCTION


006396 MOVEMENT


006397 PURPOSE


106071 PITCH


106072 ZENITH


106073 ALTITUDE


106074 LOFTY


106075 CREST


106076 VERTEX

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
13801

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
0.09 in, 2.4 mm

Pile Density
6,968 oz/yd³

Traffic Classification
Severe

Total Recycled Content
68%

Indoor Air Quality
Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


NON DIRECTIONAL

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT E610, **COLOUR** SLATE, **INSTALLED** MONOLITHIC

Etched & Threaded™ Collection | **E610**



103356 SLATE



103357 FELDSPAR




103358 SANDSTONE




103359 YELLOWSTONE


Etched & Threaded™ Collection | **E611**




103352 GRANITE



103353 QUARTZ



103354 MARBLE



103355 LIMESTONE

Specifications

Modular, 50 cm x 50 cm
E610 14062; E611 14061
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Engaged Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2®
Pile Thickness
E610 0.23 in, 5.9 mm; E611 0.18 in, 4.4 mm
Pile Density
E610 6,308 oz/yd³; E611 6,377 oz/yd³
Traffic Classification
Severe
Total Recycled Content
E610 74%; E611 72%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods



MONOLITHIC

Scan For More

E610

BROWSE IMAGES
ORDER SAMPLES

E611

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT E614 **COLOUR** LINEN
LVT PRODUCT ON GRAIN **COLOUR** PALE ASH **INSTALLED** ASHLAR

Etched & Threaded™ Collection | **E612**


103360 UMBER


103361 MINERAL


103362 FLANNEL


103363 FOG


103364 DUSK


103365 SEPIA


103366 STRAW


103367 WHEAT

Etched & Threaded™ Collection | **E613**


103368 UMBER


103369 MINERAL


103370 FLANNEL


103371 FOG


103372 DUSK


103373 SEPIA


103374 STRAW


103375 WHEAT

Etched & Threaded™ Collection | **E614**


103384 BARK


103385 CHARCOAL


103386 STORM


103387 CONCRETE


103388 BIRCH


103389 BROWNSTONE


103390 RAFFIA


103391 LINEN

Specifications

Modular, 25 cm x 1 m
E612 14063; E613 14064; E614 14066

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
E612 Tufted Sheared;
E613, E614 Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2™

Pile Thickness
E612 0.17 in, 4.4 mm; E613 0.11 in, 2.8 mm;
E614 0.15 in, 3.8 mm

Pile Density
E612 5,442 oz/yd³; E613 7,393 oz/yd³;
E614 6,199 oz/yd³


Traffic Classification
E612 Heavy; E613, E614 Severe

Total Recycled Content
E612 & E614 70%; E613 71%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR HERRINGBONE

Scan For More

E612 E613 E614

BROWSE IMAGES
ORDER SAMPLES



PRODUCT E616 **COLOUR** JUTE **INSTALLED** ASHLAR

Etched & Threaded™ Collection | **E615**


103376 BARK


103377 CHARCOAL


103378 STORM


103379 CONCRETE


103380 BIRCH


103381 BROWNSTONE


103382 RAFFIA


103383 LINEN

Etched & Threaded™ Collection | **E616**


103344 WALNUT


103345 IRON


103346 PEWTER


103347 PLATINUM


103348 TIMBER


103349 WINTER


103350 JUTE


103351 PARCHMENT

Specifications

Modular, 25 cm x 1 m
E615 14065; E616 13136

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
E615 Tufted Pattern Loop;
E616 Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2™

Pile Thickness
E615 0.16 in, 4 mm; E616 0.09 in, 2.2 mm

Pile Density
E615 5,434 oz/yd³; E616 7,364 oz/yd³

Traffic Classification
Severe

Total Recycled Content
E615 70%; E616 69%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

E615

BROWSE IMAGES
ORDER SAMPLES

E616

BROWSE IMAGES
ORDER SAMPLES



PRODUCT FLAT ROCK **COLOUR** MINERAL TRAIL **PRODUCT** BRIDGE CREEK **COLOUR** MINERAL EDGE
PRODUCT MOUNTAIN ROCK **COLOUR** MINERAL PEAK **PRODUCT** PANOLA MOUNTAIN **COLOUR** RUST LINEN **INSTALLED** NON DIRECTIONAL

Granite Mountain™ Collection | **Bridge Creek™**


107322 NATURAL EDGE



107323 MINERAL EDGE


107324 ONYX EDGE



107325 STEEL EDGE

Granite Mountain™ Collection | **Flat Rock™**


107318 NATURAL TRAIL


107319 MINERAL TRAIL


107320 ONYX TRAIL



107321 STEEL TRAIL

Granite Mountain™ Collection | **Mile Rock™**


107314 BROWN MICA


107315 FOSSIL MICA


107316 INK MICA


107317 FLINT MICA

Specifications

Modular, 50 cm x 50 cm
Bridge Creek 15049; Flat Rock 15048; Mile Rock 12518

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Bridge Creek & Flat Rock Engaged Tufted Pattern Loop; Mile Rock Engaged Tufted Sheared

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2™

Pile Thickness
Bridge Creek 0.10 in, 2.7 mm; Flat Rock 0.06 in, 1.5 mm; Mile Rock 0.19 in, 4.9 mm

Pile Density
Bridge Creek 8,914 oz/yd³; Flat Rock 14,164 oz/yd³; Mile Rock 6,866 oz/yd³

Traffic Classification
Severe

Total Recycled Content
Bridge Creek & Flat Rock 70%; Mile Rock 73%

Indoor Air Quality
CRI Green Label Plus #GLP0820; CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

Bridge Creek, Flat Rock & Mile Rock

NON DIRECTIONAL

Flat Rock & Mile Rock

MONOLITHIC

Scan For More

Bridge Creek
BROWSE IMAGES
ORDER SAMPLES


Flat Rock
BROWSE IMAGES
ORDER SAMPLES

Mile Rock
BROWSE IMAGES
ORDER SAMPLES



PRODUCT MANTLE ROCK **COLOUR** NICKEL STONE **INSTALLED** ASHLAR
PRODUCT BRIDGE CREEK **COLOUR** STEEL EDGE **INSTALLED** PATTERN BY TILE
PRODUCT MOUNTAIN ROCK **COLOUR** STEEL PEAK **INSTALLED** NON DIRECTIONAL

Granite Mountain™ Collection | **Mantle Rock™**


107282 TAUPE STONE



107283 CHARCOAL STONE



107284 LEAD STONE


107285 IRON STONE


107286 NICKEL STONE


107287 BLACK STONE


107288 GREY STONE


107289 SLATE STONE

Granite Mountain™ Collection | **Panola Mountain™**


107298 RUST LICHEN


107299 BLUSH LICHEN


107300 BROWN LICHEN


107301 YELLOW LICHEN


107302 GREEN LICHEN


107303 MEADOW LICHEN


107304 BLUE LICHEN


107305 SAGE LICHEN

Specifications

Modular, 25 cm x 1m, 50 cm x 50 cm
Mantle Rock 13115; Panola Mountain 12516

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Mantle Rock Tufted Textured Loop;
Panola Mountain Engaged Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2™

Pile Thickness
Mantle Rock 0.10 in, 2.6 mm;
Panola Mountain 0.23 in, 5.9 mm

Pile Density
Mantle Rock 5,942 oz/yd³;
Panola Mountain 5,846 oz/yd³

Traffic Classification
Severe

Total Recycled Content
Mantle Rock 68%; Panola Mountain 73%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

Mantle Rock — ASHLAR
Mantle Rock — HERRINGBONE
Panola Mountain — NON DIRECTIONAL

Scan For More

Mantle Rock
BROWSE IMAGES
ORDER SAMPLES

Panola Mountain
BROWSE IMAGES
ORDER SAMPLES




PRODUCT ROCKLAND ROAD **COLOUR** LEAD QUARRY **INSTALLED** ASHLAR


Granite Mountain™ Collection | **Rockland Road™**


107306 TAUPE QUARRY


107307 CHARCOAL QUARRY


107308 LEAD QUARRY


107309 IRON QUARRY


107310 NICKEL QUARRY


107311 BLACK QUARRY


107312 GREY QUARRY


107313 SLATE QUARRY

Granite Mountain™ Collection | **Rock Springs™**


107290 TAUPE GNEISS


107291 CHARCOAL GNEISS


107292 LEAD GNEISS


107293 IRON GNEISS


107294 NICKEL GNEISS


107295 BLACK GNEISS


107296 GREY GNEISS



107297 SLATE GNEISS

Specifications

Modular, 25 cm x 1m
Rockland Road 12517; Rock Springs 13116
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Rockland Road Tufted Pattern Loop;
Rock Springs Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2™
Pile Thickness
Roackland Road 0.10 in, 2.6 mm;
Rock Springs 0.11 in, 2.8 mm
Pile Density
Rockland Road 6,990 oz/yd³;
Rock Springs 5,615 oz/yd³
Traffic Classification
Rockland Road Severe; Rock Springs Heavy
Total Recycled Content
Rockland Road 69%; Rock Springs 68%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods



Scan For More

Rockland Road

BROWSE IMAGES
ORDER SAMPLES


Rock Springs

BROWSE IMAGES
ORDER SAMPLES




PRODUCT HARMONIZE **COLOUR** GRAVEL **INSTALLED** ASHLAR
PRODUCT GROUND WAVES **COLOUR** GRAVEL/COLOURS **INSTALLED** HERRINGBONE


Harmonize & Ground Waves™ Collection | **Ground Waves™**



104051 COBALT/COLOURS



104052 MIDNIGHT/COLOURS



104053 ICEBERG/COLOURS



104054 IRON/COLOURS


104055 GRAVEL/COLOURS



104056 PEWTER/COLOURS



104057 LAUREL/COLOURS


104058 MESQUITE/COLOURS


104059 GULL/COLOURS


104060 DRIFTWOOD/COLOURS


104061 PRAIRIE/COLOURS


104062 FLAX/COLOURS


Harmonize & Ground Waves™ Collection | **Harmonize™**


104039 COBALT


104040 MIDNIGHT


104041 ICEBERG


104042 IRON


104043 GRAVEL


104044 PEWTER


104045 LAUREL


104046 MESQUITE


104047 GULL


104048 DRIFTWOOD


104049 PRAIRIE


104050 FLAX

Specifications

Modular, 25 cm x 1 m
Ground Waves 13873; Harmonize 13872
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
Ground Waves 0.09 in, 2.2 mm;
Harmonize 0.11 in, 2.5 mm
Pile Density
Ground Waves 6,545 oz/yd³; Harmonize 5,434 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
67%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

Ground Waves

BROWSE IMAGES
ORDER SAMPLES

Harmonize

BROWSE IMAGES
ORDER SAMPLES



SUNY OPTICAL
ARCHITECT/DESIGN: NK ARCHITECTS PHOTO: © INES LEONG L-INES PHOTO

PRODUCT ICE BREAKER **COLOUR** QUARRY **INSTALLED** NON DIRECTIONAL

Ice Breaker™

105770 CONCRETE

105771 GRANITE

105772 BLUESTONE

105773 JETMIST

105775 QUARRY

105776 AGATE

105778 MAGMA

105779 GRAYFOX

105780 BROWNSTONE

105782 CORNERSTONE

105784 WARM ROCK

105785 RARE EARTH

106576 CORAL

106577 AQUAMARINE

106192 CHARIOTE

106193 LAZULI

106194 LARIMAR

106195 PERIDOT

106196 GARNET

106197 CARNELIAN

106198 SILICA

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
14730
Yarn Manufacturer
Universal
Yarn System
Post-Consumer Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.07 in, 1.8 mm
Pile Density
8,620 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
64%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

NON DIRECTIONAL MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT KNITSTITCH™ **COLOUR** SLATE
LVT PRODUCT NATURAL WOODGRAINS™ **COLOUR** SAND DUNE **INSTALLED** MONOLITHIC

Knitstitch™


103332 MUSHROOM


103333 LINEN


103334 CHARCOAL


103335 SLATE


103336 DUSK


103337 GREIGE


103338 MUSHROOM/ AMETHYST


103339 LINEN/LAPIS


103340 CHARCOAL/ CAYENNE


103341 SLATE/CURRY


103342 DUSK/OLIVE


103343 GREIGE/PINE

Specifications

Modular, 50 cm x 50 cm
14060
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.11 in, 2.8 mm
Pile Density
5,464 oz/yd³
Traffic Classification
Severe
Total Recycled Content
68%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


BRICK


QUARTER-TURN


MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCTS DIDDLEY DOT, DOT 2 DOT & DOT O MINE **COLOUR** PEBBLE **INSTALLED** ASHLAR

Modern Trio™ Collection | **Diddley Dot™**


108098 BEECH


108099 SUNSET


108100 CANE


108101 RAFFIA


108102 CLOUD


108103 PEBBLE


108104 NATURAL



108105 JUTE


108106 CHARCOAL


108107 LAPIS


108108 TOURMALINE


108109 LEAD


108110 GRAPHITE


108111 AZURE


108112 FOREST


108113 EMBER


Modern Trio™ Collection | **Dot 2 Dot™**


108066 BEECH


108067 SUNSET


108068 CANE


108069 RAFFIA


108070 CLOUD


108071 PEBBLE


108072 NATURAL


108073 JUTE


108074 CHARCOAL


108075 LAPIS


108076 TOURMALINE


108077 LEAD


108078 GRAPHITE


108079 AZURE


108080 FOREST


108081 EMBER

Specifications

Modular, 25 cm x 1 m
Diddley Dot 13132; Dot 2 Dot 13130

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
Diddley Dot 0.10 in, 2.5 mm;
Dot 2 Dot 0.09 in, 2.2 mm

Pile Density
Diddley Dot 7,200 oz/yd³; Dot 2 Dot 7,773 oz/yd³

Traffic Classification
Severe

Total Recycled Content
Diddley Dot 69%; Dot 2 Dot 68%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

Diddley Dot

BROWSE IMAGES
ORDER SAMPLES

Dot 2 Dot

BROWSE IMAGES
ORDER SAMPLES

Open Air™ Collection | **Open Air™ 401**


106772 BLACK


106773 IRON


106774 FLANNEL


106775 CHARCOAL


106776 NATURAL


106777 NICKEL


106778 GRANITE


106779 STONE


106780 LINEN


107683 MIST


107684 NAVY


107685 EBONY


107686 OAT


107687 BROWN


107688 SHELL


107689 AMBER

Open Air™ Collection | **Open Air™ 402**


106736 BLACK


106737 IRON


106738 FLANNEL


106739 CHARCOAL



106740 NATURAL


106741 NICKEL


106742 GRANITE


106743 STONE


106744 LINEN


107690 MIST


107691 NAVY


107692 EBONY


107693 OAT


107694 BROWN


107695 SHELL


107696 AMBER

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
401 16336; 402 16332

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2®

Pile Thickness
401 0.08 in, 1.9 mm; 402 0.08 in, 2.1 mm

Pile Density
401 8,526 oz/yd^3; 402 8,143 oz/yd^3

Traffic Classification
401 Severe; 402 Heavy

Total Recycled Content
401 68%; 402 69%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More


Open Air 401

BROWSE IMAGES
ORDER SAMPLES


Open Air 402


BROWSE IMAGES
ORDER SAMPLES


Open Air™ Collection | **Open Air™ 404**


106745 BLACK


106746 IRON


106747 FLANNEL


106748 CHARCOAL


106749 NATURAL


106750 NICKEL


106751 GRANITE


106752 STONE



106753 LINEN


107704 MIST


107705 NAVY


107706 EBONY



107707 OAT



107708 BROWN



107709 SHELL



107710 AMBER


Open Air™ Collection | **Open Air™ 420**



107057 BLACK



107058 IRON



107059 FLANNEL



107060 CHARCOAL



107061 NATURAL



107062 NICKEL


107063 GRANITE


107064 STONE



107065 LINEN



107809 MIST



107810 NAVY


107811 EBONY


107812 OAT


107813 BROWN


107814 SHELL


107815 AMBER

Made for Fast Delivery.
See interface.com/quickship for program details.

Open Air 404

Specifications

Modular, 50 cm x 50 cm
404 16333; 420 14754
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2®
Pile Thickness
404 0.07 in, 1.8 mm; 420 0.09 in, 2.4 mm
Pile Density
404 9,771 oz/yd³; 420 6,968 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
68%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method

Open Air 404
NON DIRECTIONAL

Open Air 420
MONOLITHIC

Scan For More

Open Air 404

BROWSE IMAGES
ORDER SAMPLES

Open Air 420

BROWSE IMAGES
ORDER SAMPLES



CARPET PRODUCT OPEN AIR 404 **COLOUR** NICKEL **INSTALLED** NON DIRECTIONAL
LVT PRODUCT TEXTURED WOODGRAINS **COLOUR** HEMLOCK **INSTALLED** ASHLAR




PRODUCT OPEN AIR 420 **COLOUR** NICKEL **INSTALLED** MONOLITHIC

Open Air™ Collection | **Open Air™ 403 Stria**


103259 SHELL



103260 NATURAL


103261 GRANITE


103262 OAT


103263 NICKEL


103264 IRON


103265 MIST


103266 CHARCOAL


103267 BLACK



103268 LINEN


103269 FLANNEL


103270 NAVY

Open Air™ Collection | **Open Air™ 404 Stria**


103271 SHELL



103272 NATURAL


103273 GRANITE


103274 OAT


103275 NICKEL



103276 IRON



103277 MIST


103278 CHARCOAL


103279 BLACK



103280 LINEN



103281 FLANNEL


103282 NAVY

Open Air™ Collection | **Open Air™ 418 Stria**


103283 SHELL


103284 NATURAL


103285 GRANITE


103286 OAT


103287 NICKEL



103288 IRON


103289 MIST


103290 CHARCOAL


103291 BLACK


103292 LINEN


103293 FLANNEL


103294 NAVY

403 & 404

Specifications

Modular, 50 cm x 50 cm
403 12383; 404 12384; 418 12385

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2®

Pile Thickness
403 & 418 0.08 in, 2.1 mm; 404 0.08 in, 2.7 mm

Pile Density
403 8,143 oz/yd³; 404 8,658 oz/yd³;
418 7,463 oz/yd³

Traffic Classification
Severe

Total Recycled Content
68%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

403 & 404

NON DIRECTIONAL

All

QUARTER-TURN

418

MONOLITHIC

Scan For More

403
BROWSE IMAGES
ORDER SAMPLES

404
BROWSE IMAGES
ORDER SAMPLES

418
BROWSE IMAGES
ORDER SAMPLES



PRODUCT OPEN AIR 402 STRIA **COLOUR** NATURAL
PRODUCT OPEN ENDED **COLOURS** COPPER & HICKORY **INSTALLED** ASHLAR



CARPET PRODUCT OPEN AIR 404 STRIA **COLOUR** IRON **INSTALLED** NON DIRECTIONAL
NORA RUBBER PRODUCT NORAMENT SATURA **COLOUR** CIRCINUS **INSTALLED** DIRECTIONAL



CARPET PRODUCT OPEN ENDED **COLOUR** HICKORY
LVT PRODUCT NORTHERN GRAIN **COLOUR** ANTIQUE WASH **INSTALLED** ASHLAR

Open Ended™

103172 OLIVE

103173 WILLOW

103174 PINE

103175 SPRUCE

103176 TURQUOISE

103177 GULF

103178 INDIGO

103179 LAPIS

103180 BORDEAUX

103181 AMETHYST

103182 COPPER

103183 CAYENNE

103184 BRICK

103185 CANYON

103186 HICKORY

103187 CURRY

Specifications

Modular, 25 cm x 1 m
13140
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.10 in, 2.6 mm
Pile Density
7,615 oz/yd³
Traffic Classification
Severe
Total Recycled Content
69%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

ASHLAR

HERRINGBONE

Scan For More

BROWSE IMAGES
ORDER SAMPLES




PRODUCTS THIRD SPACE 301, THIRD SPACE 302 & THIRD SPACE 303 | **COLOUR** LINEN | **INSTALLED** MONOLITHIC

Third Space™ Collection | **Third Space™ 301**


107837 MIST


107838 NAVY



107839 LINEN



107840 NICKEL


107841 FLANNEL


107842 BLACK


107843 CHARCOAL


107844 IRON


107845 GRANITE


107846 EBONY


107847 STONE


107848 NATURAL


107849 OAT


107850 BROWN


107851 SHELL


107852 AMBER

Specifications

Modular, 50 cm x 50 cm
16805
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Engaged Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.11 in, 2.7 mm
Pile Density
7,886 oz/yd³
Traffic Classification
Severe
Total Recycled Content
70%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com


Installation Method


MONOLITHIC

Scan For More


BROWSE IMAGES
ORDER SAMPLES

Third Space™ Collection | **Third Space™ 302**



107853 MIST



107854 NAVY


107855 LINEN


107856 NICKEL


107857 FLANNEL


107858 BLACK


107859 CHARCOAL


107860 IRON


107861 GRANITE


107862 EBONY


107863 STONE


107864 NATURAL



107865 OAT



107866 BROWN


107867 SHELL



107868 AMBER


Third Space™ Collection | **Third Space™ 303**


107869 MIST


107870 NAVY


107871 LINEN


107872 NICKEL


107873 FLANNEL


107874 BLACK



107875 CHARCOAL



107876 IRON


107877 GRANITE


107878 EBONY



107879 STONE


107880 NATURAL



107881 OAT


107882 BROWN


107883 SHELL



107884 AMBER


Third Space™ Collection | **Third Space™ 304**


107885 MIST



107886 NAVY


107887 LINEN


107888 NICKEL


107889 FLANNEL


107890 BLACK



107891 CHARCOAL



107892 IRON


107893 GRANITE


107894 EBONY


107895 STONE


107896 NATURAL


107897 OAT


107898 BROWN


107899 SHELL


107900 AMBER

Specifications

Modular, 50 cm x 50 cm
302 16806; 303 16807; 304 16808

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Engaged Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
302 0.11 in, 2.7 mm; 303 0.10 in, 2.6 mm;
304 0.12 in, 3.1 mm

Pile Density
302 7,886 oz/yd³; 303 7,962 oz/yd³;
304 6,545 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
302 & 303 70%; 304 69%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method


MONOLITHIC

Scan For More

Third Space 302

BROWSE IMAGES
ORDER SAMPLES


Third Space 303

BROWSE IMAGES
ORDER SAMPLES


Third Space 304


BROWSE IMAGES
ORDER SAMPLES

Third Space™ Collection | **Third Space™ 305**


107901 MIST



107902 NAVY


107903 LINEN


107904 NICKEL


107905 FLANNEL



107906 BLACK



107907 CHARCOAL


107908 IRON


107909 GRANITE



107910 EBONY


107911 STONE


107912 NATURAL



107913 OAT


107914 BROWN


107915 SHELL


107916 AMBER

Third Space™ Collection | **Third Space™ 306**


107918 MIST


107919 NAVY


107920 LINEN


107921 NICKEL


107922 FLANNEL


107923 BLACK


107924 CHARCOAL


107925 IRON


107926 GRANITE


107927 EBONY


107928 STONE


107929 NATURAL



107930 OAT


107931 BROWN


107932 SHELL


107933 AMBER

Third Space™ Collection | **Third Space™ 307**


107982 MIST


107990 GRANITE


107983 NAVY


107991 EBONY


107984 LINEN


107992 STONE


107985 NICKEL


107993 NATURAL


107986 FLANNEL


107994 OAT


107987 BLACK


107995 BROWN


107988 CHARCOAL


107996 SHELL


107989 IRON


107997 AMBER

Specifications

Modular, 25 cm x 1 m, 50 cm x 50 cm
305 16809; 306 16810; 307 16816

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Engaged Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
305 & 306 0.11 in, 2.7 mm; 307 0.10 in, 2.5 mm

Pile Density
305 7,667 oz/yd³; 306 7,738 oz/yd³;
307 8,082 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
305 & 306 70%; 307 69%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

305 & 306 MONOLITHIC

307 ASHLAR

307 HERRINGBONE


Scan For More

Third Space 305
BROWSE IMAGES
ORDER SAMPLES

Third Space 306
BROWSE IMAGES
ORDER SAMPLES

Third Space 307
BROWSE IMAGES
ORDER SAMPLES

Third Space™ Collection | **Third Space™ 308**



107998 MIST



108006 GRANITE



107999 NAVY



108007 EBONY



108000 LINEN


108008 STONE


108001 NICKEL


108009 NATURAL



108002 FLANNEL


108010 OAT


108003 BLACK


108011 BROWN



108004 CHARCOAL


108012 SHELL


108005 IRON



108013 AMBER


Third Space™ Collection | **Third Space™ 309**


107934 MIST



107935 NAVY



107936 LINEN


107937 NICKEL


107938 FLANNEL



107939 BLACK



107940 CHARCOAL



107941 IRON


107942 GRANITE



107943 EBONY


107944 STONE


107945 NATURAL



107946 OAT


107947 BROWN


107948 SHELL


107949 AMBER

Third Space™ Collection | **Third Space™ 310**



108014 MIST



108022 GRANITE



108015 NAVY



108023 EBONY



108016 LINEN


108024 STONE


108017 NICKEL



108025 NATURAL



108018 FLANNEL



108026 OAT


108019 BLACK


108027 BROWN


108020 CHARCOAL


108028 SHELL


108021 IRON


108029 AMBER

Specifications

Modular, 25 cm x 1 m, 50 cm x 50 cm
308 16817; 309 16811; 310 16818

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Engaged Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
308 0.11 in, 2.6 mm; 309 0.11 in, 2.8 mm;
310 0.11 in, 2.7 mm

Pile Density
308 7,543 oz/yd; 309 7,071 oz/yd; 310 7,402 oz/yd³

Traffic Classification
Heavy

Total Recycled Content
69%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

308 & 310

ASHLAR

308 & 310

HERRINGBONE

309

MONOLITHIC

Scan For More

Third Space 308
BROWSE IMAGES
ORDER SAMPLES

Third Space 309
BROWSE IMAGES
ORDER SAMPLES

Third Space 310
BROWSE IMAGES
ORDER SAMPLES

Third Space™ Collection | **Third Space™ 311**


107950 MIST


107951 NAVY


107952 LINEN


107953 NICKEL


107954 FLANNEL


107955 BLACK


107956 CHARCOAL


107957 IRON


107958 GRANITE


107959 EBONY


107960 STONE


107961 NATURAL



107962 OAT


107963 BROWN


107964 SHELL


107965 AMBER

Third Space™ Collection | **Third Space™ 312**


107966 MIST


107967 NAVY


107968 LINEN


107969 NICKEL


107970 FLANNEL



107971 BLACK



107972 CHARCOAL



107973 IRON



107974 GRANITE


107975 EBONY


107976 STONE


107977 NATURAL


107978 OAT


107979 BROWN


107980 SHELL


107981 AMBER

Specifications

Modular, 50 cm x 50 cm
311 16813; 312 16814

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Engaged Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt®

Pile Thickness
311 0.11 in, 2.8 mm; 312 0.11 in, 2.7 mm

Pile Density
311 7,009 oz/yd³; 312 7,811 oz/yd³

Traffic Classification
311 Severe; 312 Heavy

Total Recycled Content
311 69%; 312 70%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods

311 & 312
MONOLITHIC

311
NON DIRECTIONAL

Scan For More

Third Space 311

BROWSE IMAGES
ORDER SAMPLES

Third Space 312

BROWSE IMAGES
ORDER SAMPLES





PRODUCT WW865 **COLOUR** SAHARA WARP **INSTALLED** ASHLAR

World Woven™ Collection | **WW865**


103207 TUNDRA WARP


103208 DUSK WARP


103209 PLATEAU WARP


103210 FOREST WARP


103211 TERRAIN WARP



103212 CARIBBEAN WARP


103213 SAHARA WARP


103214 CAMEL WARP

World Woven™ Collection | **WW870**


105343 LINEN WEFT


105344 FLANNEL WEFT


105345 CHARCOAL WEFT


105346 BLACK WEFT


105347 BROWN WEFT


105348 NATURAL WEFT


105349 RAFFIA WEFT


105350 SISAL WEFT

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
WW865 12821; WW870 13893

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
WW865 Tufted Pattern Loop;
WW870 Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2™

Pile Thickness
WW865 0.06 in, 1.4 mm; WW870 0.10 in, 2.6 mm

Pile Density
WW865 10,737 oz/yd³; WW870 7,962 oz/yd³

Traffic Classification
WW865 Severe; WW870 Heavy

Total Recycled Content
WW865 68%; WW870 70%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

WW865

BROWSE IMAGES
ORDER SAMPLES

WW870

BROWSE IMAGES
ORDER SAMPLES



PRODUCT WW895 **COLOUR** SAHARA WEAVE
PRODUCT WW870 **COLOUR** NATURAL WEFT **INSTALLED** ASHLAR

World Woven™ Collection | **WW880**


105359 LINEN LOOM


105360 FLANNEL LOOM


105361 CHARCOAL LOOM


105362 BLACK LOOM


105363 BROWN LOOM


105364 NATURAL LOOM


105365 RAFFIA LOOM


105366 SISAL LOOM

World Woven™ Collection | **WW895**


103215 TUNDRA WEAVE


103216 PLATEAU WEAVE


103217 TERRAIN WEAVE


103218 SAHARA WEAVE

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 25 cm x 1 m
WW880 12820; WW895 12822
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
WW880 Tufted Sheared;
WW895 Engaged Tufted Pattern Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt2™
Pile Thickness
WW880 0.12 in, 3 mm; WW895 0.12 in, 2.9 mm
Pile Density
WW880 7,563 oz/yd³; WW895 9,310 oz/yd³
Traffic Classification
Heavy
Total Recycled Content
WW880 70%; WW895 71%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


HERRINGBONE

Scan For More

WW880

BROWSE IMAGES
ORDER SAMPLES

WW895

BROWSE IMAGES
ORDER SAMPLES



PRODUCT WG100 **COLOURS** AMBER & LINEN
PRODUCT WG200 **COLOUR** LINEN/AMBER **INSTALLED** MONOLITHIC

Woven Gradience™ Collection | **WG100**


108048 LINEN


108049 GREIGE


108050 VOLCANIC


108051 ONYX


108052 UMBER


108053 ASH


108054 WILD CURRANT


108055 CLAY


108056 AMBER


108057 BLUE SAGE


108058 PINE


108059 CARIBBEAN


108060 SLATE


108061 NAVY

Specifications

Modular, 50 cm x 50 cm
13127
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.10 in, 2.4 mm
Pile Density
8,716 oz/yd³
Traffic Classification
Severe
Total Recycled Content
70%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR


BRICK


MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES



PRODUCT WG200 **COLOURS** ASH/SLATE & ASH/GREIGE
PRODUCT WG100 **COLOURS** SLATE, ASH & GREIGE **INSTALLED** ASHLAR

Woven Gradience™ Collection | **WG200**


107659 LINEN/ GREIGE


107660 GREIGE/ VOLCANIC


107661 VOLCANIC/ ONYX


107662 ONYX/UMBER


107663 UMBER/ASH


107664 ASH/GREIGE


107665 LINEN/BLUE SAGE


107666 LINEN/AMBER


107667 GREIGE/CLAY


107668 GREIGE/ CARIBBEAN


107669 VOLCANIC/ NAVY


107670 VOLCANIC/ WILD CURRANT


107671 ONYX/SLATE


107672 ONYX/PINE


107673 UMBER/ CARIBBEAN


107674 UMBER/NAVY


107675 ASH/SLATE


107676 ASH/AMBER

Specifications

Modular, 50 cm x 50 cm
13128
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Dye Method
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt®
Pile Thickness
0.10 in, 2.4 mm
Pile Density
8,536 oz/yd³
Traffic Classification
Severe
Total Recycled Content
70%
Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Methods


ASHLAR QUARTER-TURN BRICK MONOLITHIC

Scan For More

BROWSE IMAGES
ORDER SAMPLES

FLOORING EXTRAS

FROM ENTRYWAYS TO PATIENT ROOMS & MORE





When we say we have an integrated system of products for EVERY space, we mean it. That includes walk-off products for entryways, nora® stairwell solutions, and a range of accessories for norament® and noraplan® floor coverings to complete the perfect floor.

INTERFACE WALK-OFF CARPET

- Unlike most walk-offs, ours can be cleaned just like carpet, making it ideal for entryways and high-traffic areas
- Stiff fibres in our Step Repeat™ Collection grab dirt and debris before it's tracked inside, trapping it until it can be vacuumed later
- Interiors stay fresher, creating a better indoor environment with reduced maintenance

NORA STAIRWELL SOLUTIONS

- Fast installation with decades-long endurance against heavy traffic
- norament® stairtreads offer a pre-shaped stair nosing, riser and tread all-in-one piece
- nora® stair nosings have a slide-in lip to lock in noraplan and norament floor coverings for installation on all types of staircases
- nora® visually impaired strips offer added safety and accessibility with a photoluminescent option available on request

Find more finishing details for your floor, including coordinating cove and sanitary base, weld options, and installation materials on nora.com.



© VALENTIN SCHMIED / LIEBEL ARCHITEKTEN BDA



PRODUCT SR899 **COLOUR** IRON **INSTALLED** MONOLITHIC

Step Repeat™ Collection | **SR699**



104930 SMOKE


104931 GRANITE


104932 IRON


104933 ONYX


104911 KHAKI


104912 SABLE


104913 DARK BROWN


104914 MIDNIGHT

Step Repeat™ Collection | **SR799**


104934 SMOKE


104935 GRANITE


104936 IRON


104937 ONYX


104915 KHAKI


104916 SABLE


104917 DARK BROWN


104918 MIDNIGHT

Step Repeat™ Collection | **SR899**


104938 SMOKE


104939 GRANITE



104940 IRON


104941 ONYX


104919 KHAKI



104920 SABLE


104921 DARK BROWN


104922 MIDNIGHT

Step Repeat™ Collection | **SR999**


104942 SMOKE



104943 GRANITE


104944 IRON


104945 ONYX


104923 KHAKI


104924 SABLE


104925 DARK BROWN


104926 MIDNIGHT

Made for Fast Delivery.
See interface.com/quickship for program details.

Specifications

Modular, 50 cm x 50 cm
SR699 13884; SR799 13885;
SR899 13886; SR999 13887

Yarn Manufacturer
Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2™

Pile Thickness
SR699 0.15 in, 3.7 mm;
SR799 & SR899 0.14 in, 3.6 mm;
SR999 0.13in, 3.2 mm

Pile Density
SR699 6,612 oz/yd³; SR799 6,686 oz/yd³;
SR899 6,545 oz/yd³; SR999 7,654 oz/yd³;

Traffic Classification
Severe

Total Recycled Content
SR699 & SR799 67%; SR899 & SR999 66%

Indoor Air Quality
CRI Green Label Plus #GLP0820;
CDPH 01350 Compliant

View the full product specification on interface.com

Installation Method

SR699 & SR799

QUARTER-TURN

SR899

MONOLITHIC

SR999

NON DIRECTIONAL

Scan For More

SR699
BROWSE IMAGES
ORDER SAMPLES

SR799
BROWSE IMAGES
ORDER SAMPLES

SR899
BROWSE IMAGES
ORDER SAMPLES

SR999
BROWSE IMAGES
ORDER SAMPLES



© NORA

PRODUCT NORAMENT ARAGO STAIRTREADS **COLOUR** FORTITUDE

Made for Fast Delivery.
See interface.com/quickship for program details.

norament® 920 stairtreads (Class A fire-rated)


0884
DUST GREY


0749
STONE GREY


0702
BLACK


0862
AZURE BLUE

Art. 465 — width 1285 mm (~50.59 in)

norament® arago™ stairtreads


5171
FORTITUDE


5172
STAMINA


5175
UNITY


5177
BALANCE


5178
CALM


5179
TRANQUIL

Art. 3170 — width 1285 mm (~50.59 in)
Art. 3171 — width 1614 mm (~63.54 in)
Art. 3172 — width 2004 mm (~78.89 in)

norament® grano™ stairtreads


5301
WHITE FIR


5302
ANGELICA ROOT


5303
FRANKINCENSE


5304 BLACK PEPPER


5313
MARJORAM


5314
HENNA


5315
CEDARWOOD


5308
MYRRH


5329
BERGAMOT


5325
BALSAM


5317
AGAPANTHUS


5318
BLUE TANSY

Art. 479 — width 1285 mm (~50.59 in)
Art. 468 — width 1614 mm (~63.54 in)
Art. 469 — width 2004 mm (~78.89 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

View details and full product specifications at nora.com.



© NORA

PRODUCT NORAMENT GRANO STAIRTREADS **COLOUR** BERGAMOT

Made for Fast Delivery.
See interface.com/quickship for program details.

norament® hammered stairtreads



5336 RHINO
0884 DUST GREY
5337 ASH
0702 BLACK
0007 ALUMINIUM
0882 PLATINUM GREY
0749 STONE GREY
0716 SLATE GREY
5343 EVERGREEN
0319 SLATE BLUE
0733 STEEL BLUE

Art. 479 — width 1285 mm (~50.59 in)
Art. 468 — width 1614 mm (~63.54 in)
Art. 469 — width 2004 mm (~78.89 in)

norament® round stairtreads



5336 RHINO
0884 DUST GREY
5337 ASH
0702 BLACK
0007 ALUMINIUM
0882 PLATINUM GREY
0749 STONE GREY
0716 SLATE GREY
5343 EVERGREEN
0319 SLATE BLUE
0733 STEEL BLUE

Art. 465 — width 1285 mm (~50.59 in)
Art. 466 — width 1614 mm (~63.54 in)
Art. 467 — width 2004 mm (~78.89 in)

norament® satura™ stairtreads



5102 GRUS
5107 CALLISTO
5110 ARA
5114 CIRCINUS
5115 HERCULES
5116 ARCTURUS
5127 VELA
5273 DORADO

Art. 479 — width 1285 mm (~50.59 in)
Art. 468 — width 1614 mm (~63.54 in)
Art. 469 — width 2004 mm (~78.89 in)

Scan For More

BROWSE IMAGES
ORDER SAMPLES

View details and full product specifications at nora.com.

nora®, norament®, and noraplan® are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. Other labels used here are trademarks of their respective owners.

Interface reserves the right to change or modify specifications. Please see website for latest specifications. We have tried our very best to accurately represent product colours. However, due to the nature of printed materials, colour of actual products may vary slightly. Please request a sample to see actual product colour.

MADE FOR



ARCHITECT/DESIGN: E4H ARCHITECTURE
PHOTO: © JONATHAN TADIELLO | THE IMAGE STANDARD

MORE

interface.com

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

CIM #IFS00963 12/2024