


Interface® K-12 Education

PRODUCT CATALOG

NORA® RUBBER - LVT - CARPET TILE - FLOORING EXTRAS





Get Connected with Flooring for Every Space

Choosing the right flooring shouldn't be a challenge, so we're making it easy to find just what you need. Our system of nora[®] rubber, LVT, and carpet tile offers the best of hard and soft surfaces working together as a system to create school spaces that inspire and support staff and students. Make the most of your budget by choosing Interface products available on local and national purchasing contracts. Plus, we've noted which products are QuickShip so you can meet even the most aggressive timelines.





Scan for More Content

Scan the QR code to learn more about how Interface flooring can help you create beautiful, more sustainable spaces.

Designed for Resiliency

From brand-new builds to school renovations, flooring is key to creating fun and successful learning environments. That's why Interface believes in designing for resiliency. Our products stand up to the practical demands of today's educational buildings while positively influencing other factors like staff and teacher retention, as well as boosting student productivity, well-being and success.



Study Up on the Interface Difference

High-Performance Products for Any K-12 Space

- Flexible flooring system works to meet your existing and future needs
- Supports high-functioning spaces like cafeterias and busy hallways that can't afford downtime with solutions that offer ease of maintenance and selective replacement
- Resilient flooring options are resistant to scratches while maintaining a beautiful appearance
- Easy to clean, requiring little more than water to remove dirt or spills, resulting in a longer aesthetic life
- Moisture-resistant systems available, including adhesive
- Streamlined installation and maintenance protocols help lower total cost of ownership over the life of the product

Safety First. Built to Last.

- Improve indoor air quality, as all Interface floor coverings are third-party certified for low VOC emissions, which can reduce triggers that exacerbate asthma—the #1 cause of absenteeism
- Noise reduction helps improve speech intelligibility and student performance
- Help combat staff and teacher fatigue by providing comfort underfoot
- No transition strips needed, which helps to reduce the incidence of slips, trips, and falls
- Integrated flooring system helps you emphasize pathways and guide wayfinding between spaces

Sustainability for the Next Generation


- Engage with the community and surrounding neighborhood to align with municipality goals
- Sustainability is built into our entire product catalog without added cost, making it easier to choose sustainable flooring options
- Reduce your overall carbon footprint, while also contributing to the success of students and staff through a better built environment





Your Design Partner

We make finding design solutions easier with Interface Design Studio. These expert designers know Interface products inside and out—and their services are complimentary. From concept to completion, they can work closely with you to create distinct designs that meet your vision and budget no matter how large or small the project. Plus, the to-scale floor plan layouts can project overall waste and act as an installation guide for the flooring contractor. Just contact your sales rep to get started.





A Softer Hard Surface


nora rubbe

Flooring that's so durable it can last for decades—and still look good—is a must-have for any K-12 environment. nora rubber does just that and more.

- Works together with LVT and carpet tile for a flooring system that performs in virtually any space
- Reduces incidence of slips, trips and fall
- Ease of maintenance and repairabilit
- Help combat staff fatigue by providing comfort under foot
- Dimensionally stable
- Non-porous, highly dense surface of nora rubber creates a long-lasting floor tha cleans easily with little more than water
- Doesn't require coatings, and scratches can be remediated
- Highly resistant to chemicals and stains
- Offers impact sound reduction of up to Δ IIC 23
- Contributes to better indoor air quality
- Greenhealth Approved™ on some nora rubber products
- Cradle to Cradle v3.1 Silver certified on some nora rubber products
- a self-adhesive layer for easy installation

nora®, norament®, and noraplan® are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. Other labels used here are trademarks of their respective owners.








Fast, when you need it. See nora.com/QuickShip for QS program details.

norament® **grano™**



5301 White Fir




5302

5314

Henna

5318 Blue Tansy

5305 Agar




















5326





5304 Black Pepper

5308 Myrrh

5312

5316















5327 Tea Tree

5331 Neroli





5332 Geranium

norament grano

Article Number 1880

Product Construction

Homogeneous Rubber Tile Class / ASTM F1344 Type IB and Grade 2

Total Thickness

3.5 mm

Surface Type

Nominal Dimensions 1004 mm x 1004 mm (~39.53 in x 39.53 in)


Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament® grano™ nTx™. View details and the full product specification at nora.com.

For coordinating stairtreads, visit nora.com.



norament[®] **satura**™
































5107 Callisto

5115 Hercules

5119 Mars

5127 Vela

5131 Cassiopeia






















norament **satura**

Article Number

1880

Product Construction
Homogeneous Rubber Tile

Class / ASTM F1344 Type IB and Grade 2

Total Thickness

3.5 mm

Surface Type Hammered

Nominal Dimensions 1004 mm x 1004 mm (~39.53 in x 39.53 in)


Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament® satura™ nTx™. View details and the full product specification at nora.com.

For coordinating stairtreads, visit nora.com.



NORA RUBBER CARPET TILE FLOORING

norament **pado™**



5501 Natural



5502 Coral



5506 Mineral

5514

Laurel

5505 Concrete



5509 Rose Quartz



5513 Nightshade



5503 Emerald

5504 Coronet

5508 Windsor

5516

Galaxy



5507 Shadow



Moon Mist



5515 Forest



norament pado

Article Number 3167

Product Construction

Homogeneous Rubber Tile

Class / ASTM F1344 Type IB and Grade 2

Total Thickness

3.5 mm

Surface Type Two-Tone


Nominal Dimensions 1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament pado™ nTx™. Contact your sales representative for details or view the full product specification at nora.com.



Fast, when you need it. See nora.com/QuickShip for QS program details.

norament **castello™**



5351 Chateau

5355 Palazzo





5356



5353 Cortege



5358 Cathedral

5354 Manor



norament castello

Article Number

3167

Product Construction
Homogeneous Rubber Tile

Class / ASTM F1344 Type IB and Grade 2

Total Thickness

3.5 mm

Surface Type

Two-Tone

Nominal Dimensions 1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Also available as norament castello™ nTx™. View details and the full product specification at nora.com.

norament **kivo™**



5361 Pumice















5364 Pewter



norament kivo

Article Number

Product Construction Homogeneous Rubber Tile

Class / ASTM F1344

Type IB and Grade 2

Total Thickness

2.7 mm


Surface Type

Nominal Dimensions 1004 mm x 1004 mm (~39.53 in x 39.53 in)

Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant

Installation Method Directional

View details and the full product specification at nora.com/us.



noraplan environcare Article Number: Sheet

Article Number: Tile

Product Construction

Surface Type

Indoor Air Quality

Installation Method Directional

7064 Water Park

7068 Mini Golf

Smooth

Homogeneous Rubber Sheet & Tile

Class: Sheet / ASTM F1859 Class: Tile / ASTM F1344 Type I, Grade 1 Total Thickness 3 mm (also available in 2 mm)

Nominal Dimensions: Sheet 12 m x 1.22 m (~39.37 ft x 48 in)

 $\underline{610~\text{mm}~\text{x}~610~\text{mm}~(\sim24.015~\text{in}~\text{x}~\underline{24.015}~\text{in})}$

the full product specification at nora.com.

GREENGUARD Gold, CDPH 01350 Compliant

Nominal Dimensions: Tile

1463

2463

noraplan **environcare**™



7031 Baseball Game



7032

Sleigh Ride

Bike Ride

7048 Pie Contest

7056

7035 Snow Shoeing



Baby Shower



7043 7044 Ice Fishing Egg Hunt



7047 Skiing



7051 Snowball Fight



7055 Champagne Toast



7060 Candlelight Dinner Garden Party




7033 Tail Gating



7037 Fun Run 7038 Hide-n-Seek



7034 Fireworks



7046 Drive-In



7045

7049 7050 Petting Zoo Summer Camp



7054 Book Club








Farmers Market













7063 Car Wash

Yard Games





7065 Pool Party

7066 Parade












7074





EXTRAS

NORA RUBBER CARPET TILE

noraplan[®] **valua™**



6708 Beach Wood

















6710 Charcoal







6722

Pine Cone





6719 Cocoa Bean

noraplan **valua**

Article Number: Sheet Article Number: Plank 275A / 276A / 277A

Product Construction Homogeneous Rubber Sheet & Tile

Class: Sheet / ASTM F1859 Type I Class: Plank / ASTM F1344

Type I and Grade 1

Total Thickness 3 mm (also available in 2 mm)

Surface Type Striated Profile

Nominal Dimensions: Sheet 12 m x 1.22 m (~39.37 ft x 48 in)

Nominal Dimensions: Plank 275A 610 mm x 205 mm (~24.015 in x 8.07 in)


Nominal Dimensions: Plank 276A 610 mm x 305 mm (~24.015 in x 12 in) Nominal Dimensions: Plank 277A 1220 mm x 405 mm (~48.03 in x 15.94 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Installation Method


Directional

Also available as noraplan® valua™ nTx™. View details and the full product specification at nora.com/us.



noraplan **convia™**







7355 Silver Sand



Iced Taupe



7363 7364



7367 Adobe





7375



7352 Lava Rock

Stone Khaki

7368 Powder Blue



7353 Basalt





7365 **Dusty Mint**







7377 Grecian Blue





7358 Wrought Iron





7366 Patina Green



7370 Pigeon Blue





noraplan **convia**

Article Number: Sheet

Article Number: Tile 270F

Product Construction

Homogeneous Rubber Sheet & Tile

Class: Sheet / ASTM F1859

Class: Tile / ASTM F1344

Type I, Grade 1

Total Thickness 2 mm

Surface Type Smooth

Nominal Dimensions: Sheet

15 m x 1.22 m (~49.21 ft x 48 in)


Nominal Dimensions: Tile 610 mm x 610 mm (~24.015 in x 24.015 in)

Indoor Air Quality
GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Sheet also available as noraplan convia™ nTx™. View details and the full product specification at nora.com.



FLOORING

EXTRAS

noraplan **dariva™**



7161 Pine Nut



6716 Almond



6714 Mushroom



6713 Birch 6709 Smoke

7165 Pepperwood

7167 Juniper



7162 Cottonwood



6708 Beach Wood



7163 Plantain





6715 Pecan

6719 Cocoa Bean

7173 Red Maple



6710 Charcoal

7174 Bluebell

7175 Wisteria













7172



noraplan dariva

Article Number: Sheet

Product Construction Homogeneous Rubber Sheet

Class: Sheet / ASTM F1859

Total Thickness
3 mm (also available in 2 mm)

Surface Type Smooth


Nominal Dimensions: Sheet 12 m x 1.22 m (~39.37 ft x 48 in)

Indoor Air Quality GREENGUARD Gold, CDPH 01350 Compliant


Installation Method

Directional

Sheet also available as noraplan dariva™ nTx™. View details and the full product specification at nora.com.



NORA RUBBER



Hard on Traffic, Soft on Noise

LV1


Designed to work as a system with our nora rubber and carpet tile options—Sound Choice™ 4.5 mm and 3 mm—make it even easier to specify the right flooring for each area of your school.


Sound Choice 4.5 mm

- Available in 25 cm x 1 m planks and 50 cm x 50 cm square
- Ceramor™ coating provides a durable finish that resists scuffs and scratches
- Slip resistance and durabilit
- Greater impact sound reduction of IIC 64
- Optimal dimensional stability and flexibility thanks to an incorporated fiberglass layer
- Offers ease of installation and maintenance
- 39% pre-consumer recycled content
- GreenCircle[™] certified Recyclable through our ReEntry[™] program

3 mm

- Available in 12.5 cm x 1 m planks, 25 cm x 1 m planks and 50 cm x 50 cm squares
- Ceramor™ coating provides a durable finish that resists scuffs and scratches
- Slip resistance and durability
- Impact sound reduction of IIC 56
- Optimal dimensional stability and flexibility
- Offers ease of installation and maintenance
- 39% pre-consumer recycled content





Textured Woodgrains™ | Level Set™ Collection



A00401 Distressed Walnut



A00403 Distressed Hickory



A00406 Antique Light Oak



A00409 Ash Walnut



A00416 Antique Dark Oak



A00418 Charcoal Dune



A00421 Rustic Oak



A00423 Rustic Ash



A00426 Sugarpine



A00402 Distressed Cashew



A00405 Grey Dune



A00407 White Wash



A00415 Antique Oak



A00417 Silver Dune



A00420 Rustic Cashew



A00422 Rustic Hickory



A00425 Rustic Charcoal



A00427 Hemlock

Textured Woodgrains

Product Number

A004

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness 4.5 mm (select colors available in 3 mm)

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant


Installation Methods

Ashlar, Herringbone

Full product specification on interface.com







CARPET

Natural Woodgrains™ | Level Set™ Collection



A00201 Black Walnut



A00203 Chestnut



A00205 Storm



A00207 Washed Wheat



A00209 Mahogany



A00211 Washed Maple



A00202 Madagascar



A00204 Beech



A00206 Winter Grey



A00208 Sand Dune



A00210 Teak



A00212 Cedar

Natural Woodgrains

Product Number A002

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness 4.5 mm (select colors available in 3 mm)

Backing Class

Finish Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

Installation Methods


Ashlar, Herringbone

Full product specification on interface.com





PRODUCT NATURAL WOODGRAINS COLOR A00211 WASHED MAPLE INSTALLED ASHLAR





Steady Stride Woodgrains™

B00114 Sterling



Steady Stride Woodgrains

Product Number B001	
Product Construction High Performance Luxury Vinyl Tile	
Class / ASTM F1700 Class III Printed Vinyl Tile	
Wear Layer Thickness 22 mil	

Backing Class Commercial Grade Finish


Ceramor™ Coating

Nominal Dimensions
12.5 cm x 1 m (4.923 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® SCS-FS-04366,
CDPH 01350 compliant
Installation Methods
Ashlar, Herringbone

Full product specification on interface.com





Textured Stones™ | Level Set™ Collection



A00301 Polished Cement



A00308 Light Concrete



A00310 Dark Concrete



A00302 Cool Polished Cement



A00309 Medium Concrete

Textured Stones

Product Number

A003

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

4.5 mm (select colors available in 3 mm)

Backing Class

Commercial Grade Finish

Ceramor™ Coating

Nominal Dimensions 50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant

Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn













Studio Set™



A00701 Silverlight



A00703 Pepper



A00705 Titanium



A00708 Iris



A00710 Poppy



A00713 Slate



A00716 Orange



A00719 Violet






A00725 Dark Green



A00702 Pewter



A00704 Espresso



A00706 Mushroom



A00709 Ocean



A00712 Marigold



A00715 Chartreuse



A00717 Red



A00720 Royal Blue



A00723 Kelly Green



A00726 Pebble



Product Number A007

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness 4.5 mm (select colors available in 3 mm)

Backing Class Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant Installation Methods

Ashlar, Herringbone

Full product specification on interface.com





A00718 Deep Fuchsia



A00721 Electric Blue




A00724 Turquoise



A00727 Sand






Scorpio™



A01701 Yellow



A01706 Violet







A01702 Chartreuse

A01715

Sand



A01716 Silverlight



A01712 Dark Green

A01704 Red







A01705 Deep Fuchsia





A01718 Pewter Slate

Scorpio

Product Number A017

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness 4.5 mm

Backing Class

Commercial Grade

Finish Ceramor™ Coating

Nominal Dimensions 50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

Installation Methods

Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn


Full product specification on interface.com











EXTRAS





A02403 Limestone



A02405 Granite



A02402 Sandstone



A02404 Alabaster



A02406 Ironstone

Cliff

Product Number A024

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.98 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant


Installation Methods

Ashlar, Herringbone Full product specification on interface.com





Scan the QR code to learn more about products available in both 4.5 mm and 3 mm.



NORA RUBBER

Great Heights™ | Fresco Valley™ Collection



A02501 Grey Pine



A02503 White Oak



A02505 Sequoia



A02502 Hard Maple



A02504 Douglas Fir



A02506 Birch

Great Heights

Product Number A025

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil

Total Thickness

Backing Class Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.98 in)

Indoor Air Quality GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

Installation Methods Ashlar, Herringbone


Full product specification on interface.com





Ridge™ | Fresco Valley™ Collection





A02301 Phantom



A02303 Sage



A02305 Mushroom



A02302 Shade



A02304 Agate



A02306

Ridge

Product Number

A023

Product Construction High Performance Luxury Vinyl Tile

Class / ASTM F1700 Class III Printed Vinyl Tile

Wear Layer Thickness

22 mil Total Thickness

Backing Class

Finish

Ceramor™ Coating

Nominal Dimensions 50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified,

CDPH 01350 Compliant

Installation Methods Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn











PRODUCT RIDGE COLORS A02303 SAGE, A02304 AGATE INSTALLED MONOLITHIC

FLOORING EXTRAS

Brushed Lines™




A01602 Alabaster



A01605 Graphite



A01608 Sandalwood



A016011 Mousse



A01616 Rouge



A01619 Eucalyptus



A01622 Deep Cobalt





A01606 Kohl

A01604 Galena



A01609 Paraffin



A01612 Soft Shadow



A01618 Celadon



A01620 Teal Oxide

Brushed Lines

Product Number

A016

Product Construction

High Performance Luxury Vinyl Tile Class / ASTM F1700

Class III Printed Vinyl Plank

Wear Layer Thickness 22 mil

Total Thickness 4.5 mm (select colors available in 3 mm)

Backing Class Commercial Grade

Finish Ceramor™ Coating

Nominal Dimensions 25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® SCS-FS-04366,


CDPH 01350 compliant Installation Methods

Ashlar, Herringbone

Full product specification on interface.com










EXTRAS

FLOORING



The Softer Side of High Performance

- Interface Modular Carpet on CQuest™GB, CQuest™Bio, and CQuest™BioX meet the
- Interface Modular Carpet on CQuest™Bio and CQuest™BioX is Cradle to Cradle v3.1
- The innovative CQuest™ backings offer superior performance with a low carbon










Scan for More Content







AE311

Dye Method 100% Solution Dyed Construction Tufted Textured Loop Preservative Protection

Intersept®

Soil/Stain Protection Protekt^{2™} Pile Thickness 2.5 mm (0.097 in) Pile Density

Modular, 25 cm x 1 m Style: 13883 Yarn Manufacturer Aquafil Yarn System

100% Recycled Content Nylon

i2

i2

104668 Mist



104670 Taupe



104672 Greige



104674 Smoke



105803 Mushroom



105805 Granite



104669 Fog



104671 Chestnut



104673 Iron



104675 Ink




105804 Loam



105806 Topaz





Modular, 25 cm x 1 m Style: 16323 Yarn Manufacturer Aquafil

105807 Biscuit

AE315

AE315 | Aerial™ Collection



105808 Mushroom/Grass



105810 Chestnut/Marigold



105812 Loam/Poppy



105814 Ink/Magenta



105816 Granite/Azure



105818 Topaz/Emerald



105809 Fog/Citron



105811 Greige/Persimmon



105813 Iron/Berry




105815 Smoke/Iris



105817 Mist/Aquamarine




105819 Taupe/Leaf





105820 Biscuit/Eucalyptus



NORA RUBBER

LYT

AE317 | Aerial™ Collection



105821 Grass



105823 Marigold



105825 Poppy



105827 Magenta



105829 Azure



105831 Emerald



105833 Eucalyptus



105822 Citron



105824 Persimmon



105826 Berry



105828 Iris



105830 Aquamarine



105832 Leaf

AE317



Modular, 25 cm x 1 m Style: 16327

Yarn Manufacturer

Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method

100% Solution Dyed

Construction Tufted Textured Loop

Preservative Protection

Intersept® Soil/Stain Protection

Protekt^{2™}

Pile Thickness 2.6 mm (0.101 in)

Pile Density 6,059 oz/yd³

Traffic Classification

Heavy

Total Recycled Content

Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone





PRODUCT AE317 COLOR 105829 AZURE INSTALLED PATTERN BY TILE
PRODUCT AE315 COLOR 105816 GRANITE/AZURE INSTALLED PATTERN BY TILE
PRODUCT AE311 COLOR 105805 GRANITE INSTALLED PATTERN BY TILE



Cubic™


106076 Vertex

106077 Peak


106078 Summit

106079 Pinnacle










Profile™



5966 Balance



106081 Meridian



106086 Lofty 106087 Crest



106091 Pinnacle





106088 Vertex







5978 Construction





106080 Soar





106089 Peak



106090 Summit





12

Modular, 50 cm x 50 cm Style: 13811

Yarn Manufacturer

Aquafil

Yarn System 100% Recycled Content Nylon

Dye Method 100% Solution Dyed Construction

Tufted Textured Loop Preservative Protection

Intersept® Soil/Stain Protection

Protekt^{2™}

Pile Thickness 2.9 mm (0.116 in)

Pile Density 5,586 oz/yd³ Traffic Classification

Severe **Total Recycled Content**

Up to 83%

Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Non Directional Full product specification on interface.com





EXTRAS

Heartthrob

i2

Heartthrob™ | Heartbeats™ Collection



107504 Verse





107505 Poetry












107503 Illustrious








107508 Aerie


Modular, 50 cm x 50 cm Style: 13124	
Yarn Manufacturer Aquafil	
Yarn System 100% Recycled Content Nylon	
Dye Method 100% Solution Dyed	
Construction Tufted Textured Loop	
Preservative Protection Intersept®	
Soil/Stain Protection Protekt ^{2™}	
Pile Thickness 3.4 mm (0.135 in)	
Pile Density 6,400 oz/yd³	
Traffic Classification Heavy	
Total Recycled Content Up to 84%	
Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350	
Installation Methods Non Directional	
Full product specification on interface.com	












i2

Harmonize™ | Harmonize™ & Ground Waves™ Collection





Ground Waves™ | Harmonize™ & Ground Waves™ Collection



Ground Waves Verse™ | Harmonize™ & Ground Waves™ Collection









i2.

Ground Waves Verse

Modular, 25 cm x 1 m

Open Air™ 403 | Open Air™ Collection



106727 Black

106732 Nickel





Ebony





106729 Flannel

106734 Stone

107700 Oat





107697 Mist

106731 Natural



107702 Shell





Modular, 50 cm x 50 cm Style: 16331

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon Dye Method

100% Solution Dyed

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Pile Thickness

2.1 mm (0.083 in) Pile Density

8,241 oz/yd3

Traffic Classification

Total Recycled Content

Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Non Directional

Full product specification on interface.com



Open Air™ 404 | Open Air™ Collection



106745

107703



106750







107706 Ebony

106751



106752







Charcoal

106753


Brown













Natural





107709 Shell

Open Air 404



12

Modular, 50 cm x 50 cm Style: 16333

Yarn System

100% Recycled Content Nylon

Dye Method 100% Solution Dyed

Construction Tufted Textured Loop

Preservative Protection Intersept®

Soil/Stain Protection Protekt^{2™} Pile Thickness

1.8 mm (0.07 in) Pile Density

9,771 oz/yd3

Traffic Classification


Total Recycled Content Up to 83%

Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350

Full product specification on interface.com

Installation Methods Non Directional





NORA RUBBER

CARPET TILE


FLOORING

EXTRAS

Open Air™ 405 | Open Air™ Collection



106754 Black



106759 Nickel



107717 Amber

107713 Ebony



106761 Stone

107714 Oat

106756 Flannel



106757 Charcoal









106758 Natural







107716 Shell

Open Air 405

i2

Modular, 50 cm x 50 cm Style: 16334

Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon

Dye Method 100% Solution Dyed

Construction Tufted Textured Loop Preservative Protection

Intersept® Soil/Stain Protection

Protekt^{2™}

Pile Thickness 2 mm (0.079 in)

Pile Density 8,203 oz/yd³

Traffic Classification Severe

Total Recycled Content Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods


Non Directional

Full product specification on interface.com





PRODUCT OPEN AIR 405 COLOR 106754 BLACK INSTALLED NON DIRECTIONAL



Open Air™ 407 | Open Air™ Collection



106939 Black



106941 Flannel



106943 Natural



106945 Granite



106947 Linen



107719 Navy



107721 Oat



107723 Shell



106940 Iron



106942 Charcoal



106944 Nickel



106946 Stone



107718 Mist



107720 Ebony



107722 Brown



107724 Amber

Open Air 407

Modular, 25 cm x 1 m

Aquafil


Construction

Protekt^{2™}

Pile Density 6,968 oz/yd³

Severe

Installation Methods







Style: 16337

Yarn Manufacturer

Yarn System
100% Recycled Content Nylon

Dye Method 100% Solution Dyed

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Pile Thickness 2.4 mm (0.093 in)

Traffic Classification


Total Recycled Content Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Ashlar, Herringbone







PRODUCT OPEN AIR 407 COLOR 106939 BLACK INSTALLED ASHLAR

Open Air™ 401 Stria | Open Air™ Collection



103223 Shell



103225 Granite



103227 Nickel



103229 Mist



103231 Black



103233 Flannel



103224 Natural



103226 Oat



103228 Iron



103230 Charcoal



103232 Linen



103234 Navy

Open Air 401 Stria

Modular, 25 cm x 1 m Style: 13139

Yarn Manufacturer

Aquafil Yarn System

100% Recycled Content Nylon

Dye Method

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Protekt^{2™}

Pile Thickness 2.2 mm (0.09 in)

Pile Density 7,624 oz/yd³

Traffic Classification

Severe

Total Recycled Content

Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com







Open Ended™



103172 Olive



103174 Pine



103176 Turquoise



103178 Indigo



103180 Bordeaux



103182 Copper



103184 Brick



103186 Hickory



103173 Willow



103175 Spruce



103177 Gulf



103179 Lapis



103181 Amethyst



103183 Cayenne



103185 Canyon



103187 Curry

Open Ended

Modular, 25 cm x 1 m Style: 13140

Yarn Manufacturer

Aquafil

Yarn System
100% Recycled Content Nylon

Dye Method

100% Solution Dyed

Construction

Tufted Textured Loop Preservative Protection

Soil/Stain Protection Protekt^{2™}

Pile Thickness 2.64 mm (0.104 in)

Pile Density 7,615 oz/yd³

Traffic Classification

Severe **Total Recycled Content**


Up to 84%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone Full product specification on interface.com





Driftwood™



104846 Mahogany



104848 Redwood



104850 Alder



104852 Leyland



104854 Palm



104856 Linden



104858 Teak



104860 Chestnut



104847 Pine



104849 Sorrel



104851 Oak



104853 Hazelnut



104855 Aspen



104857 Pecan



104859 Sweetgum



104861 Elm

Driftwood



Modular, 25 cm x 1 m

Style: 13894 Yarn Manufacturer

Aquafil

Yarn System 100% Recycled Content Nylon

Dye Method 100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection Intersept®

Soil/Stain Protection

Protekt^{2™}

Pile Thickness 2.4 mm (0.095 in)

Pile Density 6,821 oz/yd³

Traffic Classification Severe

Total Recycled Content


Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350


Installation Methods

Ashlar, Herringbone Full product specification on interface.com







Aglow™ | Night Lights™ Collection














107252 Nickel Poppy











Aglow Modular, 25 cm x 1 m Style: 12522 Yarn Manufacturer Aquafil Yarn System 100% Recycled Content Nylon Dye Method 100% Solution Dyed Construction Tufted Textured Loop Preservative Protection Soil/Stain Protection Protekt^{2™} Pile Thickness 1.8 mm (0.07 in) Pile Density 9,257 oz/yd³ Traffic Classification Severe **Total Recycled Content** Up to 83% Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350



Translucent™ | Night Lights™ Collection







107229 Titanium

Translucent Modular, 25 cm x 1 m

Style: 12515 Yarn Manufacturer Yarn System 100% Recycled Content Nylon Dye Method 100% Solution Dyed Construction Tufted Textured Loop Preservative Protection Intersept® Soil/Stain Protection Protekt^{2™} Pile Thickness 1.5 mm (0.06 in) Pile Density 10,80<u>0</u> oz/yd³ Traffic Classification Severe Total Recycled Content Up to 83%



Indoor Air Quality

Installation Methods Ashlar, Herringbone

Green Label Plus #GLP0820, CDPH 01350

Full product specification on interface.com



EXTRAS

107234 Ink Azure



107236 Iron Poppy



107238 Iron Azure



107240 Nickel Poppy



107242 Nickel Gold



107244 Titanium Lagoon



107235 Ink Cloud



107237 Iron Lagoon



107239 Iron Grass



107241 Nickel Persimmon



107243 Nickel Ivy



107245 Titanium Iris

Luminescent

Modular, 25 cm x 1 m Style: 13111

Yarn Manufacturer

Aquafil

Yarn System 100% Recycled Content Nylon

Dye Method

Construction

100% Solution Dyed Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Pile Thickness 2.3 mm (0.09 in)

Pile Density

7,600 oz/yd3 Traffic Classification

Total Recycled Content

Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com



Glisten™ | Night Lights™ Collection



107230 Ink



107232 Nickel



107231 Iron



107233 Titanium

Glisten

Modular, 25 cm x 1 m

Style: 13110

Yarn Manufacturer

Aquafil Yarn System

100% Recycled Content Nylon

Dye Method 100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection Intersept®

Soil/Stain Protection Protekt^{2™}

Pile Thickness

2.6 mm (0.101 in)

Pile Density 7,129 oz/yd3

Traffic Classification

Total Recycled Content Up to 83%


Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com





NORA RUBBER

L

107258 Ink Azure



107260 Iron Poppy



107262 Iron Azure



107264 Nickel Poppy



107266 Nickel Gold



107268 Titanium Lagoon



107259 Ink Cloud



107261 Iron Lagoon



107263 Iron Grass



107265 Nickel Persimmon



107267 Nickel Ivy



107269 Titanium Iris

Soft Glow

Modular, 25 cm x 1 m Style: 13113

Yarn Manufacturer

Aquafil Yarn System

100% Recycled Content Nylon

Dye Method

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Soil/Stain Protection

Pile Thickness 2.4 mm (0.093 in)

Pile Density 7,355 oz/yd3

Traffic Classification

Total Recycled Content Up to 83%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com




Reflectors™ | Night Lights™ Collection



107270 Ink Azure



107272 Iron Poppy



107274 Iron Azure



107276 Nickel Poppy



107278 Nickel Gold




107280 Titanium Lagoon



107271 Ink Cloud



107273 Iron Lagoon



107275 Iron Grass



107277 Nickel Persimmon



107279 Nickel Ivy



107281 Titanium Iris

Reflectors

Modular, 25	cm	X	1
Style: 13114			

Yarn Manufacturer Aquafil

Yarn System

100% Recycled Content Nylon

Dye Method 100% Solution Dyed

Construction

Tufted Textured Loop Preservative Protection

Intersept® Soil/Stain Protection

Protekt^{2™} Pile Thickness

2.4 mm (0.095 in) Pile Density

7,200 oz/yd3 Traffic Classification


Severe Total Recycled Content Up to 83%

Indoor Air Quality Green Label Plus #GLP0820, CDPH 01350

Installation Methods Ashlar, Herringbone

Full product specification on interface.com






NORA RUBBER

CARPET TILE

FLOORING

EXTRAS



All the Extras

From Entryways to Stairs and More

When we say we have a system of products for *every* space, we mean it. That includes walk-off products for entryways, nora stairwell solutions, and a range of accessories for norament® and noraplan® floor coverings to complete the perfect floor.

Interface Walk-Off Carpet

- Unlike most walk-offs, ours can be cleaned just like carpet, making it ideal for entryways and high-traffic areas
- Stiff fibers in our Step Repeat™ Collection grab dirt and debris before it's tracked inside, trapping it until it can be vacuumed later
- Interiors stay fresher, creating a better indoor environment with reduced maintenance

nora® Stairwell Solutions

- Fast installation and decades-long endurance against heavy traffic
- norament® stairtreads offer a pre-shaped stair nosing, riser and tread all-in-one piece and fit straight steps with an angled edge
- nora® stair nosings use a slide-in lip to lock in noraplan and norament floor coverings for installation on all types of staircases
- nora® visually impaired strips are offered in smooth or textured surfaces and high-contrast colors for added safety and accessibility. Photoluminescent option available on request.

nora® Accessories


- nora® wall base adds that final touch to your installation
- nora® heat weld or nora® cold weld for monolithic installations
- nora® sanitary base for areas with stringent hygienic requirements
- High-quality installation materials tailored to nora rubber



Installations

Scan for More Content

Scan the QR code to learn more about our installation systems, adhesives, TacTiles™, wall base and welds.





104915 Khaki

















104942




104943

SR999 | Step Repeat™ Collection



104925 Dark Brown

104944



Onyx

SR899 | Step Repeat™ Collection











104940 104939

SR799

104938

Modular, 50 cm x 50 cm Style: 13885 Yarn Manufacturer Yarn System 100% Recycled Content Nylon Dye Method 100% Solution Dyed Construction Tufted Textured Loop Preservative Protection Soil/Stain Protection Protekt^{2™}

Pile Thickness 3.6 mm (0.14 in)

Pile Density

Total Recycled Content Up to 80% Indoor Air Quality
Green Label Plus #GLP0820,

CDPH 01350

Installation Methods Quarter-Turn

Full product specification on interface.com

SR899

Modular, 50 cm x 50 cm Style: 13886 Yarn Manufacturer Aquafil **Yarn System** 100% Recycled Content Nylon

Dye Method

Construction Tufted Textured Loop

Preservative Protection Soil/Stain Protection

Pile Thickness 3.6 mm (0.143 in)

Pile Density Total Recycled Content

Up to 80% Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods Monolithic

Full product specification on interface.com



SR999 Modular, 50 cm x 50 cm Style: 13887 Yarn Manufacturer Aquafil **Yarn System** 100% Recycled Content Nylon Dye Method 100% Solution Dyed Construction Tufted Textured Loop Preservative Protection Soil/Stain Protection Protekt^{2™} Pile Thickness 3.2 mm (0.127 in) Pile Density 7,654 oz/yd3 Total Recycled Content Up to 80% Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350 Installation Methods Non Directional

Full product specification on interface.com





NORA RUBBER

norament® round stairtreads




5336 Rhino



Dust Grey





Slate Blue

0716 Slate Grey

0749 Stone Grey

Art. 465 — width 1285 mm (~50.59 in) Art. 466 — width 1614 mm (~63.54 in) Art. 467 — width 2004 mm (~78.89 in)

norament[®] grano™ stairtreads






5313 Marjoram







5314






Frankincense








5318 Blue Tansy

norament[®] satura™ stairtreads














NORA RUBBER CARPET TILE FLOORING EXTRAS

norament[®] **arago™ stairtreads**



5171 Fortitude









5178 Calm

Art. 3170 — width 1285 mm (~50.59 in) Art. 3171 — width 1614 mm (~63.54 in) Art. 3172 — width 2004 mm (~78.89 in)

norament® hammered stairtreads















0884 Dust Grey








0716 Slate Grey

Art. 479 — width 1285 mm (~50.59 in) Art. 468 — width 1614 mm (~63.54 in) Art. 469 — width 2004 mm (~78.89 in)





Environmental Impact That's Anything but Textbook

Flooring can be the largest source of carbon emissions in school facilities, so whether you're building new or renovating an existing structure, there's an opportunity to make a difference. We are transparent about the carbon impact of your purchase so that you can avoid or store more carbon to help you achieve low carbon design. Our carbon plan is simple: Avoid. Reduce. Store. Inspire. When you choose flooring from Interface, you're selecting a single-source solution that will not only help you reduce your overall carbon footprint, but also contribute to the success of students and staff through a better built environment.









Reduce Waste Through Our Reclamation Program

Interface's ReEntry[™] Program enables reclamation of used flooring and installation waste

Choose Products That Contribute to a Healthy Environment

- Interface carpet tile, LVT and nora rubber flooring offer noise reduction, improved speech intelligibility and student performance
- Interface flooring products are third-party certified for low VOC emissions through Green Label Plus, GREENGUARD Gold or FloorScore®, contributing to better indoor air quality, which can help reduce absenteeism due to asthma
- Many Interface products incorporate biophilic design, bringing elements of nature into the classroom contributing to stress reduction and enhanced learning outcomes
- Interior finish materials like flooring help create spaces that contribute to staff and teacher retention, safety and well-being

Make a Sustainable Impact on Any Budget

- nora® rubber, LVT and carpet tile collections cover nearly any color, pattern, design and price point desired
- With Interface, sustainable products aren't just an option—they're the way we do business



Biophilic Design + Student Success

Scan to View Case Study

Scan the QR code to learn more about the impact of biophilic design on student success.

interface.com

United States Headquarters

1280 West Peachtree Street NW Atlanta, GA 30309 1.800.634.6032

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext. 52128

CIM # IFS00941 02/2024



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.