

HPD UNIQUE IDENTIFIER: 24605
CLASSIFICATION: 09 65 16.23 Vinyl Sheet Flooring
PRODUCT DESCRIPTION: Interface Vinyl Sheet

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

- | | | |
|--|--|---|
| Inventory Reporting Format | Threshold level | Residuals/Impurities |
| <input checked="" type="radio"/> Nested Materials Method | <input type="radio"/> 100 ppm | Residuals/Impurities |
| <input type="radio"/> Basic Method | <input checked="" type="radio"/> 1,000 ppm | Considered in 3 of 3 Materials |
| Threshold Disclosed Per | <input type="radio"/> Per GHS SDS | Explanation(s) provided |
| <input type="radio"/> Material | <input type="radio"/> Other | for Residuals/Impurities? |
| <input checked="" type="radio"/> Product | | <input checked="" type="radio"/> Yes <input type="radio"/> No |

All Substances Above the Threshold Indicated Are:
 Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.
 Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.
 Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

MID-BOTTOM LAYER [POLYVINYL CHLORIDE LT-P1 | RES LIMESTONE LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK MAGNESIUM ALUMINUM HYDROXIDE CARBONATE LT-UNK ZINC DIOLEATE LT-P1 | MUL CALCIUM STEARATE LT-UNK] WEAR/PRINT LAYER [POLYVINYL CHLORIDE LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg ETHYL ACETATE LT-UNK | EYE | PHY] TOP COAT [HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED NoGS POLY(OXY-1,2-ETHANEDIYL), ALPHA-(1-OXO-2-PROPEN-1-YL)-OMEGA-((1-OXO-2-PROPEN-1-YL)OXY)- LT-UNK HYDROXYPROPYL ACRYLATE LT-UNK | SKI | MAM 2-HYDROXYETHYL ACRYLATE LT-P1 | AQU | SKI | MUL | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As included in the finished product, none of the material(s) identified with a "Hazard Type" designator have been shown to present any increased risk to human health under normal conditions of use or exposure.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
 VERIFIER:
 VERIFICATION #:

SCREENING DATE: 2021-03-01
 PUBLISHED DATE: 2021-05-03
 EXPIRY DATE: 2024-03-01

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

MID-BOTTOM LAYER

#: 68.0000 - 77.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals are included where appropriate according to HPDC best practice.

OTHER MATERIAL NOTES: None

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01 22:37:51

#: 35.0000 - 40.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
-----	-------------------	--------------------------------------

SUBSTANCE NOTES: The respiratory hazard is assigned on the assumption that all polyvinyl chloride contains plasticizers that are asthmagens. The polyvinyl chloride used in this product does not contain this material and the HAZARD TYPE assigned is not applicable. The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

LIMESTONE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01 22:37:51

#: 35.0000 - 40.0000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: None

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01 22:37:52

#: 20.0000 - 25.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: None

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-01 22:37:53**%: **1.5000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

MAGNESIUM ALUMINUM HYDROXIDE CARBONATE

ID: 11097-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-01 22:37:53**%: **0.5000 - 0.8000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

ZINC DIOLEATE

ID: 557-07-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-01 22:37:54**%: **0.2000 - 0.3000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-01 22:37:54**%: **0.1000 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

WEAR/PRINT LAYER%: **25.0000 - 30.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals are included where appropriate according to HPDC best practice.

OTHER MATERIAL NOTES:

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-01 22:37:50**%: **73.0000 - 77.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The respiratory hazard is assigned on the assumption that all polyvinyl chloride contains plasticizers that are asthmagens. The polyvinyl chloride used in this product does not contain this material and the HAZARD TYPE assigned is not applicable. The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-01 22:37:52**%: **20.0000 - 30.0000** GS: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

ETHYL ACETATE

ID: 141-78-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-01 22:37:53**%: **1.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

TOP COAT%: **0.1000 - 0.4000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals are included where appropriate according to HPDC best practice.

OTHER MATERIAL NOTES: None

HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED

ID: 141686-56-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-03-01 22:37:51		
#: 25.0000 - 35.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

POLY(OXY-1,2-ETHANEDIYL), ALPHA-(1-OXO-2-PROPEN-1-YL)-OMEGA-((1-OXO-2-PROPEN-1-YL)OXY)- ID: **26570-48-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-03-01 22:37:52		
#: 25.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

HYDROXYPROPYL ACRYLATE ID: **25584-83-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-03-01 22:37:52		
#: 25.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed		
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin		
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		

SUBSTANCE NOTES: The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

2-HYDROXYETHYL ACRYLATE ID: **818-61-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-03-01 22:37:53		
#: 15.0000 - 25.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-02-18 EXPIRY DATE:

CERTIFIER OR LAB: SCS Global Services

APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: None

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

MANUFACTURER INFORMATION

MANUFACTURER: Interface
ADDRESS: Interface
 1280 West Peachtree Street NW
 Atlanta GA 30309, USA
WEBSITE: www.interface.com

CONTACT NAME: Carol Fudge
TITLE: Manager, Market Sustainability
PHONE: 603-560-8941
EMAIL: carol.fudge@interface.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.