

In accordance with OSHA 29 CFR 1910.1200

Supersedes Date: 29-Apr-2019

Revision Date 02-Dec-2020

XL HM99 High Moisture Adhesive Revision Number 2

1. Identification

1.1. Product Identifier

Product Name XL HM99 High Moisture Adhesive

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive

Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

198 Nexus Drive

Dalton, GA 30721 USA

Phone: +1 (800) 367-4583 (Domestic Toll Free)

Phone: +1 (706) 272-5800 (Local)

Fax: +1 (706) 272-5801

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: Chemtrec:800-424-9300

Rapid Technical Response: 706-508-5907 Mon-Fri, 8am-5pm est

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label Elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Liquid Physical state Liquid Odor Characteristic

2.3. Other Information

No information available.

US - EN Page 1/8

XL HM99 High Moisture Adhesive Revision Number 2

Revision Date 02-Dec-2020

Supersedes Date: 29-Apr-2019

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

4. First-aid measures

4.1. Description of first aid measures

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. If eye irritation persists: Get medical advice/attention.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a physician.

Ingestion Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

5.1. Extinguishing media

Large Fire

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Carbon dioxide (CO2). Carbon oxides.

Explosion data

Sensitivity to mechanical impact None.

US - EN Page 2/8

XL HM99 High Moisture Adhesive Revision Number 2

Revision Number 2 Supersedes Date: 29-Apr-2019

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Revision Date 02-Dec-2020

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required.

6.2. Environmental precautions

Environmental precautions Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other noncombustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash thoroughly

after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

US - EN Page 3/8

XL HM99 High Moisture Adhesive Revision Number 2

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Revision Date 02-Dec-2020

Supersedes Date: 29-Apr-2019

Skin and body protectionNo special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash it before reuse. Regular cleaning of

equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Color White

Odor Characteristic

Odor threshold No information available

Property Values Remarks • Method

pH 8.5

Melting point / freezing point No data available None known

Boiling point / boiling range 100 °C / 212 °F Flash point > 100 °C / 212 °F

Evaporation rate No data available None known

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownRelative vapor densityNo data availableNone knownRelative densityNo data availableNone known

US - EN Page 4/8

XL HM99 High Moisture Adhesive

Revision Number 2 Supersedes Date: 29-Apr-2019

Revision Date 02-Dec-2020

Water solubility Insoluble

No data available Solubility(ies) None known No data available Partition coefficient None known **Autoignition temperature** No data available None known No data available None known **Decomposition temperature** No data available None known Kinematic viscosity Dynamic viscosity No data available None known

9.2. Other information

Explosive properties

Oxidizing properties

Solvent content (%)

Solid content (%)

Softening Point

Molecular weight

No information available
No information available
No information available
No information available

VOC Content (%) 0 g/L / 0 % **Density** 0.995 g/cm³

Bulk density No information available

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Extremes of temperature and direct sunlight. Do not freeze.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2) Hydrocarbons

11. Toxicological information

11.1. Information on toxicological effects

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

US - EN Page 5/8

Revision Date 02-Dec-2020

Supersedes Date: 29-Apr-2019

XL HM99 High Moisture Adhesive Revision Number 2

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 33,843.00 mg/kg **ATEmix (dermal)** 26,692.50 mg/kg

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity .

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

US - EN Page 6/8

XL HM99 High Moisture Adhesive Revision Number 2

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

Revision Date 02-Dec-2020

Supersedes Date: 29-Apr-2019

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: Keep from freezing

DOTNot regulatedIATANot regulatedIMDGNot regulated

.....gulato

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

US - EN Page 7/8

XL HM99 High Moisture Adhesive Revision Number 2

Revision Date 02-Dec-2020

Supersedes Date: 29-Apr-2019

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Revision date 02-Dec-2020

Revision note SDS sections updated. 4. 5. 6. 8. 9. 10. 11. 12. 14. 15.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

US - EN Page 8/8